

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
1 April 2004 (01.04.2004)


PCT

(10) International Publication Number  
**WO 2004/026888 A2**

- (51) International Patent Classification<sup>7</sup>: **C07H**
- (21) International Application Number:  
**PCT/US2003/029577**
- (22) International Filing Date:  
19 September 2003 (19.09.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/412,479 19 September 2002 (19.09.2002) US
- (71) Applicants (for all designated States except US): **COLEY PHARMACEUTICAL GMBH** [DE/DE]; Elisabeth-Selbert-Strasse 9, 40764 Langenfeld (DE). **UNIVERSITY OF SASKATCHEWAN** [CA/CA]; Kirk Hall, 117 Science Place, Saskatoon, Saskatchewan S7N 5C8 (CA). **QIAGEN GMBH** [DE/DE]; Max-Volmer-Strasse 4, 40724 Hilden (DE).
- (72) Inventors; and  
(75) Inventors/Applicants (for US only): **LIPFORD, Grayson, B.** [US/US]; 38 Bates Road, Watertown, MA 02472 (US). **MOOKHERJEE, Neeloffer** [IN/CA]; Apt 408, 2233 Allison Road,, Vancouver, BC V6T 1T7 (CA). **BABIUK, Lorne** [CA/CA]; 245 East Place, Saskatoon, Saskatchewan S7J 2Y1 (CA). **BROWNLIE, Robert** [CA/CA]; 123 O'Brien Crescent, Saskatoon, Saskatchewan S7K 5K3 (CA). **GRIEBEL, Philip** [CA/CA]; Box 36, RR5, Saskatoon, Saskatchewan S7K 3J8 (CA). **MUTWIRI, George** [CA/CA]; 569 Nordstrum Road, Saskatoon, Saskatchewan S7K 7X6 (CA). **HECKER, Rolf** [DE/DE]; Benrodestr. 60, 40597 Düsseldorf (DE).
- (74) Agent: **STEELE, Alan, W.**; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).
- (81) Designated States (national): AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,

[Continued on next page]

(54) Title: TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES



(57) Abstract: Novel amino acid and nucleotide sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) Toll-like receptor 9 (TLR9) are provided. Also provided are amino acid and nucleotide sequences for dog (canine), cat (feline), mouse (murine), and human TLR9. Comparison of these sequences, especially in combination with functional assessment for species-specific CpG motif preferences, permits identification of specific regions and amino acid residues of interest in TLR9 ligand interaction. Novel chimeric TLR9 receptor molecules, cells expressing these molecules, and methods for their use in screening assays for TLR9 ligands are also provided.

WO 2004/026888 A2



MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— without international search report and to be republished upon receipt of that report

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

## TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

### Background of the Invention

Synthetic oligodeoxynucleotides (ODN) and DNA containing immunostimulatory  
5 CpG motifs (CpG DNA) function as potent adjuvants and activators of the innate immune  
system. Heeg K et al. (2000) *Int Arch Allergy Immunol* 121:87-97; Krieg AM (2001)  
*Vaccine* 19:618-22. A wide variety of CpG-containing sequences have been screened for  
biological activity and it is reported that optimal CpG DNA sequences can vary among  
species. Rankin R et al. (2001) *Antisense Nucleic Acid Drug Dev* 11:333-40.

10 Toll-like receptor 9 (TLR9) has recently been identified as a receptor for CpG ODN.  
Hemmi H et al. (2000) *Nature* 408:740-5. The molecular mechanism by which TLR9  
recognizes CpG DNA is not understood.

### Summary of the Invention

15 Toll-like receptor 9 (TLR9) is known to be involved in innate immunity and to signal  
in response to CpG DNA. To date, the amino acid sequences only of human and murine  
TLR9 have been reported, and, interestingly, these two species are known to prefer different  
CpG motifs. The structural basis for this species-specific CpG motif preference has not yet  
been fully elucidated. The instant invention provides, in part, novel amino acid and  
20 nucleotide sequences of rat, pig, cow, and horse TLR9. These novel TLR9 sequences are  
useful for elucidating certain key structural features of TLR9. Specifically, comparison of  
sequences of murine, human, and these novel TLR9 sequences permits identification of areas  
of highly conserved sequence, areas of group conservation, and areas of hypervariability. In  
addition, such comparisons permit an assessment of evolutionary relatedness among TLR9  
25 molecules of the various species, as well as an assessment of inter-species homologies.  
Importantly, such comparisons permit a rational basis for identifying amino acids in TLR9  
that may be involved in the CpG binding site, as well as amino acids involved in conferring  
species specificity for particular CpG motifs. Such information may be used to design and  
construct novel TLR9 molecules which incorporate specific point or regional mutations and  
30 which possess desired ligand binding characteristics. Such information may also be useful in  
designing and identifying novel ligands for TLR9 of a given species.

- 2 -

In one aspect, the invention provides isolated polypeptides having amino acid sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) TLR9 polypeptides. These amino acid sequences correspond to SEQ ID NOs 1, 5, 9, 13, and 17, respectively. Each of these sequences is believed to include at least a majority of an extracellular domain, as well as a transmembrane region and at least part of a TLR/IL-1 receptor (TIR) domain. To the extent any such sequence may lack an amino-terminal and/or carboxy-terminal sequence, such sequence is ascertainable, without undue experimentation, using conventional molecular biology techniques and the sequence information provided herein.

In another aspect the invention provides isolated polypeptides having amino acid sequences for essentially the whole extracellular domain, optionally including a signal peptide, of each of rat, porcine, bovine, equine, and ovine TLR9. These amino acid sequences correspond to SEQ ID NOs 2, 6, 10, 14, and 18, respectively. Such extracellular domains are believed to include sequence specifically involved in binding to TLR9 ligand, such as CpG DNA. In addition, such extracellular domains are believed to include sequence that confers species specificity for particular CpG motifs.

Isolated nucleic acid molecules encoding the polypeptides just described above are also provided according to further aspects of the invention. Such nucleic acid molecules include, but are not limited to, nucleic acid molecules having sequences provided by SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively. Isolated nucleic acid molecules encoding the TLR9 polypeptides of SEQ ID NOs 1, 5, 9, 13, 17; and 2, 6, 10, 14, and 18 also include nucleic acid molecules that differ in sequence from SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively, due to degeneracy of the genetic code. Such nucleic acid molecules will hybridize, under stringent conditions, with suitably selected nucleic acid molecules having sequences selected from SEQ ID NOs 3, 4, 7, 8, 11, 12, 15, 16, 19, and 20.

In another aspect the invention provides a vector which includes an isolated nucleic acid molecule of the invention. In one embodiment the vector is an expression vector and the isolated nucleic acid molecule of the invention is operably linked to a regulatory sequence in the vector. When present within a cell, an expression vector according to this aspect of the invention causes the cell to express a polypeptide of the invention.

The invention according to another aspect provides a cell in which a vector of the invention is present. In one embodiment the cell containing the vector expresses a



- 3 -

polypeptide of the invention. In certain embodiments the cell also contains a reporter construct that transduces a TLR9-mediated signal in response to contact of the polypeptide of the invention or a TLR9 with a suitable TLR9 ligand. The cell containing the vector, and optionally containing the reporter construct, can be used in screening methods also provided  
5 by the invention.

In yet another aspect the invention provides an antibody or antibody fragment that binds specifically to an isolated polypeptide of the invention. In certain embodiments the antibody or antibody fragment binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide. More specifically, the antibody or antibody fragment binds uniquely to  
10 one of the isolated polypeptides of the invention. In one embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide also binds to either mouse or human TLR9. In another embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide does not also bind to either mouse or human TLR9. In some embodiments  
15 the antibody or antibody fragment binds selectively to a chimeric TLR9 polypeptide of the invention. In certain embodiments the antibody or antibody fragment of the invention is a monoclonal antibody or fragment of a monoclonal antibody.

In one aspect the invention provides a method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the  
20 first species. The method involves aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species; generating an initial set of candidate amino acids in the TLR9 of the  
25 first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b)  
30 differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

- 4 -

In another aspect the invention provides a method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9. The method according to this aspect of the invention involves aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9; generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids. In one embodiment the method according to this aspect of the invention is performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

In another aspect the invention also provides an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (extracellular domain (ECD) of murine TLR9) except for substitution of at least one key amino acid identified according to the method above. The polypeptide according to this aspect of the invention is a chimeric TLR9 polypeptide. Preferably the polypeptide according to this aspect of the invention binds to CpG DNA optimized for human TLR9 better than does the isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (ECD of murine TLR9). In one embodiment the polypeptide includes only one substituted amino acid. The isolated polypeptide according to this aspect of the invention may further include sequence involved in TLR/IL-1R signal transduction, e.g., intracellular domain of TLR9 as provided in SEQ ID NOs 29 and 33. For example, in one embodiment a polypeptide according to this aspect of the invention is an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:29 (full length murine TLR9) except for substitution of at least one key amino acid identified according to the method above.

- 5 -

In another aspect the invention provides an isolated nucleic acid molecule including a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described. In one embodiment the isolated nucleic acid molecule has a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described.

5 In yet another aspect, the invention provides a screening method to identify a TLR9 ligand. The method involves contacting a polypeptide (including a chimeric TLR9 polypeptide) of the invention with a candidate TLR9 ligand; measuring a signal in response to the contacting; and identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling. In one embodiment  
10 the candidate TLR9 ligand is an immunostimulatory nucleic acid. In one embodiment the candidate TLR9 ligand is a CpG DNA.

The invention also provides, in yet a further aspect, a screening method to identify species-specific CpG-motif preference of an isolated polypeptide of the invention. The method according to this aspect of the invention involves contacting an isolated polypeptide  
15 of the invention with a CpG DNA including a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GCGGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG; measuring a signal in response to the contacting; and identifying a species-specific CpG-motif preference when the signal in  
20 response to the contacting is consistent with TLR9 signaling. In one embodiment the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

	TCCATGACGTTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTTGATGTT	(SEQ ID NO:41),
25	TCCATTACGTTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTTGATGTT	(SEQ ID NO:43),
	TCCATGCCGTTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTTGATGTT	(SEQ ID NO:46),
30	TCCATGAAGTTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTTGATGTT	(SEQ ID NO:48),
	TCCATGACATTTTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTTGATGTT	(SEQ ID NO:51),
35	TCCATGACGCTTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTTGATGTT	(SEQ ID NO:53),
	TCCATGACGGTTTTTATGTT	(SEQ ID NO:54),

- 6 -

TCCATGACGTCTTTGATGTT (SEQ ID NO:55),  
TCCATGACGTATTTGATGTT (SEQ ID NO:56), and  
TCCATGACGTGTTTGATGTT (SEQ ID NO:57).

In certain embodiments of the screening methods of the invention, the signal includes  
5 expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway. In one  
embodiment the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B. In one  
embodiment the signal in response to contacting is binding of the candidate TLR9 ligand or  
CpG DNA to the polypeptide of the invention.

In one embodiment the screening method is performed on a plurality of test  
10 compounds. In one embodiment the response mediated by the TLR9 signal transduction  
pathway is measured quantitatively and the response mediated by the TLR9 signal  
transduction pathway associated with each of the plurality of test compounds is compared  
with a response arising as a result of an interaction between the functional TLR9 and a  
reference immunostimulatory compound.

15

### Brief Description of the Figures

Figure 1 depicts a Clustal W multiple sequence alignment of deduced amino acid  
sequences for cat (feline), dog (canine), cow (bovine), mouse (murine), sheep (ovine), pig  
(porcine), horse (equine), human, and rat TLR9 polypeptides. The deduced amino acid  
20 sequences for feline, canine, bovine, murine, ovine, porcine, equine, human, and rat TLR9  
polypeptides shown in the figure correspond to SEQ ID NOs 25, 21, 9, 29, 17, 5, 13, 33, and  
1, respectively. Lines labeled "multiple" refer to the multiple sequence alignment of all six  
sequences shown. Lines labeled "mo/hu" refer to a paired sequence alignment of mouse and  
human TLR9 sequences alone.

25 Figure 2 is a cladogram depicting an evolutionary relatedness tree for rat, murine,  
porcine, bovine, equine, and human TLR9 polypeptides in Figure 1.

Figure 3 is a graph depicting species specificity of TLR9 signaling with selected  
oligonucleotides having strong specificity for human (2006), mouse (5890), or neither (1982).

30

### Detailed Description of the Invention

The present invention provides novel amino acid and nucleotide sequences for TLR9  
derived from rat, pig, cow, horse, and sheep. These sequences can be used to identify key  
features of the primary sequences of these and related TLR molecules, including previously

- 7 -

known primary sequences of human and mouse (murine) TLR9. Such key features include binding site information and species specificity toward particular CpG motifs. Native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to identify and to design novel TLR9 ligands. Additionally, the native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to compare various TLR9 ligands, including CpG DNA.

In one aspect the invention provides isolated TLR9 polypeptides, and isolated nucleic acid molecules encoding them, from rat, pig, cow, horse, and sheep. The term "isolated" as used herein with reference to a nucleic acid molecule or polypeptide means substantially free of or separated from components with which it is normally associated in nature, e.g., other nucleic acids, proteins, lipids, carbohydrates or *in vivo* systems to an extent practical and appropriate for its intended use. In particular, the nucleic acids or polypeptides are sufficiently pure and are sufficiently free from other biological constituents of host cells so as to be useful in, for example, producing pharmaceutical preparations. Because an isolated nucleic acid or polypeptide of the invention may be admixed with a pharmaceutically acceptable carrier in a pharmaceutical preparation, the nucleic acid or polypeptide may represent only a small percentage by weight of such a preparation. The nucleic acid or polypeptide is nonetheless substantially pure in that it has been substantially separated from the substances with which it may be associated in living systems.

An amino acid sequence of rat TLR9 is provided as SEQ ID NO:1. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:1 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of rat TLR9 (See Figure 1). Amino acids numbered 1-821 of SEQ ID NO:1 are presumptively extracellular domain and correspond to SEQ ID NO:2. SEQ ID NO:3 is a nucleotide sequence of rat TLR9 cDNA having an open reading frame corresponding to nucleotides 1-3096. SEQ ID NO:4 is a nucleotide sequence of rat cDNA encoding amino acids 1-821 of SEQ ID NO:1.

An amino acid sequence of porcine TLR9 is provided as SEQ ID NO:5. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:5 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of porcine TLR9

- 8 -

(See Figure 1). Amino acids numbered 1-819 of SEQ ID NO:5 are presumptively extracellular domain and correspond to SEQ ID NO:6. SEQ ID NO:7 is a nucleotide sequence of porcine TLR9 cDNA having an open reading frame corresponding to nucleotides 77-3166. SEQ ID NO:8 is a nucleotide sequence of porcine cDNA encoding amino acids 1-819 of SEQ ID NO:5.

An amino acid sequence of bovine TLR9 is provided as SEQ ID NO:9. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:9 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of bovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:9 are presumptively extracellular domain and correspond to SEQ ID NO:10. SEQ ID NO:11 is a nucleotide sequence of bovine TLR9 cDNA having an open reading frame corresponding to nucleotides 84-3170. SEQ ID NO:12 is a nucleotide sequence of bovine cDNA encoding amino acids 1-818 of SEQ ID NO:9.

An amino acid sequence of equine TLR9 is provided as SEQ ID NO:13. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:13 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of equine TLR9 (See Figure 1). Amino acids numbered 1-820 of SEQ ID NO:13 are presumptively extracellular domain and correspond to SEQ ID NO:14. SEQ ID NO:15 is a nucleotide sequence of equine TLR9 cDNA having an open reading frame corresponding to nucleotides 115-3207. SEQ ID NO:16 is a nucleotide sequence of equine cDNA encoding amino acids 1-820 of SEQ ID NO:13.

An amino acid sequence of ovine TLR9 is provided as SEQ ID NO:17. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:17 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of ovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:17 are presumptively extracellular domain and correspond to SEQ ID NO:18. SEQ ID NO:19 is a nucleotide sequence of ovine TLR9 cDNA having an open reading frame corresponding to nucleotides 92-3178. SEQ ID NO:20 is a nucleotide sequence of ovine cDNA encoding amino acids 1-818 of SEQ ID NO:17.

## SEQ ID NO:1 (Rat TLR9)

MVLCRRTLHPLSLLVQAAVLAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
 HHLHNLDVHLPNVRQLNLKWNCPPLGLSPLHFSRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
 5 SHTNIVLDASSLAGLSLRVLFMDGNCYYKNPCNGAVNVTPDAFLGLSNLTHLSLKYNNTLTVPRQLPPSLEYL  
 LLSYNLIVKLGAEDLANLTSLRMLDVGGNCRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKDSLSLSLN  
 SKWFQGLANLSVLDLSENFYIESINKTSAFQNLTRLRKLDSLNFYCKKVSFARLHLASSFKSLVSLQELNMNGIF  
 FRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVFW  
 PASLTPALPSTPVSKNFMVRCKNLRFTMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
 10 VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSQGIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
 VEYLDVDFSGNGVGRMWDEEDLYLYFFQDLRSLIHLDLSQNKHLILRPQNLNYLPKSLTKLSFRDNHLSFFNWSSLA  
 FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPAPFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLVDVSSNPLHCACGAPFVDLLELVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFGSL  
 AVAVGTVLPLQLHLCGWDVWYCFHLCLAWPLLTRGRSAQALPYDAFVVDKAQSAVADWVYNELRVRLEERRG  
 15 RRALRLCLEDRDWLPQGTLFENLWASIYGRKTLFVLAHTDKVSGLLRTSFLLAQQRLLLEDRKDVVVLVILRPDA  
 HRSRYVRLRQLRCQSVLFWPHQPNQGQSFWAQLSTALTRDNHHFYNNRNFRCRGPTAE

## SEQ ID NO:2 (Rat TLR9)

MVLCRRTLHPLSLLVQAAVLAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
 20 HHLHNLDVHLPNVRQLNLKWNCPPLGLSPLHFSRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
 SHTNIVLDASSLAGLSLRVLFMDGNCYYKNPCNGAVNVTPDAFLGLSNLTHLSLKYNNTLTVPRQLPPSLEYL  
 LLSYNLIVKLGAEDLANLTSLRMLDVGGNCRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKDSLSLSLN  
 SKWFQGLANLSVLDLSENFYIESINKTSAFQNLTRLRKLDSLNFYCKKVSFARLHLASSFKSLVSLQELNMNGIF  
 FRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVFW  
 25 PASLTPALPSTPVSKNFMVRCKNLRFTMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
 VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSQGIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
 VEYLDVDFSGNGVGRMWDEEDLYLYFFQDLRSLIHLDLSQNKHLILRPQNLNYLPKSLTKLSFRDNHLSFFNWSSLA  
 FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPAPFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLVDVSSNPLHCACGAPFVDLLELVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFG  
 30

## SEQ ID NO:3 (Rat TLR9)

atgggtctctgtgcgcaggaccctgcacccttgctctctcctggtagcagggcgcagtgctggctgaggctctggcc  
 ctgggtaccctgcctgccttctaccctgtgaactgaagcctcatggcctggtagactgcaactggctcttctctg  
 aagtctgtgcctcacttctctgcgcgcagaacccggtcccaacatcaccagcctttctctgatcgccaaccgcac  
 35 caccacctgcacaacctcgacttctgtccacctgcccacgtgcgacagctgaacctcaagtggaaactgtccgccc  
 cctggcctcagcccttgcaacttctctgcgcgcagcattgagcccaaaccttctggctatgcgcagctgtg  
 gaagagctgaacctgagctataacgggtatcaccactgtgcccgcctgcccagctccctgacgaatctgagccta  
 agccacaccaacatcctggtagctgcagtgccagcagcctcgctggcctgcacagcctgcgagttctcttcatggac  
 gggaaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccgagccttctctgggcttgagcaac  
 40 ctaccacacttgccttaagtataacaacctcacagaggtgcccgcgaactgccccccagcctggagtacctc  
 ctgctgtctataacctcatcgtcaagctggggcggaagacctagccaacctgacctcccttcgaatgcttgat  
 gtgggtgggaattgcccgtcgctgtgatcacgccccgacctctgtacagaatgcccggcagaagtcccttgatctg  
 caccctcagactttccatcacctgagccacctgaaggcctggctgaaggacagttctctccactcgctgaac  
 tccaagtgggtccagggtctggcgaacctctcggtgctggacctaaagcgagaactttctctacgagagcatcaac  
 45 aaaaccagcgccctttcagaacctgacctgctgcgaagctcgacctgtccttcaattactgcaagaaggtatcg  
 ttgcggcgctccacctggcaagttccttcaagagcctgggtgctgcgtgcaggagctgaacatgaacggcatcttc  
 ttccgcttactcaacaagaacacgctcaggtggctggctggctgcccagctccacacgctgcaccttcaaatg  
 aatttcatcaaccaggcgcagctcagcgtcttagtaccttccgagccttccgcttctgtggacctgtccaataat  
 cgcacagcgggcctccaacgctgtccagagctgccccgaaaaggcagacgaggcggagaaggggttccatgg  
 50 cctgcaagctcacccagctctcccagcactcccgtctcaagaacttcatggctcaggtgtaagaacctcaga  
 ttcaccatggacctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctccatctccag  
 tgtctgagcctgagccacaactgcacgcgcaggtgtcaatggctctcagttcctgcccgtgaccaacctgaag  
 gtgctggacctgtctataacaagctggacctgtaccattcgaaatcgcttcagtgagctccacaggtgcaggcc

- 10 -

ctggacctgagctacaacagccagccattcagcatgcaggggataggccacaacttcagttttctggccaatctg  
tccaggttacagaaccttagcctggcacacaatgacattcacagccgcgtgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacgggtgtgggcccgcgtgtgggacgaggaggacctttacctctattttctt  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggcccccagaacctcaac  
5 tacctccccaagagcctgacgaagctgagtttccgtgacaatcacctctctttctttaactggagcagctctggcc  
ttcctgccccaatctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcacccctgccta  
ggcacgctcctccagaaactggatgtcagtagcaacagtatcgtctttgtggtcccagccttctttgctctggcg  
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggtttgggcccattgtg  
atgaacctgacgggtctagacgtgagcagcaacctctgcattgtgacctgcgggtgcaccctttgtagacttactg  
10 ctggaagtgcagaccaaggtgcctggcctggcctgaacgtgtgaagtgtggcagtcctccgcccagctgcagggccg  
agcatctttgcgcaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggccttccactctg  
gctgtggcgtgggacgggtgttgccttactgcagcatctctgcggctgggacgtctggtagctgttccatctg  
tgcctggcatggctacctttgctgacctggcggcgagcgcccaagctctcccttatgatgccttctggtg  
ttcgataaggcgagagcgcggttgcctgactgggtgtataacgagcttcgagtgcggttagaggagcgcggt  
15 cgccgagccctacgcttgtgtctggaggaccgagattggctgcctggccagacactcttcgagaacctctgggccc  
tccatctatggcagccgcaagactctgtttgtgctggccacacggacaaggcagtgccctcctgcgcaccagc  
ttcctgctggctcagcagcgctgctggaggacggcaaggcagtggtgttggatcctgcgcctctgatgcc  
caccgctcccgctacgtgcgactgcgcagcgctctgcgcagagtgctcttctggcccccacagcccaac  
gggcagggcagcttctgggcccagctgagtacagccctgactagggacaaccaccacttctataaccggaacttc  
20 tgccggggacctacagcagaatag

## SEQ ID NO:4 (Rat TLR9)

atggttctctgtcgcaggacctgcacccttgtctctcctggtagaggccgcagtgctggctgaggctctggcc  
ctgggtacctgaccttccctacctgtgaactgaagcctcatggcctggtagactgcaactggctcttctctg  
25 aagtctgtgcctcacttctctgcccagaaacccgttccaacatcaccagcctttccttgatgcgcaaccgcatc  
caccacctgcacaacctcgactttgtccacctgcccacgtgcgacagctgaacctcaagtggaaactgtccgccc  
cctggcctcagcccttgcacttctcctgcccagcattgagcccaaaccttctctggctatgcgcagctgtg  
gaagagctgaacctgagctataacgggtatcaccactgtgcgccgctgcccagctccttgacgaatctgagcta  
30 agccacaccaacatcctggtactcgatgccagcagcctcgctggcctgcacagcctgcgagttctcttcatggac  
gggaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccgagcgccttctctgggcttgagcaac  
ctcaccacttgtcccttaagtataacaacctcacagaggtgccccgcaactgccccccagcctggagtacctc  
ctgctgtcctataacctcatcgtcaagctgggggcccgaagacctagccaacctgacctccttccgaatgcttgat  
gtgggtgggaattgcgctgctgtgatcacgccccgacctctgtacagaatgcccggcagaagtcccttgatctg  
35 caccctcagacttccatcacctgagccacctgacggcctggtgctgaaggacagttctctccactcgtgaac  
tccaagtgggtccagggtctggcgaacctctcggtgctggacctaagcgagaacttctctacgagacgtccaac  
aaaaccagcgcttccagaacctgacctgtgcgcaagctcgacctgtccttcaattactgcaagaaggatatcg  
ttcggccgctccacctggcaagttccttcaagagcctgggtgtcgtgcaggagctgaacatgaacggcatcttc  
ttccgcttactcaacaagaacacgctcaggtggctggctgggtctgcccagctccacacgctgcaccttcaatg  
aatttcatcaaccaggcgagctcagcgtctttagtaccttccgagcccttcgctttgtggaacctgtccaataat  
40 cgcatcagcgggctccaacgctgtccagagtcgccccgaaaaggcagacgaggcggaagggggttccatgg  
cctgcaagctcaccaccagctctccgagcactccgctctcaagaacttcatggtcaggtgtaagaacctcaga  
ttcaccatggacctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctcccatctccag  
tgtctgagcctgagccacaactgcacgcgaggtgtcaatggctctcagttcctgcccgtgaccaacctgaag  
gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcgttcagtgagctcccacagttgcaggcc  
45 ctggacctgagctacaacagccagccattcagcatgcaggggataggccacaacttcagttttctggccaatctg  
tccagggttacagaaccttagcctggcacacaatgacattcacagccgcgtgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacgggtgtgggcccgcgtgtgggacgaggaggacctttacctctattttctt  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaacctcaac  
tacctccccaagagcctgacgaagctgagtttccgtgacaatcacctctcttctttaactggagcagctctggcc  
50 ttcctgccccaatctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggccacctgccta  
ggcacgctcctccagaaactggatgtcagtagcaacagtatcgtctttgtggtcccagccttctttgctctggcg  
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggtttgggcccattgtg  
atgaacctgacgggtctagacgtgagcagcaacctctgcattgtgcctgcgggtgcaccctttgtagacttactg  
ctggaagtgcagaccaaggtgcctggcctggctaacgggtgtgaagtgtggcagtcctccgcccagctgcagggccg  
55 agcatctttgcgcaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggc



- 11 -

## SEQ ID NO:5 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRLPFAFLPCELQPHGLVNCNWFLKSVPHFSAAAPRANVTLSLLSNRIH  
HLHDSDFVHLSLRTLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTVPALPDSLVSLSLS  
RTNILLVLDPTHLTGLHALRYLYMDGNCYYKNPCQGALEVVPGALLGLGNLTHLSLKYNLLEVPRLPPSLETLL  
5 LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHPLHSDTFSHLSRLEGLVLKDSLYNLDT  
RWFRGLDRLQVLDLSENFLYDCITKTTFQGLARLSLNLNFNYHKKVSFAHLHLAPSFGLHLSLKELDMHGIF  
RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSDNRISGAARPVAITREVDGRERVWLP  
NLAPRPLDTRLSEDFMPNCKAFSFTLDLSRNNLVTIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRV  
10 DLSHNKL DLYHGSRFTELPRLEALDLSYNSQPFMTQGVGHNL SFVAQLPALRYLSLAHNDIHSRVSQQ LCSASLC  
ALDFSGNDLSRMWAEGLYLRFQGLRSLVWLDLSQNLHLLTLLPRALDNLPKSLKHLHLRDNNAFFNWSSLTLL  
PKLETDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
LKVL DV SANPLHCACGATFVGFLLEVQA AVPGLPSRVKCGSPGQLQGH SIFAQDLRLCLDETL SWNCFGISLLAM  
ALGLVVPMLHHL CGWDLWYCFHLCLAWLPHRGQRGADALFYDAFVVDKAQSAVADWVYNELRVQLEERRGRRA  
LRLCLEERDWPGLKTLFENLWASVYSSRKTFLVLAHTDRVSGLLRASFLLAQQRLLEDKDVVVLVILRPDAYRS  
15 RYVRLRQRLCRQSVLLWPHQPRGQSFWAQLGTALTRDNHFFYNRNFRCRGPTTAE

## SEQ ID NO:6 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRLPFAFLPCELQPHGLVNCNWFLKSVPHFSAAAPRANVTLSLLSNRIH  
HLHDSDFVHLSLRTLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTVPALPDSLVSLSLS  
20 RTNILLVLDPTHLTGLHALRYLYMDGNCYYKNPCQGALEVVPGALLGLGNLTHLSLKYNLLEVPRLPPSLETLL  
LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHPLHSDTFSHLSRLEGLVLKDSLYNLDT  
RWFRGLDRLQVLDLSENFLYDCITKTTFQGLARLSLNLNFNYHKKVSFAHLHLAPSFGLHLSLKELDMHGIF  
RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGLLYVDLSDNRISGAARPVAITREVDGRERVWLP  
NLAPRPLDTRLSEDFMPNCKAFSFTLDLSRNNLVTIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRV  
25 DLSHNKL DLYHGSRFTELPRLEALDLSYNSQPFMTQGVGHNL SFVAQLPALRYLSLAHNDIHSRVSQQ LCSASLC  
ALDFSGNDLSRMWAEGLYLRFQGLRSLVWLDLSQNLHLLTLLPRALDNLPKSLKHLHLRDNNAFFNWSSLTLL  
PKLETDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
LKVL DV SANPLHCACGATFVGFLLEVQA AVPGLPSRVKCGSPGQLQGH SIFAQDLRLCLDETL SWNCFG

## 30 SEQ ID NO:7 (Porcine TLR9)

gagcacgaacatccttctactgtagctgctgcccggctctgccagccagacccttggagaagacccccactccctgt  
catgggcccccgctgcaccctgcaccctcttctctcctgggtgcaggtgacagcgctggctgcggctctggcca  
gggcaggtgctgccttctgcccctgtgagctccagccccacggcctggtagactgcaactggctcttctctgaa  
gtccgtgccccacttctcgccggcagcgccccgggccaacgtcaccagcctctccttactctccaaccgcatcca  
35 ccacctgcacgactccgacttctgctccacctgtccagcctacgaactctcaacctcaagtggaaactgcccgcggc  
tggcctcagcccatgcacttcccctgccacatgaccatcgagcccaacaccttctggccgtgcccaccctgga  
ggagctgaacctgagctacaacagcatcacgacgtgctgcccctgcccgaactccctctgctgctcctgtcgctgag  
ccgcaccaacatcctgggtgctagacccacccacctcactggcctacatgccctgctgctgctgctgacatgga  
caactgctactacaagaacccctgcccagggggcgtgaggtgggtgcccgtgcccctctcgccctgggccaact  
40 cacacatctctcactcaagtaacaacatctcagcgaggtgccccgcagcctgccccccagcctggagacccctg  
gttgtcctacaaccacattgtcacctgacgctgaggacctggccaatctgactgcccctgcgctgcttgatgt  
gggggggaactgcccgcgtgtgaccatgcccgaacccctgcagggagtgcacaaaggaccaccccaagctgca  
ctctgacaccttcagccacctgagccgctcgaaggcctgggtgtgaaagacagttctctctacaacctggacac  
caggtggttccgaggcctggacaggtccaagtgtggacctgagtgagaacttctctacgactgcatcaccac  
45 gaccacggccttccagggcctggcccgaactgcccagcctcaacctgtccttcaattaccacaagaaggtgtcctt  
tgcccactgcacgtggcaccctcttgggcacctccggtccctgaaggagctggacatgcatggcacttctt  
ccgctcgctcagctgagaccagctccaacctctgttccaactgctcctatgctccagacctgcgctgcagatgaa  
cttcattaaccaggcccagctcagcatcttggggccttcccctggcctgctgtacgtggacctatcggaacaccg  
catcagcggagctgcaaggccagtgccattactaggagggtggatggtaggagaggggtctggctgcttccag  
50 gaacctcgctccacgtccactggacactctccgctcagaggacttcatgccaactgcaaggccttcagcttcac  
cttgagacctgtctcggaacaacctggtgacaatccagtcggagatgtttgctcgctctcagccctcagatgcct  
gcgctgagccacaacagcatctcccaggcgttaatggctctcagtttgtgcgctgaccagcctgcgggtgct  
ggacctgtcccacaacaagctggacctgtatcacggcgctcgttcacggagctgcccgcgctggaagcactgga  
cctcagctacaatagccagccctttaccatgcagggtgtggggccacaacctcagcttctgtggccagctgcccgc

- 12 -

cctgcgctacctcagcctggcgacacatccatagccgagtgctcccagcagctctgtagcgccctactgtg  
cgccctggacttttagcggaacgatctgagcggatgtgggctgagggagacctctatctccgcttcttccaagg  
cctaagaagcctagtctggctggacctgtcccagaaccacctgcacaccctcctgccagctgccctggacaacct  
ccccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcct  
5 gccaagctggaaacctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcac  
ccagctgcgaggctggacctcagtggcaacagcatcggttctgtgaacctggcttcttggccctggccaagca  
gttagaagagctcaacctcagcgccaatgccctcaagacagtggagccctcctgggttggctcgatggtgggcaa  
cctgaaagtcttagacgtgagcgccaacctctgcactgtgcctgtggggcgaccttctgtgggttctctgtgga  
10 ggtacaggctgacctgacctgggctgcccagcgcgtcaagtgtggcagtcggggcagctccagggccatagcat  
ctttgcgcaagacctgcgctctgcctggatgagacctctcgtggaactgttttggcatctcgctgctggccat  
ggcctgggctgggttgtgcccactgtgcaccacctctgcggctgggacctctgggtactgcttccacctgtgcct  
ggcctggctgccccaccgagggcagcgggggcgagacgacctgttctatgatgccttctgtggttcttgacaa  
agctcagagtgtgtggcgactgggtgtacaacagctgcgggtgcagctggaggagcgcggtggcgccgcgc  
15 actgcgctgtgctggaggagcgagactgggtacctggcaagacgctctcgagaacctgtgggctcagctcta  
cagcagcgcaagacctgttctgtgctggccacacggagacctgtcagcgacctcttgcgtgccagtttctgtct  
ggccagcagcgctgtgtaggaccgcaaggacgtttagtgctggtgatcctgcgccccgatgcctaccgctc  
cgctacgtgcgctgcgacctctgcgacagctgtgcctcctctgccccaccagccccctggcgagg  
cagcttctggggcagctgggcacagacctgaccagagacaaccaccttctataaccggaactctgcggggg  
20 cccacgacagccgaatagcactgagtgcagacccagttgccccagccccctggatttgcctctctgctgggg  
tgcccaacctgcttctgctcagccacacctgctctgctcctgttccccacccccccccagcctggcatgt  
aacatgtgccaataaatgtctaccggagggccaagaaaaaaaaaaaaaaaaa

## SEQ ID NO:8 (Porcine TLR9)

atgggccccgctgcacctgcaccccccttctctcctgggtgcaggtgacagcgctggctgcggctctggccag  
25 ggaggetgctgcttctctgccccgtgagctccagccccacggcctggtagaactgcaactggctcttctctgaag  
tccgtgccccacttctcgccggcagcgccccgggccaacgtcaccagcctctccttactctccaaccgcattccac  
cactctcagcacttcgctccacctgctccagctcagaaactctcaacctcaagtggagctcccgcggct  
ggcctcagccccatgcacttccccctgccacatgacctcgagcccaacaccttctgtggcctgccccacctggag  
30 gagctgaacctgagctacaacagcatcacgacctgacctgccccgactcctctgtgctcctgtcgctgagc  
cgcaccaacatcctgggtgctagacccccaccacctcactggcctacatgccctgcgctacctgtacatggatggc  
aactgctactacaagaacctctgccagggggcgctggaggtggtgcccgggtgccctcctcgccctgggcaacctc  
acacatctctcactcaagtacaacaatctcacggaggtgccccgcagcctgccccccagcctggagacctgtctg  
tgtcctacaaccacattgtcacctgacgcctgaggacctggccaatctgactgccctgcgctgcttgatgtg  
ggggggaactgcgccccgtgtgacctgcccgaacctctgcaggagtgcccaaggaccacccaagctgcac  
35 tctgacaccttcagccacctgagccgctcgaaggctgtggtgtgaaagacagttctctctacaacctggacacc  
aggtggttccgaggcctggacaggctccaagtgtggacctgagtgagaacttctctacgactgcatcaccaag  
accacggccttccaggcctggccccgactgcgcagcctcaacctgtccttcaattaccacaagaaggtgtccttt  
gccacctgcacctggcaccctccttggggacctccggtcctgaaggagctggacatgcatggcatcttcttc  
cgctcgctcagtgagaccagctccaacctctggtccaactgcctatgctccagacctgcgctgcagatgaac  
40 ttcattaaccaggcagctcagcatcttggggccttccctggcctgctgtacgtggacctatcggaacaaccgc  
atcagcggagctgcaaggcagtgccattactagggaggtggatggtaggagagggctctggctgccttccagg  
aacctcgctccagctccactggacactctccgctcagaggacttcatgccaactgcaaggccttcagcttcacc  
ttggacctgtctcggaacaacctggtgacaatccagtcggagatgttctgctcgctctcacgcctcagtgacctg  
45 cgctgagccacaacagcatctcccaggcgggtcaatggctctcagtttgtgcccgtgaccagcctgcccgtgctg  
gacctgtcccacaacaagctggacctgtatcacggcgctcggttcacggagctgcccgcctggaagcactggac  
ctcagctacaatagccagcccttaccatgcagggtgtggggccacaacctcagcttctgtggccagctgcccgc  
ctgcgctacctcagcctggcgcaaatgacatccatagccgagtgctccagcagctctgtagcgccctcactgtgc  
gcctggacttttagcggaacgatctgagccggatgtgggtgagggagacctctatctccgcttcttccaaggc  
ctaagaagcctagtctggctggacctgtcccagaacctgcacacctcctgccagctgacctggacaacctc  
50 cccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcctg  
cccaagctggaaacctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcacc  
cagctgcggaggctggacctcagtggaacagcatcggttctgtgaacctggcttcttggcctggccaagcag  
ttagaagagctcaacctcagcgccaatgccctcaagacagtggagccctcctgggttggctcgatggtgggcaac  
ctgaaagtcttagacgtgagcgccaacctctgcactgtgcctgtggggcgaccttctgtgggttctctgtggag  
55 gtacaggctgcccgtgctgggctgcccagccgctcaagtgtggcagtcggggcagctccagggccatagcatc  
tttgcgcaagacctgcgctctgcctggatgagacctctcgtggaactgtttggc

- 13 -

## SEQ ID NO:9 (Bovine TLR9)

MGPYCAPHPLSLVQAAALAAALAEGLTLPALPCELOPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
 HLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVSLSL  
 5 HTSILVLGPTHFTGLHALRFLYMDGNCYMNPCPRALEVAPGALLGLGNLTHLSLKYNNTLVEPRRLPPSLDTLL  
 LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK  
 DWFRGLGRLQVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVSLEKLDMHGIF  
 RSLTNITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAPPSLLFVLDSDNRISGAATPAAALGEVDSRVEVWRLPR  
 GLAPGPLDAVSSKDFMPSCNLTLDLNRNLVTIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
 10 LSHNKL DLYHGRSFTLPEALDLSYNSQPFMSQGVGHNLSFVAQLPSLRYLSLAHNGIHSRVSQKLSASLRA  
 LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLNLPKSLRQLRLRDNNLAFNWSSTVLP  
 RLEALDLAAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVPGFVRATRLIELNLSANALKTVDPSWFGSLAGTL  
 KILDV SANPLHCACGAAFVDLFLERQEA VPGLSRRVTCGSPQLQGRSIFTQDLRLCLDETSLDCFGSLLMVA  
 LGLAVPMLHHL CGWDLWYCFHLCLAHLPRRRRQRGEDTLLYDAVVVFQSAVADWVYNELRVQLEERRRRAL  
 15 RLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQRLLEDKDVVVLVILRPAAYRSR  
 YVRLRQLRCRQSVLLWPHQPSGQGSFWANLGIALTRDNRHFYNNRNF CRGPTTAE

## SEQ ID NO:10 (Bovine TLR9)

MGPYCAPHPLSLVQAAALAAALAEGLTLPALPCELOPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
 20 HLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVSLSL  
 HTSILVLGPTHFTGLHALRFLYMDGNCYMNPCPRALEVAPGALLGLGNLTHLSLKYNNTLVEPRRLPPSLDTLL  
 LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK  
 DWFRGLGRLQVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVSLEKLDMHGIF  
 25 RSLTNITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAPPSLLFVLDSDNRISGAATPAAALGEVDSRVEVWRLPR  
 GLAPGPLDAVSSKDFMPSCNLTLDLNRNLVTIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
 LSHNKL DLYHGRSFTLPEALDLSYNSQPFMSQGVGHNLSFVAQLPSLRYLSLAHNGIHSRVSQKLSASLRA  
 LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLNLPKSLRQLRLRDNNLAFNWSSTVLP  
 RLEALDLAAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVPGFVRATRLIELNLSANALKTVDPSWFGSLAGTL  
 30 KILDV SANPLHCACGAAFVDLFLERQEA VPGLSRRVTCGSPQLQGRSIFTQDLRLCLDETSLDCFG

## SEQ ID NO:11 (Bovine TLR9)

ggggaagtgggcccgaagcatccttccctgcagctgcctcccaacctgcccgccagaccctctggagaagccgcac  
 tccctgtcatgggcccctactgtgccccgaccccccttctctcctggtgcaggcgccgactggcagcgccc  
 35 tggccgagggcaccctgcctgccttccctgccctgtgagctccagccccatggtcagggtggactgcaactggctgt  
 tccctgaagtctgtgccgcacttttcggctggagccccccgggccaatgtcaccagcctctccttaactctccaacc  
 gcatccaccacttgcatgactctgacttcgtccacctgtccaacctgcccgtcctcaacctcaagtggaaactgcc  
 cgccggccggcctcagccccatgcacttccctgcccgtatgaccatcgagcccaacaccttccctggtgtgccc  
 cctggaggagctgaacctgagctacaacggcatcagaccgtgcctgcctgcccagttccctcgtgtccctgt  
 40 cgctgagccacaccagcatcctggtgctaggccccaccacttcaccggcctgcacgcctgcgcttctgtaca  
 tggacggcaactgctactacatgaaccctgcccggggccctggaggtggccccaggcgccctcctcggcctgg  
 gcaacctcacgcacctgtcgtcaagtacaacaacctcaggaggtgccccgccgctgccccccagcctggaca  
 ccctgctgctgtcctacaaccacattgtcaccctggcaccggaggacctggccaacctgactgcctgcccgtgc  
 ttgacgtgggtgggaactgccgcccgtgcgaccatgcccgcaaccctgcaggagtgcccaagaacttcccca  
 agctgcacctgacacctcagtcacctgagccgcctcgaaggcctggtgtgaaggacagttctctctacaaac  
 45 tagagaaagattggttccgcccgtggcgaggtcccaagtgctcgacctgagtgagaacttccctctatgactaca  
 tcaccaagaccacctcttcaacgacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagg  
 tgccttccgcccactgcacctagcgtcctccttgggagctcgtgtcctggagaagctggacatgcacggca  
 tcttcttccgctccctaccaacatcacgctccagtcgctgaccggctgcccagctccagagctcgtcatctgc  
 agctgaacttcatcaaccaggcccagctcagcatcttggggccttcccagcctgctcttctggacctgtcgg  
 50 acaaccgcatcagcggagccgcgacgccagcggccctgggggaggtggacagcagggtggaagtctggcgat  
 tgcccaggggctcgctccaggcccgtggacggcgtcagctcaaaggacttcatgccaagctgcaacctcaact  
 tcacctggacctgtcacggaacaacctggtgacaatccagcaagagatgtttaccgcctctcccgcctccagt  
 gcctgcgcctgagccacaacagcatctcgaggcggttaatggctcccagttcgtgcccgtgaccagcctgcgag

- 14 -

tgctcgacctgtcccacaacaagctggacctgtaccatgggcgctcattcacggagctgccgcagctggaggcac  
tggacctcagctacaacagccagcccttcagcatgcaggcgctggggccacaacctcagcttcgtggccagctgc  
cctccctgcgctacctcagccttgccgacaaatggcatccacagccgctgtcacagaagctcagcagcgctcgt  
tgcgcgcccctggacttcagcggcaactccctgagccagatgtgggcccaggagacctctatctctgctttttca  
5 aaggcttgaggaacctgggtccagctggacctgtccgagaacctctgcacaccctcctgcctcgtcacctggaca  
acctgcccagagctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccg  
tcctgccccggctggaagccctggatctggcaggaaccagctgaaggccctgagcaacggcagcctgccgctg  
gcatccggctccagaagctggacgtgagcagcaacagcatcggttcgtgatccccggcttcttctgctccgcgga  
ctcggtgatagagcttaacctcagcgcaatgcctgaagacagtggatccctcctgggttcggttccttagcag  
10 ggacctgaaaaatcctagacgtgagcgccaaccgctccactgcgctgcggggcgcccttctgagacctcctgc  
tggagagacaggaggccgtgccggggtgtccaggcgctcacatgtggcagtcggggccagctccaggccgca  
gcatcttcacacaggacctgcgctctgcctggatgagacctctccttggactgctttggcctctcactgctaa  
tgggtggcgtgggctggcagtgcccatgctgcaccacctctgtggctgggacctctggtactgcttcacctgt  
gtctggcccatattgccccagcggcgccgagcggggcgaggacacctgctctatgatgccgtcgtggctctcg  
15 acaaggtgcagagtgcagtggtgatgggtgtacaacgagctccgctgcagctggaggagcgccggggcgcc  
ggcgctccgctctgcctggaggagcgagactggctccctggtaagacgctcttcgagaacctgtgggctcgg  
tctacagcagccgcaagacctgttcgtgctgagccacagcgacctgcggtcagcgccctctgcgcgcagcttcc  
tgctggccagcagcgctgtggaggacgcaaggacgtcgtagtgctggtgatcctgcgccccgcgctatc  
ggtcccgctacgtgcggtgcgccagcgctctgcgcccagagcgctcctcctctggccccaccagccagtgcc  
20 aggtagtttctgggccaacctgggcatagccctgaccagggaacacgtcacttctataaccggaacttctgcc  
ggggccccacgacagccgaatagcacagagtgactgcccag

## SEQ ID NO:12 (Bovine TLR9)

atgggccccactactgtccccgcacccccctttctctcctgggtgcaggcgccggaactggcagcgccctggccgag  
25 ggcacctgcctgccttctcctgcctgtgagctccagccccatgggtcaggtggactgcaactggctgttctcgaag  
tctgtgcgcgacttttcggtggagcccccgggccaatgtcaccagcctctccttaatctccaaccgcatccac  
cacttgcatgacttgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgcccgccggcc  
ggcctcagccccatgcacttccccctgctgatgaccatcgagcccaacaccttctgggtgtgccaccctggag  
gagctgaacctgagctacaacggcatcacgaccgtgcctgccctgccagttccctcgtgtcctgtcgtgagc  
30 cacaccagcatcctgggtgctaggccccaccacttcaccggcctgcacgcccctgcgctttctgtacatggacggc  
aactgctactacatgaacccctgcccgccggccctggaggtggccccaggcgccctcctcggcctgggcaacctc  
acgcacctgtcgtcaagtacaacaacctcacggaggtgccccgcgctgccccccagcctggacacctgctg  
ctgtcctacaaccacattgtcacctggcaccgaggacctggccaacctgactgccctgcgctgcttgacgtg  
ggtgggaactgcgcgctgcgacctgcccgaacctgcagggagtgccaaagaacttccccagactgcac  
35 cctgacaccttcagtcaacctgagccgctcgaaggcctgcggtgaaggacagttctctctacaacacctgagaaa  
gattgggttcgcggccctgggcaggctccaagtgtcgacctgagtgagaacttctctatgactacatcaccaag  
accacctcttcaacgacctgacctgagcagactcaacctgtccttcaattaccacaagaagggtgtccttc  
gccacctgcacctagcgtcctccttgggagctgtggtgtccctggagaagctggacatgcacggcatcttcttc  
cgctccctcaccaacatcacgtccagtcgctgacctggtgcccagctccagagctgcatctgcagctgaac  
40 ttcatacaaccaggccagctcagcatcttggggccttcccagacctgctctcgtggacctgtcggacaaccgc  
atcagcggagccgcagcgcagcggccgctgggggaggtggacagcagggagggaagctggcgattgcccagg  
ggcctcgtccaggcccgctggacgctcagctcaaaggacttcagccaagctgcaacctcaacttcaccttg  
gacctgtcacggaacaacctgggtgacaatccagcaagagatgtttaccgcctctccgcctccagtgctcgcg  
ctgagccacaacagcatctcgaggcggttaatggctcccagttcgtgcccgtgaccagcctgcgagtgctcgac  
45 ctgtcccaacaagctggacctgtaccatgggcgctcattcacggagctgccgcagctggaggcactggacctc  
agctacaacagccagcccttcagcatgcaggcgctggggccacaacctcagcttcgtggccagctgccctcctg  
cgctacctcagccttgccgacaaatggcatccacagccgctgtcacagaagctcagcagcgctcgttgccgccc  
ctggacttcagcggcaactccctgagccagatgtggggcgaggagacctctatctctgctttttcaaaggcttg  
aggaacctgggtcagctggacctgtccgagaaccttcacacctcctgcctcgtcacctggacaacctgccc  
50 aagacctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgacctgcccc  
cggtggaagccctggatctggcaggaaccagctgaaggccctgagcaacggcagcctgccgctggcatccgg  
ctccagaagctggacgtgagcagcaacagcatcggttcgtgatccccggcttcttctgcgcgagctcggtg  
atagagcttaacctcagcgcaatgcctgaagacagtggatccctcctgggttcggttccttagcagggacctg  
aaaatcctagacgtgagcgccaacctgcctcagcgtgcggggcgcccttctgtggacttctgctggagaga  
55 caggaggccgtgcccggtgtccaggcgctcacatgtggcagtcggggccagctccaggggcgagcatcttc  
acacaggacctgcgctctgctggatgagacctctccttggactgcttggc

- 15 -

## SEQ ID NO:13 (Equine TLR9)

MGPCHGALQPLSLLVQAAMLAVALAQGTLPPFLPCELQPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLLSNRI  
HHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSIVSLIL  
5 SRTNIIQLDPTSLTGLHALRFLYMDGNCYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTVPRSLPPSLEYL  
LLSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSSLYQLN  
PRWFRGLGNLTVDLSENFLYDCITTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFGLSLLSQELDMHGIF  
FRSLSQKTLQPLARLPMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS  
RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVPQEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
10 LDLSHNKL DLYHGRSFTELPRLEALDLSYNSQPFMRGVGHNL SFVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRLHTLLPCTLGNLPKSLQLLRLRNNYLAFFNWSSLT  
LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSNSIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
SLEVLDVSANPLHCACGAAFVDLLQVQAAPVGLPSRVKCGSPQLQGRSIFAQDLRLCLDKSLSWDCFGLSLLV  
VALGLAMPMLHHLGWDLWYCFHLGLAWLPRRGWQRGADALS YDAFVVFDKAQS AVADWVYNELRVRL EERRGR  
15 ALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQORLLEDKRDVVVLVILSPDARR  
SRYVRLRQRLCRQSVLFWPHQPSGQRSFWAQLGMALTRDNRHFYNQNF CRGPTMAE

## SEQ ID NO:14 (Equine TLR9)

MGPCHGALQPLSLLVQAAMLAVALAQGTLPPFLPCELQPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLLSNRI  
HHLHDSDFQAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSIVSLIL  
20 SRTNIIQLDPTSLTGLHALRFLYMDGNCYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTVPRSLPPSLEYL  
LLSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSSLYQLN  
PRWFRGLGNLTVDLSENFLYDCITTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFGLSLLSQELDMHGIF  
FRSLSQKTLQPLARLPMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS  
RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVPQEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
25 LDLSHNKL DLYHGRSFTELPRLEALDLSYNSQPFMRGVGHNL SFVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRLHTLLPCTLGNLPKSLQLLRLRNNYLAFFNWSSLT  
LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSNSIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
SLEVLDVSANPLHCACGAAFVDLLQVQAAPVGLPSRVKCGSPQLQGRSIFAQDLRLCLDKSLSWDCFG  
30

## SEQ ID NO:15 (Equine TLR9)

ctctgttctctgagctgttgccgcgtgaagggactgcgagcacaagcatcctcctctgagctgctgccagtg  
tgccagctggaccctctggatcatctcccactcctgtcatgggccccttgccatggtgccctgcagcccctgtct  
ctcctggtgcaggcgccatgctggcgtggtctgcccgaaggcaccctgcctcccttctgcccgtgtgagctc  
35 cagccccacggcctggtgaactgcaactggctgttctgaagtcgctgccccacttctcagcagcagcaccgg  
gacaatgtcaccagcctttccttgctctccaaccgcacccacactccacgactccgactttgcccactgtcc  
aacctgcagaaactcaacctcaaatggaactgccgcgcagccggcctcagccccatgcacttcccctgccacatg  
accatcgagcccaacactttcctggctgtaccacccctggaggagctgaacctgagctacaacggcatcacgact  
gtgcctgcccctgccagctccctcgtgtccctgatcctgagcgcaccaacatcctgcagctagaccccaccagc  
40 ctacgggcccctgcagcctgcgcttctctatacatggatggcaactgctactacaagaacccctgcgggccc  
ctggaggtggccccaggcgccctccttgccctgggcaacctcaccacctgtcactcaagtacaacaacctcaca  
acggtgccccgcagcctgccccctagcctggagctacgtgtgtctctacaaccacattgtcaccctggcacct  
gaggacctggccaatctgactgcccctgcgtgtgctcgatgtgggtggaaactgccgcgctgtgacctgcacgc  
aaccctgcgtggagtggccacataaatccccagctgcactccgacacctcagccacctaaagcgcctagaa  
45 ggctcgtgttggaagtagttctctctaccagctgaacccagatggttcctggtggcctgggcaacctcacagt  
ctcgacctgagtagaacttctctcagcagctcatcaccacaaaggaattccagggcctggcccagctgcga  
agactcaactgtccttcaattaccataagaaggtgtccttcgcccactgacgtggcaccctccttcgggagc  
ctgctctcctgcaggaaactggacatgcatggcatcttctccgctcactcagccagaagacgctccagccactg  
gcccgcctgcccagctccagcgtctgtatctgcagatgaacttcatcaaccaggcccagctcggcattctcaag  
50 gacttccctggtctgcgctacatagacctgtcagacaaccgcacagtgaggagctgtggagccggtggccaccaca  
ggggaggtggatggtgggaagaaggtctggctgacatccaggacactcactccaggcccactggacacccccagc  
tctgaggacttcatgccaagctgcaagaacctcagcttcccttgacactgtcacggaacaacctggtaacagtc  
cagccagagatgtttgccagctctcgcgcctccagtgctgcgcctgagccacaacagcatctcgaggcggtc

atgggcccttgccatggtgacctgagccctgtctctcctgggtgcaggcgcccatgctggccgtggtctctggcc  
caaggcaccttgccctccctcctgacctgtgagctccagccccacggcctggtagactgcaactggctgtctcctg  
aagtccgtgccccacttctcagcagcagcaccgccgggacaatgtcacacagccttctctgctctcaaccgcac  
caccacctccacgactccgactttgcccactgtccaacctgcagaaactcaacctcaaatggaactgcccgcga  
gcccgtctcagccccatgcacttccccctgccacatgaccatcgagcccaacacttctcctgggtgtaccacacctg  
gaggagctgaaacctgagctacaacggcatcacgactgtgcctgacctgcccagctccctcgtgtccctgatcctg  
agcgcacccaacatcctgcagctagccccaccagcctcacgggctgcatgacctgacctgacctgacctgacctg  
ggcaactgctactacaagaacctgagccggcgccctggaggtggccccaggcgccctccttggcctggggcaac  
ctcaccacctgtcactcaagtacaacaacctcacaacgggtgccccgagcctgccccctagcctggagtagctg  
ctgttgtcctacaaccacattgtcacctggcacctgaggacctggccaatctgactgacctgacctgacctgacctg  
gtgggtggaactgcccgcgtgtgacctgacgcaacctgacctgacctgacctgacctgacctgacctgacctg  
cactccgacaccttcagccacctaaagccgcttagaaggcctcgtgtggaaggatagtctctctaccagctgaac  
cccagatgggtccgtggctgggcaacctcacagtgtctgacctgagtgagaacttctctacgactgcatcacc  
aaaaccaaggcattccaggcctggccagctgcgaagactcaactgtctcctcaattaccataagaagggtgtcc  
ttcgccacctgacgtggcacctccttcgggagcctgtctcctcgaggaaactggacatgcatggcatcttc  
ttccgctcactcagccagaagacgtccagccactggccccgctgccccatgctccagcgtctgtatctgcagatg  
aacttcatcaaccaggcccagctcggcatcttcaaggacttccctggctgacctacatagacctgtcagacaac  
cgcatcagtgaggctgtggagccggtggccaccacaggggagtggtggtgggaagaaggctcggctgacatcc  
agggacctcactccaggccccactggacacccccagctctgaggacttcatgccaagctgcaagaacctcagcttc  
accttggacctgtcacggaacaacctggtaacagctccagccagagatgtttgccagctctcgcgctccagtg  
ctgcgctgagccacaacagcatctcgaggcggtcaatggctcagagtctgctgacctgaccagcctgcaagtg  
ctggacctgtccataaaaaactggacctgtacctggcgctcgtttacggagctgcccgcagctggagggccctg  
gacctcagctacaacagccagcccttcagcatgccccgtgtggggccaacctcagctctgtggccagctgccc  
accctgcgctacctcagcctggcacacaatggcatccacagccgtgtgtcccagcagcttgcagcacctcgctg  
tgggccctggacttcagcggaattccctgagccagatgtgggctgagggagacctctatctccgctctctccaa  
ggcctgagaagcctaactccgctagacctgtcccagaatcgtctgcataccctcctgcatgcacctgggcaac  
ctcccaagagcttgcagctgtcgctctccgtaacaactacctggccttcttcaattggagcagcctgacctc  
ctgcccacctggaaacctggacctggctggaaacctgagagctgagcaattggcagcctgacctgacctgacctg  
accagctccagaggctggacgtcagcaggaaacagcatcatctcggtgtccctggctcttctgtctggccacg  
aggctgcgagagctcaacctcagtgccaacgacctcaggacagaggagccctcctgggttgggttctcagcaggc  
tcccttgaagtccatagatgtgagcgccaacctctgcactgcgctgtggggcagccttctggacttctcgtg

- 17 -

cagggttcaggctgccgtgacctggtctgccagccgctcaagtgtggcagtcggggccagctccaggccgcagc  
atcttcgcacaagacctgcgcctctgacctggacaagtcctctcctgggactgttttggt

## SEQ ID NO:17 (Ovine TLR9)

5 MGPYCAPHPLSLLVQAAALAAALAQGTLPAPFLPCELQPRGKVCNWLFLKSVPFRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVLSLS  
RTSILVLGPTHFTGLHALRFLYMDGNCYKNCPCQQAVEVAPGALLGLGNLTHLSLKYNNTLTPVPRRLPPSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK  
10 DWFRGLGRQLQVLDLSENFLYDYITKTTIFRNLTLQRLRLNLSFNHYHKKVSFAHLQLAPSFGGGLVSLEKLDMHGIF  
RSLTNTTLRPLTQLPKLQSLSLQLNFINQAELSIFGAFPSLLFVDLSDNRI SGAARPVAALGEVDSGVEVWRWPR  
GLAPGPLAAVSAKDFMPSCNLTLDLNRNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNL SFVAQLPSLRYL SLAHNGIHSRV SQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLDNLPKSLRQLRLRDNNAFFNWSSSLTVLP  
15 QLEALDLAQNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLNRLKELNLSANALKTVPFWFGRLTETL  
NILDV SANPLHCACGA AFVDFLEMQAAVPGLSRRVTCGSPQLQGRSIFAQDLRLCLDETLSLDCFGFSLLMVA  
LGLAVPMLHHL CGWDLWYCFHLCLAHLP RRRRQRGEDTLLYDAFVVDKAQSAVADWVYNELRVQLEERRRRAL  
RLCLEERDWLPGKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQRLLLEDKDVVVLVILRPAAYRSR  
YVRLRQRLCRQSVLLWPHQPSGQGSFWANLGMALTRDNRFYNRNFCRGPTTAE

## 20 SEQ ID NO:18 (Ovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAQGTLPAPFLPCELQPRGKVCNWLFLKSVPFRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVLSLS  
RTSILVLGPTHFTGLHALRFLYMDGNCYKNCPCQQAVEVAPGALLGLGNLTHLSLKYNNTLTPVPRRLPPSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSHLSRLEGLVLKDSLSLYKLEK  
25 DWFRGLGRQLQVLDLSENFLYDYITKTTIFRNLTLQRLRLNLSFNHYHKKVSFAHLQLAPSFGGGLVSLEKLDMHGIF  
RSLTNTTLRPLTQLPKLQSLSLQLNFINQAELSIFGAFPSLLFVDLSDNRI SGAARPVAALGEVDSGVEVWRWPR  
GLAPGPLAAVSAKDFMPSCNLTLDLNRNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNL SFVAQLPSLRYL SLAHNGIHSRV SQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLDNLPKSLRQLRLRDNNAFFNWSSSLTVLP  
30 QLEALDLAQNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLNRLKELNLSANALKTVPFWFGRLTETL  
NILDV SANPLHCACGA AFVDFLEMQAAVPGLSRRVTCGSPQLQGRSIFAQDLRLCLDETLSLDCFG

## SEQ ID NO:19 (Ovine TLR9)

gtcggcacgggaagtgcgcgccaagcatccttccctgcagctgcgcgccaacttgcccgcagaccctctggaga  
35 agccgcattccctgcatggggccctactgtgcccgcaccccccttctctcctggtgcaggcgggcgctggc  
agcagccctggcccagggcaccctgcctgccttccctgcctgtgagctccagccccgggtaagtgaactgcaa  
ctggctgttccctgaagtctgtgcccgccttttcggccggagccccccgggccaatgtcaccagcctctccttaat  
ctccaaccgcatccaccacttgacgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagt  
40 gaactgcccgcggccggcctcagcccatgcacttccctgcgcgcatgaccatcgagcccaacaccttccctggc  
tgtgcccaccctggaggagctgaacctgagctacaatggcatcacgaccgtgctgcccctgcccagttctctcgt  
atccctgtcgctgagccgcaccagcatcctggtgctaggccccaccacttcaccggcctgcacgcccctgcgctt  
tctgtacatggacggcaactgctactataagaacccctgccagcaggccgtggaggtggccccaggcgccctcct  
tggcctgggcaacctcacgcacctgtcgctcaagtacaacaacctcacggaggtgccccgcgcctgccccccag  
cctggacacctgtgctgtcctacaaccacatcacccctggcaccgaggacctggccaatctgactgcccct  
45 gctgtgcttgatgtggcggggaactgcgcgctgcgaccacgcccgaacccctgcaggagtgcccaagaa  
cttccccaaagtgcaccctgcacaccttcagccacctgcagccgctcgaaggcctggtgttgaaaggacagttctct  
ctacaaactagagaaagactggttccgcggcctgggcaggctccaagtgtcgacctgagtgaagaacttctcta  
tgactacatcaccaagaccacatcttcaggaaacctgaccagctgcgcagactcaacctgtccttcaattacca  
caagaaggtgtccttcgcccacctgcaactggcaccctcctttgggggcctggtgtccctggagaagctggacat  
50 gcacggcatcttctccgctccctcaccaacaccacgctccggcgctgaccagctgcccagctccagagctc  
gagctgtcagctgaacttcatcaaccaggccgagctcagcatctttggggccttcccagagcctgtcttctgga  
cctgtcggacaaccgcatcagcggagctgcgaggccggtggccgcccctcggggaggtggacagcggggtggaagt  
ctggcggtggccaggggcctcgctccaggcccgctggccgctcagcgcaaggacttcatgccaagctgcaa



- 18 -

cctcaacttcaccttggacctgtcacggaacaacctggtgacgatccagcaggagatgtttaccgcctctcccg  
cctccagtgctgcgctgagccacaacagcatctcgcaggcggttaatggctcgcagttcgtgcccgtgacccg  
cctgcgagtgctcgacctgtcctacaacaagctggacctgtaccatggcgctcgttcacggagctgccgcagct  
5 ggaggcactggacctcagctacaacagccagcccttcagcatgcaggcgctggggccacaacctcagcttcgtggc  
ccagctgcccgtccctgcgctacctcagccttgcgcacaacggcatccacagccgctgtcacagaagctcagcag  
cgctcgtgcgcccctggacttcagcggcaactccctgagccagatgtgggcccagggagacctctatctctg  
cttcttcaaaggcttgaggaacctggtccagctggacctgtccaagaaccacctgcacacctcctgacctctca  
cctggataacctgcccagagcctgcccagctgctctccgggacaataacctggccttcttcaactggagcag  
cctgactgttctgccccagctggaagccctggatctggcggaaccagctgaaggccctgagcaacggcagcct  
10 gccacctggcaccggctccagaagctggacgtgagcagcaacagcatcggcttcttgacccctggcttcttctgt  
ccttgccaacccggctgaaagagcttaacctcagcgcgaacccctgaagacagtgatcccttctggttcggtcgc  
cttaacagagacctgaatatcctagacgtgagcgcgaacccctcactgtgctgcccggcgcccttcttgga  
cttctgctggagatgcaggcgccgtgctgggctgtccaggcgctcacgtgtggcagtcgggcccagctcca  
gggcccgcagcatcttcgcacaggacctgcgcctctgctggatgagacctctccttgactgcttggcttctc  
15 gctgctaagtgtggcgctgggctggcggtgcccctgctgcaccacctctgtggtgggacctgtggtactgctt  
ccacctgtgtctggccatctgcccgaaggcgccgagcggggcgaggacacctgctctacgatgcttctgt  
ggtcttcgacaaggcgagagtgagtgccgactgggtgtacaacagagctccgctgcagctggaggagcgccg  
cgggcccggggcgctccgctctgctggaggagcgagactggtccctggcaagacgctcttcgagaacctgtg  
ggcctcgggtctacagcagccgtgaagacctgttctgtgctgggacacacgagccgggtcagtgccctcctgcgcgc  
20 cagcttctgctggcccagcagcgtggtggaggaccgcaaggatgtcgtggtgctggtgactcctgcgccccgc  
cgctaccgggtccgctacgtgcggtgcccagcgcctctgcccagagcgtcctcctctggccccaccagcc  
cagtgcccagggtagcttctgggccaacctggcatggcctgaccagggaacccgaccttctataaccggaa  
cttctgcccggggccccacgacagccgaatagcacagagtgactgcccag

## 25 SEQ ID NO:20 (Ovine TLR9)

atggggccctactgtgccccgcaaccccttctctcctggtgcaggcgggcgctggcagcagccctggcccag  
ggcaccctgctgcttctgcccgtgtgagctccagccccggggtaagggtgaactgcaactggctgttctgaag  
tctgtgcccgcgtttctcgccggagcccccgggccaatgtcaccagcctctccttaatctccaacccgatccac  
30 cacttgcacgactctgacttctgctccacctgtccaacctgcgggtcctcaacctcaagtggaaactcccgccggcc  
ggcctcagccccatgcacttcccctgcccgcagatgacctcagacccaacaccttccctggctgtgcccacctggag  
gagctgaacctgagctacaatggcatcacgacctgctgcccctgcccagttctctcgtatccctgtcgtgagc  
cgcaccagcatcctggtgctaggccccaccacttccacggcctgcacgccttgcgttctctgtacatggacggc  
aactgctactataagaacccctgccagcaggcctggagggtggcccaggcgccctccttggcctgggcaacctc  
35 acgcacctgtcgtcaagtacaacaacctcacggaggtgccccggcgccctgccccccagcctggacacctgctg  
ctgtcctacaaccacatcatcaccctggcaccgcaggacctggccaatctgactgcccctgctgtgcttgatgtg  
ggcggggaactgcccgcgtgagaccagcccgaacccctgcaggagtgcccaagaacttcccgaagctgcac  
cctgacaccttcagccacctgagccgctcgaaggcctgggtgtgaaggacagttctctctacaaactagagaaa  
gactggttcgcggcctgggcaggctccaagtgtcagcctgagtgagaacttctctatgactacatcaccaag  
40 accaccatcttcaggaaacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagggtgctcctc  
gccacctgcaactggcaccctccttgggggctggtgtccttgaggagaagctggacatgcacggcatcttcttc  
cgtccctcaccacacccagctccggccgctgaccagctgcccagctccagagctgagctctgcagctgaac  
ttcatcaaccaggccgagctcagcatcttggggccttcccagacctgctctcgtggacctgtcggacaacccg  
atcagcggagctgcgaggccggtggccgcccctcggggaggtggacagcgggggtggaagtctggcggtggcccagg  
ggcctcgtccaggcccgcgtggccgcccgtcagcgcgaaggacttcatgccaagctgcaacctcaacttcaccttg  
45 gacctgtcacggaacaacctggtgacgatccagcaggagatgtttaccgcctctcccgcctccagtgctgcgc  
ctgagccacaacagcatctcgcaggcggttaatggctcgcagttcgtgcccgtgaccgcctgcgagtgctcgac  
ctgtcctacaacaagctggacctgtacctggcgctcgttcacggagctgcccagctggaggcactggacctc  
agctacaacagccagcccttcagcatgcaggcggtgggcccacaacctcagcttctggtggccagctgcccctg  
cgctacctcagccttgcgcacaacggcatccacagccgctgtcacagaagctcagcagcgcctcgtgcgcgc  
50 ctggacttcagcggcaactcctgagccagatgtgggcccagggagacctctatctctgcttcttcaaaggcttg  
aggaacctggtccagctggacctgtccaagaaccacctgcacacctcctgctcgtcacctggataacctgccc  
aagagcctgcggcagctgcttctcgggacaataacctggccttcttcaactggagcagcctgactgttctgccc  
cagctggaagccctggatgtggcggaacccagctgaaggccctgagcaacggcagcctgccacctggcaccgg  
ctccagaagctggacgtgagcagcaacagcatcggcttcttgacccttggttcttctgcttgcacagagacctg  
55 aaagagcttaacctcagcgcgaacccctgaagacagtgatcccttctggttcggtcgttaacagagacctg  
aatatcctagacgtgagcgcgaacccgctccactgtgctgcccggcgcccttctggtgacttctgctggagatg



- 19 -

caggcgccgctgcctgggctgtccaggcgcgctcagctgtggcagtcgggcccagctccaggggccgcagcatcttc  
gcacaggacctgcgctctgcctggatgagaccctctccttggaactgctttggc

Complete nucleotide and amino acid sequences for canine and feline TLR9 are  
publicly available. For example, an amino acid sequence for canine TLR9 is available as  
GenBank accession number BAC65192 and its corresponding nucleotide sequence is  
available as GenBank accession number AB104899. An amino acid sequence for feline  
TLR9 is available as GenBank accession number AAN15751 and its corresponding  
nucleotide sequence is available as GenBank accession number AY137581.

Complete nucleotide and amino acid sequences for canine and feline TLR9 were also  
determined independently from those available from public databases.

An amino acid sequence of canine TLR9 is provided as SEQ ID NO:21. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:21 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of canine TLR9  
(See Figure 1). Amino acids numbered 1-822 of SEQ ID NO:21 are presumptively  
extracellular domain and correspond to SEQ ID NO:22. SEQ ID NO:23 is a nucleotide  
sequence of canine TLR9 cDNA having an open reading frame corresponding to nucleotides  
91-3186. SEQ ID NO:24 is a nucleotide sequence of canine cDNA encoding amino acids 1-  
822 of SEQ ID NO:21.

An amino acid sequence of feline TLR9 is provided as SEQ ID NO:25. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:25 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of feline TLR9 (See  
Figure 1). Amino acids numbered 1-820 of SEQ ID NO:25 are presumptively extracellular  
domain and correspond to SEQ ID NO:26. SEQ ID NO:27 is a nucleotide sequence of feline  
TLR9 cDNA having an open reading frame corresponding to nucleotides 87-3179. SEQ ID  
NO:28 is a nucleotide sequence of feline cDNA encoding amino acids 1-820 of SEQ ID  
NO:25.

#### SEQ ID NO:21 (Canine TLR9)

MGPCRGAHLPLSLVQAAALALALAQGTLPAPFLPCELQPHGLVNCNWLFLKSVPRFSAAAPRGNVTSLSLYSNRI  
HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFLAVPTLEDNLNSYNSITVTPALPSSLVSLSL  
SRTNILLVLDPATLAGLYALRFLFDGNCYYKNPCQALQVAPGALLGLGNLTHLSLKYNNLTVVPRGLPPSLEYL

- 20 -

LLSYNHIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKGFQHPNTFGHLSHLEGLVLRDSSLYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRRLNLSFNHYHKKVSFAHLHLASSFGSLLSLQELDIHGIF  
 FRSLSKTTLQSLAHLPLQRLHLQLNFIQAQLSIFGAFPGRLRYVDLSDNRISGAAPAAATGEVEADCGERVWP  
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 5 RVLDLSHNKLDLYHGRSFTELPRLEALDLSYNSQPFMSRGVGHNLFSVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGDLYLRFFQGLRSLVQLDLSQNRHLTLPRNLNLPKSLRLLRLRDNYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSSFALAVRLRELNLSANALKTVEPSWFGSL  
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGPLSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSLSL  
 LAVALSLAVPMLHQLCGWDLWYCFHLCLAWLPRRGRRRGVDALAYDAFVVFDAQSSVADWVYNELRVQLEERRG  
 10 RRALRLCLEERDWPVKTLFENLWASVYSSRKTLFVLARTDRVSGLLRASFLLAQQRLLEDKRDVVVLVILCPDA  
 HRSRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGTALTRDNRHFYNQNFRCGPTTA

## SEQ ID NO:22 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAQGTLPAPFLPCELQPHGLVNCNWLFLKSVPFRFSAAAPRGNVTSLSLYSNRI  
 15 HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFLAVPTLEDNLNSYNSITTVPALPSSIVLSLSL  
 SRTNIIIVLDPATLAGLYALRFLDGNCCYKNPCQOALQVAPGALLGLGNLTHLSLKYNLTVVPRGLPPSLEYL  
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKGFQHPNTFGHLSHLEGLVLRDSSLYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRRLNLSFNHYHKKVSFAHLHLASSFGSLLSLQELDIHGIF  
 20 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 RVLDLSHNKLDLYHGRSFTELPRLEALDLSYNSQPFMSRGVGHNLFSVAQLPALRYLSLAHNGIHSRVSQQLRSA  
 SLRALDFSGNTLSQMWAEGDLYLRFFQGLRSLVQLDLSQNRHLTLPRNLNLPKSLRLLRLRDNYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSSFALAVRLRELNLSANALKTVEPSWFGSL  
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGPLSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFS  
 25

## SEQ ID NO:23 (Canine TLR9)

aggaaggggctgtgagctccaagcatcctttcctgcagctgctgccagcctgccagccagaccctctggagaag  
 ccccgctccctgtcatgggccccctgccgtggcgccctgcacccccctgtctctcctgggtgcaggctgccgcgcta  
 gccctggccctggccagggcaccctgcctcctcctgcctgtgagctccagccccatggcctgggtgaactgc  
 30 aactggctgttctcctcaagtccgtgccccctctcctgcagctgcaccccgcgtaacgtcaccagcctttccttg  
 tactccaaccgcatccaccacctccatgactatgactttgtccacttcgtccacctgcggcgctcctcaatctcaag  
 tggaactgcccggcccgccagcctcagccccatgcactttcctgtcacatgaccattgagcccaacacctcctg  
 gctgtgcccaccctagaggacctgaatctgagctataacagcatcacgactgtgcccgcctgccagttcgctt  
 gtgctcctgtccttgagccgcaccaacatcctgggtgtgagacctgccaccctggcagggcctttatgccctgcgc  
 35 ttcctgttctcctggatggcaactgtactacaagaacccctgccagcaggccctgcaggtggccccaggtgccctc  
 ctgggcctgggcaacctcacacacctgtcactacaagaacccctgccagcaggccctgcaggtggccccaggtgccctc  
 agcctggagtagctgtcctgtcctacaaccacatcactaccctggcagctgaggacctggccaatctgactgcc  
 ctgctgtcctcgtatgtgggtgggaactgtcgccgctgtgacctgcccgttaacccctgcagggagtgcccaag  
 ggcttccccagctgcacccccaaccttgcggccacctgagccacctcgaaggcctgggtgtgagggacagctct  
 40 ctctacagcctggacccccaggtgggtccatggcctgggcaacctcatggtgtgacctgagtgagaactcctg  
 tatgactgcatcaccaaaacaaagccttctacggcctggccggctgcgcagactcaacctgtccttaattat  
 cataagaaggtgtcctttgcccacctgcactggcactcctcctcgaggacctactgtcctgcaggagctggac  
 atacatggcatcttcttcgctcgctcagcaagaccagctccagtcgctggcccacctgcccatgtccagcgt  
 ctgcatctgcagttgaactttatcagccagggccagctcagcatcttcggcgccctcctggactgcggtacgtg  
 45 gacttgtcagacaaccgcatcagtgagctgcagagcccgcggtgccacagggaggtagaggcagactgtggg  
 gagagagctgtggccacagctcccgggacctgtctgtggccactgggaccccccggtcagaggcctcatgccc  
 agctgcaggaccctcaacttcacctggacctgtctcggaacaacctagtactgttcagccggagatgtttgtc  
 cggctggcgccctccagtgctgggctgagccacaacagcatctcgaggcggtcaatggctcgcagttcgtg  
 cctctgagcaacctgcgggtgtgacctgtcccataacaagctggacctgtaccagggcgctcgttcacggag  
 50 ctgcccgggctggaggccttgacctcagctacacagccagcccttcagcatgcggggcggtggccacaatctc  
 agctttgtggcacagctgccagccctgcgctacctcagctggcgcaaatggcatccacagcccggtgtcccag  
 cagctccgcagcgccctgcctccgggacctgacttcagtggaataacctgagccagatgtgggcccagggagac  
 ctctatctcgccttctccaaggcctgagaagcctgggtcagctggacctgtcccagaatcgctgtgcatacctc  
 ctgccacgcaacctggacaacctccccagagcctgcggctcctgcggctccgtgacaattacctggcttcttc  
 55 aactggagcagcctggccctcctacccaagctggaagccctggacctggcggaaccagctgaaggccctgagc

- 21 -

aatggcagcttgcaccaacggcaccagctccagaggtggacctcagcggcaacagcatcggtctcgtgggtccc  
 agcttttttgccttgccgtgaggttcgagagctcaacctcagcgccaacgcctcaagacggtggagccctcc  
 tggtttgggtccctggcgggtgacctgaaagtccatagacgtgaccgccaaccccttgcatcgcttgccggcgca  
 accttcgtggacttcttgcgtggaggtgcaggtgcggtgcccggcctgcctagccgtgtcaagtgcggcagcccg  
 5 ggccagctccaggccgcagcatcttcgcacaggacctgcgcctctgcctggacgaagcgctctcctgggtctgt  
 ttcagcctctcgtcgttggtgtggtgacctggctgtgcccattgctgcaccagctctgtggctgggacctc  
 tggtagctgtccacctgtgcctggcctggctgccccggggggcgggcggggtgtggatggcctggcctat  
 gacgccttcgtggtcttcgacaaggcgagagctcggtggcgactgggtgtacaatgagctgcgggtacagcta  
 gaggagcgccgtggggcgccggcgctacgcctgtgtctggaggaaactgactgggtaccggcaaaaacctcttc  
 10 gagaacctctggcctcagtttacagcagccgcaagacgctgtttgtgctggcccgacggacagagtcagcggc  
 ctctcgtgctgacgttctcgtggtgccaacagcgctgctggaggaccgcaaggacgtcgtggtgctggtgatc  
 ctgtgccccgacgcccacgcctcccgctatgtgcggtgcgcccagcgctctgcccgcagagtgtcctcctctgg  
 cccaccagccagtggtgacgcagcttctgggcccagctgggcacggccctgaccagggacaaccggcacttc  
 tacaaccagaacttctgcccggggccacgacagcctgataggcagacagcccagcaccttcgcgcccctacacc  
 15 ttgcctgtctgtctgggatgcccagctgctggctctacaccgcgctctgtctcccctacaccagccctggca  
 taaagcgaccgctcaataaatgctgctggtagac

## SEQ ID NO:24 (Canine TLR9)

atggggccctgcccgtggcgccctgcacccctgtctctcctgggtgcaggtgcgcgctagccctggccctggcc  
 20 cagggcaccctgcctgccttctgcctgtgagctccagcccatggcctggtgaactgcaactggctgttctctc  
 aagtcgctgcccgccttctcggcagctgcaccccgcggtaacgtcaccagccttctcctgtactccaaccgcatc  
 caccacctccatgactatgactttgtccacttcgtccacctgcggcgctcctcaatctcaagtggaaactgcccgc  
 gccagcctcagcccatgcaacttctcctgtcacatgaccattgagcccaacaccttctgggtgtgcccacccta  
 gaggacctgaatctgagctataacagcatcacgactgtgcccgcctggccagttcgttgtgctcctgtcctctg  
 25 agccgcaccaacatcctgggtgctggaccctgcccacctggcgagccttctgcccgtcgttctcctgttctggat  
 ggcaactgctactacaagaacccctgccagcaggccctgcaggtggccccaggtgcctcctgggctgggcaac  
 ctcacacacctgtcactcaagtaacaacctcacctgggtgcccggggcctgccccccagcctggagtacctg  
 ctcttgtcctacaaccacatcatcaccctggcacctgaggacctggccaatctgactgcctcgctgtcctcgat  
 gtgggtgggaactgtcgcgctgtgacctgcccgtaacccctgcagggagtgcaccaagggttccccccagctg  
 30 caccccaacaccttcggccacctgagccacctcgaaggcctggtgttgaggagacagctctctctacagcctggac  
 ccaggtggttccatggcctgggcaacctcagtgctggacctgagtgaacttctgtatgactgcatcacc  
 aaaaccacaacatctctacggcctggccctgcccagctcagacctgacacttcaattatcataagaaggtgtcc  
 tttgccacctgcatctggcatcctccttcgggagcctactgtcctgcaggagctggacatacatggcatcttc  
 ttccgctcgtcagcaagaccacgctccagtcgctggcccacctgcccagctccagcgtctgcatctgcagttg  
 35 aactttatcagccaggccagctcagcatcttcggcgccctccctggactgcggtacgtggacttgtcagacaac  
 cgcacagtgaggctgcagagcccgcgctgccacaggggaggttagaggcagactgtggggagagagtctggcca  
 cagtcccgggaccttgcctcgtgggcccactgggcaccccggtcagaggccttcatgcccagctgcaggacctc  
 aacttcaccttggacctgtctcggaacaacctagtactgttcagccggagatgtttgtcggctggcgcgctc  
 cagtgctggcctgagccacaacagcatctcgaggcggtcaatggctcgcagtcgtgcctctgagcaacctg  
 40 cgggtgctggacctgtcccataacaagctggacctgtaccacgggcgctcgttcacggagctgcgcggctggag  
 gccttggacctcagctacaacagccagcccttcagcatgcggggcggtgggcccacaatctcagcttctgtggcacag  
 ctgcccagccctgcgtacctcagcctggcgacaatggcatccacagccgctgtcccagcagctccgcagcgcc  
 tcgctccgggcccctggacttcagtggaataacctgagccagatgtggggcgaggagaccttatctccgcttc  
 ttccaaggcctgagaagcctggttcagctggacctgtcccagaatcgctgcataacctcctgccacgcaacctg  
 45 gacaacctccccaaagcctgcggctcctgcggctccgtgacaattacctggcttcttcaactggagcagcctg  
 gccctcctacccaagctggaagccctggacctggcgggaaaccagctgaaggccctgagcaatggcagcttgccc  
 aacggcaccagctccagaggtggacctcagcggaacagcatcggttcgtgggtccccagcttttttgccttg  
 gccgtgaggttcgagagctcaacctcagcgccaacgcctcaagacggtggagccctcctggtttggttccctg  
 50 gcgggtgcccgtgaaagtccatagacgtgaccgccaaccccttgcatcgcttgccggcgcaaccttcgtggacttc  
 ttgctggaggtgcaggtgcggtgcccggcctgcctagccgtgtcaagtgcggcagcccgggcagctccagggc  
 cgcagcatcttcgcacaggacctgcgcctctgcctggacgaagcgtctcctgggtctgtttcagc

## SEQ ID NO:25 (Feline TLR9)

MGPCHGALHPLSLLVQAAALAVALAQGTLPALFLPCELQRHGLVNCDWLFLKSVPHFSAAAPRGNVTSLSLSYNSRI  
 55 HHLHDSDFVHLSSLRLNLKWNCPASLSPMHFPCHMTIEPHTFLAVPTLEELNLSYNSITVPALPSSLVLSLSL

- 22 -

SRTNIVLDPANLAGLHSLRFLFLDGNCCYYKNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL  
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRCDHARNPCMECPKGFPHLHPDTFSLNHLLEGLVLKDSLSYLNIN  
 PRWFHALGNLMVLDLSENFLYDCITKTTFQGLAQLRRLNLSFNYHKKVSFAHLHLAPSFSGILLSLQQLDMHGIF  
 FRSLSETTLRLSLVHLPMLQSLHLQMNFINQAQLSIFGAFPLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS  
 5 GDALGPPPGTSPSEGFMPGCKTLNFTLDLSRNNLVITQPEMFARLSRLQCLLLSRNSISQAVNGSQFMPLTSLQV  
 LDLSHNKLDLYHGRSFTTELPRLEALDLSYNSQPFMSQGVGHNLSFVAQLPALRYLSLAHNDIHSRVSQQLCSASL  
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNRHLTLPRTLNLPKSLRLRLRLRDNYLAFFNWSSVLV  
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLSANALKTVEPSWFGSLAG  
 10 TLKVL DVTGNPLHCACGA AFVDFLEVQA AVPGLP GHVKGSPGQLQGRSIFAQDLRLCLDEALSWDCFGLSILT  
 VALGLAVPMLHHL CGWDLWYCFHLCLAWLPRRGRRRGADALPYDAFVVDKAQSAVADWVYNELRVRLREERRGR  
 ALRLCLEERDWPGLTKLTFENLWASVYSSRKMFLVLAHTDRVSGLLRASFLLAQQRILLEDRKDVVVLVILRPDAHR  
 SRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGTALTRDNQHFYNQNFRCRGPTTAE

## SEQ ID NO:26 (Feline TLR9)

15 MGPCGHALHPLSLVQAAALAVLAQGTLPAPFLPCELQRHGLVNCDFLFIKSVPHFSAAAPRGNVTSLSLSYNRI  
 HHLHDSDFVHLSSLRRLNLKWNCPASLSPMHFPCHMTIEPHTFLAVPTLEELNLSYNSITTVPALPSSLVLSL  
 SRTNIVLDPANLAGLHSLRFLFLDGNCCYYKNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL  
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRCDHARNPCMECPKGFPHLHPDTFSLNHLLEGLVLKDSLSYLNIN  
 20 PRWFHALGNLMVLDLSENFLYDCITKTTFQGLAQLRRLNLSFNYHKKVSFAHLHLAPSFSGILLSLQQLDMHGIF  
 FRSLSETTLRLSLVHLPMLQSLHLQMNFINQAQLSIFGAFPLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS  
 GDALGPPPGTSPSEGFMPGCKTLNFTLDLSRNNLVITQPEMFARLSRLQCLLLSRNSISQAVNGSQFMPLTSLQV  
 LDLSHNKLDLYHGRSFTTELPRLEALDLSYNSQPFMSQGVGHNLSFVAQLPALRYLSLAHNDIHSRVSQQLCSASL  
 RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNRHLTLPRTLNLPKSLRLRLRLRDNYLAFFNWSSVLV  
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLSANALKTVEPSWFGSLAG  
 25 TLKVL DVTGNPLHCACGA AFVDFLEVQA AVPGLP GHVKGSPGQLQGRSIFAQDLRLCLDEALSWDCFG

## SEQ ID NO:27 (Feline TLR9)

agggctctgcgagctccaggcattctctctctgccatcgctgccagctctgccatccagaccctctggagaagcccc  
 cactccctgtcatgggcccctgccatggcgccctgcacccctgtctctcctgggtgcaggctgcgcgctggccg  
 30 tggccctggccaggcaccctgcctgcttctgccctgtgagctccagcgccacggcctgggtgaattgcgact  
 ggctgttccctcaagtccgtgcccacttctcgccggcagcgcccctggtaacgtcaccagccttccctgtact  
 ccaaccgcatccaccacctccagcactccgacttctgcccactgtccagcctgcggcgtctcaacctcaatgga  
 actgcccacccgcccagcctcagcccatgcacttccctgtcacatgaccattgagccccacaccttctggccg  
 tgccacccctggaggagctgaacctgagctacaacagcatcacgacagtaccgcccctgcccagttccctcgtgt  
 35 cctgtccttgagccgtaccaacatcctgggtgctggaccctgccaacctcgagggctgcactccctgcgcttct  
 tgttccctggatggcaactgctactacaagaacccctgcccgcaggccctgcaggtggccccggcgccctccttg  
 gcctgggcaaccttacgcacctgtcactcaagtacaacaacctcactgcgggtgccccggcgccctgccccagcc  
 tggagtacctgtattgtcctacaaccacatcatcaccctggcactgaggacctggccaacctgaccgcccctgc  
 gtgtgctcgatgtgggtgggaactgcccgtcgctgtgaccacgcccgaacccctgtatggagtccccaaagggt  
 40 tcccgccactgcacccctgacaccttcagccacctgaaccacctgaaggcctgggtgttgaggacagctctctct  
 acaacctgaacccagatgggtccatgccctgggcaacctcatgggtgctggacctgagtgaacttccatatg  
 actgcatcaccaaaaccacagccttccagggcctggcccagctgcccagactcaacttgtcttcaattaccaca  
 agaagggtgtccttggccacctgcatctggcgccctccttcgggagcctgctctccctgcagcagctggacatgc  
 atggcatcttcttcgctcgctcagcgagaccagctccggctcgctgggtccacctgcccagctccagagctctgc  
 45 acctgcagatgaacttcatcaatcaggccacctcagcactcttcggggccttccctggcctgcgatacgtggacc  
 tgtcagacaaccgcataagtggagccatggagctggcggtgcccagggggaggtggatgggtggggagagactcc  
 ggctgccatctggggacctagctctggggccaccgggacccctagctccgagggcttcatgcccagctgcgaaga  
 ccctcaacttcaccttgacctgtcacggaacaacctagtgaacatccagccagagatgtttgcccggctctcgc  
 gcctccagtgctgctcctgagccgaacagcatctcgaggcagtcacggctcacaatttatgccgctgacca  
 50 gcctgcaggtgctggacctgtccataacaagctggacctgtaccatggcgctcttccagggagctgcgcggc  
 tggaggccctggacctcagctacaacagccagccttcagcatgcaggcgctgggtcacaacctcagcttctgtgg  
 cacagctgcggccctgcgctatctcagcctggcgcaacgacatccacagccgtgtgtcccagcagctctgca  
 gcgctcgctgcggcccttgacttcagcgccaatgccttgagccggatgtggccgaggagacctgtatctcc  
 acttcttccgagggcctgaggagcctgggtccggttgagctgtcccagaatcgccctgcataacctctgccagca  
 55 ccctggacaacctccccagagcctggcgctgctcgctctccgtgacaattatctggcttcttcaactggagca

- 23 -

gcctggctcctcctccccaggtggaagccctggacctggcggaaccagctgaaggccctgagcaacggcagct  
 tgccaatggaaccagctccagaggctggacctcagcagcaacagtatcagcttcgtggcctccagcttttttg  
 ctctggccaccaggtgcgagagctcaacctcagtgccaacgccctcaagacggtggagccctcctgggttcggtt  
 ctctagcgggacacctgaaagtccatagatgtgactggcaacccctgactggcgcctgtggggcgcccttcgtgg  
 5 acttcttgctggaggtgcaggtgcagtgcccgccctgccaggccacgtcaagtgtggcagtcacaggtcagctcc  
 agggccgcagcatctttgcgaggtatctgcgcctctgctggatgaggccctctcctgggactgttttgccctct  
 cgtgctgaccgtggccctggcctggcctgcccgtgacctgacctctgtggctgggacctctggtactgct  
 tccacctgtgctggcctggctgccccggcgggggcgggcgggcgggcgggatgcccctgacctacgatgaccttg  
 tggctcttcgacaaggcacagagcgcggtggcgactgggtgtacaacgagctgcggttacggctagaggagcgcc  
 10 gtggacgcgcagcgtccgcctgtgctggaggaaactgactggctaccggtaaaacgctctttgagaacctgt  
 gggcctcagtttacagcagccgcaagatgctgtttgtgctggcccacacagacagggtcagcggcctcttgcgcg  
 ccagctttctgctggcccagcagcgcctgctggaggaccgcaaggacgttgtggtgctgggtgatcctgcccccg  
 acgcccacgctcccgctatgtcggtgctgcccagcgcctctgcccagagcgtcctcctctggccccaccagc  
 ccagtgcccgagcagctctctggcccagctgggcacggccctgaccagggacaaccagcactctataaccaga  
 15 acttctgcccggggccccacgacggcagagtgaccgcccagcaccacaagcctcctacacctgacctgtgctgctg  
 ggatgcccggg

## SEQ ID NO:28 (Feline TLR9)

atggggccctgccatggcgccctgcacccctgtctctcctgggtgcaggtgcccgcctggcgcgtggccctggcc  
 20 cagggcaccttgccctgcttctgcccctgtgagctccagcgccacggcctgggtgaattgcgactggctgttctc  
 aagtccgtgccccacttctcgccggcagcgcccggtggttaacgtcaccagcctttccctgtactccaaccgcatc  
 caccacctccacgactccgactttgtccacctgtccagcctgcccgtctcaacctcaaatggaactgccacccc  
 gccagcctcagccccatgcacttccccctgtcacatgaccttgagccccacaccttccctggcgcgtggccacctg  
 gaggagctgaacctgagctacaacagcatcacgacgtaccgcctgcccagttccctcgtgtccctgtccttg  
 25 agcgttacaacatcctgggtgctggacctgccaacctcgagggctgcaactcctgctgcttctgttccctggat  
 ggcaactgtactacaagaacccctgcccgcagggcctgcaggtggccccggcgccctccttggcctgggcaac  
 cttacgcacctgtcactcaagtacaacaacctcactgcgggtgccccggcgccctgccccccagcctggagtacctg  
 ctattgtctacaaccacatcatcaccctggcacttgaggacctggccaacctgaccgcccctgctgtgctcgat  
 gtgggtgggaactgcccgtgctgtgaccacgcccgaacccctgtatggagtggcccaagggttcccgccacctg  
 30 caccctgacaccttcagccacctgaaccacctcgaaggcctgggtgttgaggacagctctctctacaacctgaac  
 ccagatgggttccatgcccctgggcaacctcatggtgtggacctgagtgagaacttccatataatgactgcatcacc  
 aaaaccacagccttccagggcctggcccagctgcccagactcaacttgtcttcaattaccacaagaagggtgtcc  
 ttgcccacctgcatctggcgccctccttcgggagcctgctctccctgcagcagctggacatgcatggcatcttc  
 ttccgctcgctcagcgagaccagctccggctgctggtccacctgcccctgctccagagctctgcacctgcagatg  
 35 aacttcatcaatcaggcccagctcagcatcttcggggccttccctggcctgctgatacgtggacctgtcagacaac  
 cgcataagtggagccatggagctggcggtgcccagggggaggtggatgggtggggagagagtcgggtgccatct  
 ggggacctagctctggggccaccgggacccctagctccgagggcttcatgccaggtgcaagacctcaacttc  
 acctggacctgtcacggaacaacctagtgaacatccagccagagatgtttgcccggctctcgccctccagtg  
 ctgctcctgagcgcgaacagcatctcgaggcagtcacggctcacaatttatgcccgtgaccagcctgcaggtg  
 40 ctggacctgtcccataacaagctggacctgtaccatggcgctctttcacggagctgcccggctggaggccctg  
 gacctcagctacaacagccagcccttcagcatgcagggcggtgggtcacaacctcagctttgtggcacagctgccg  
 gccctgcttatctcagcctggcgccacacagcatccacagccgtgtgtcccagcagctctgcagcgcctcgctg  
 cgggccttggacttcagcggcaatgccttgagccggatgtgggcccagggagacctgtatctccacttcttccga  
 ggctgaggagcctggctccggttggtatctgtcccagaatcgctgcataacctcttgccacgcacctggacaac  
 45 ctcccgaagcctgcccgtgctgctcctcggtgacaattatctggcttcttcaactggagcagcctggctctc  
 ctcccagggctggaagccctggacctggcggaaccagctgaaggccctgagcaacggcagcttgccaatgga  
 accagctccagaggctggacctcagcagcaacagtatcagcttcgtggcctccagctttttgtcttgccacc  
 aggtgcgagagctcaacctcagtgccaacgccctcaagacggtggagccctcctgggttcggttctctagcgggc  
 accctgaaagtccatagatgtgactggcaacccctgactgcgcctgtggggcgccctcctgtgacttctgtgctg  
 50 gaggtgcaggtgcagtgcccgccctgccaggccacgtcaagtgtggcagtcacaggtcagctccaggggccgcagc  
 atctttgcgaggtatctgcgcctctgctggatgaggccctctcctgggactgttttggc

Complete nucleotide and amino acid sequences for murine and human TLR9 are publicly available. For example, an amino acid sequence of murine TLR9 is available as

- 24 -

GenBank accession no. AAK29625, provided as SEQ ID NO:29. Amino acids numbered 1-821 of SEQ ID NO:29 presumptively include the entire extracellular domain and correspond to SEQ ID NO:30. SEQ ID NO:31 corresponds to GenBank accession number AF348140, which is a nucleotide sequence of murine TLR9 cDNA. SEQ ID NO:32 is a nucleotide  
 5 sequence of murine cDNA encoding amino acids 1-821 of SEQ ID NO:29.

An amino acid sequence of human TLR9 is available as GenBank accession no. AAF78037, provided as SEQ ID NO:33. Amino acids numbered 1-820 of SEQ ID NO:33 presumptively include the entire extracellular domain and correspond to SEQ ID NO:34. SEQ ID NO:35 corresponds to GenBank accession number AF245704, which is a nucleotide  
 10 sequence of human TLR9 cDNA. SEQ ID NO:36 is a nucleotide sequence of human cDNA encoding amino acids 1-820 of SEQ ID NO:33.

#### SEQ ID NO:29 (Murine TLR9)

15 MVLRRRTLHPLSLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAASCSNITRLSLISNRI  
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCHMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSL  
 SHTNILLVDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVTGALLGLSNLTHLSLKYNNTKVPRLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRCDHAPNPCI ECGQKSLHHPETFHHLSHLEGLVLKDSSLHTLN  
 SSWFQGLVNLSVLDLSENFYIESINHTNAFQNLTRLRKLNL SFNYRKKVSFARLHLASSFKNLVSLQELNMNGIF  
 20 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSNRI SGPSTLSEATPEEADDAEQEELL  
 SADPHAPLSTPASKNFMDCRCKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKGIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDLSQNNLHILRPQNLDNLPKSLKLLSLRDNYLSFFNWTLSL  
 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 25 MNLTVLDRSNPLHCACGAADFVLDLLEVTQKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFGSL  
 AVAVGMVVPILHHLGWDVWYCFHLCLAWPLLLARSRRSAQALPYDAFVVFQKQSAVADWVYNELRVRLEERRG  
 RRALRLCLEDRDWLPGQTLFENLWASLYGSRKTLFVLAHTDRVSGLLRTSFLLAQQRLLLEDKDVVVLVILRPDA  
 HRSRYVRLRQRLCRQSVLFWPQQPNGQGGFWAQLSTALTRDNRHFNQNFRCRGPTAE

#### SEQ ID NO:30 (Murine TLR9)

30 MVLRRRTLHPLSLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAASCSNITRLSLISNRI  
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCHMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSL  
 SHTNILLVDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVTGALLGLSNLTHLSLKYNNTKVPRLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRCDHAPNPCI ECGQKSLHHPETFHHLSHLEGLVLKDSSLHTLN  
 35 SSWFQGLVNLSVLDLSENFYIESINHTNAFQNLTRLRKLNL SFNYRKKVSFARLHLASSFKNLVSLQELNMNGIF  
 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSNRI SGPSTLSEATPEEADDAEQEELL  
 SADPHAPLSTPASKNFMDCRCKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKGIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDLSQNNLHILRPQNLDNLPKSLKLLSLRDNYLSFFNWTLSL  
 40 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLDRSNPLHCACGAADFVLDLLEVTQKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFG

#### SEQ ID NO:31 (Murine TLR9)

tgtcagagggagcctcgggagaatcctccatctcccaacatgggtctcctcgatgaaggactctgcaccccttgctcc  
 ctctggtacaggctgcagtgctggctgagactctggccctgggtaccctgcctgccttctaccctgtgagctg

- 25 -

aagcctcatggcctgggtggactgcaattggctgttctgaagtctgtaccccggttctctgcggcagcatcctgc  
 tccaacatcacccgctctccttgatctccaaccgatatccaccactgcacaactccgacttctgcccactgtcc  
 aacctgcggcagctgaacctcaagtggaaactgtccaccactggccttagccccctgacttctcttgccacatg  
 accattgagcccagaaccttcttggtgatctgagctgagccacaccaacatcctgggtctagatgctaacagc  
 5 gtgccccgactggccagctccctgggtgaatctgagcctgagccacaccaacatcctgggtctagatgctaacagc  
 ctgccccgactgatacagcctgagcgttctctcatggagggaactgctactacaagaacctgacagggagcg  
 gtgaaggtgaccccaggcgccctcctgggctgagcaatctcacccatctgtctctgaagtataacaacctcaca  
 aaggtgccccgcaactgccccccagcctggagtacctcctgggtgtcctataacctcattgtcaagctggggcct  
 gaagacctggccaatctgacctccctcgagtacttgatgtgggtgggaattgcccgtcgctgagaccatgcccc  
 10 aatccctgtatagaatgtggccaaaagtccctccactgcaccctgagacctccatcacctgagccatctggaa  
 ggctgtgtgtaaggacagctctctccatacactgaactcttcttggttccaaggtctgggtcaacctctcggtg  
 ctggaacctagcggaacttctctatgaaagctcaaccacaccaatgccttccagaacctaacccgctgagc  
 aagctcaacctgtccttcaattaccgcaagaaggtatccttggcccgctccactggcaagttccttcaagaac  
 ctggtgtcactgcaggagctgaacatgaacggcatcttctccgctcgctcaacaagtagacgctcagatggctg  
 15 gccgatctgcccactccacactctgcatcttcaatgaacttcatcaaccaggcacagctcagcatcttgggt  
 accttccgagcccttgccttctgtggactgtgagacaatcgcatcagtgggccttcaacgctgtcagaagccacc  
 cctgaagaggcagatgatgcagagcaggaggagctgtgtctgcggtatcctcacccagctccactgagcaccct  
 gcttctaagaacttcatggacaggtgtaagaacttcaagttcacatggacctgtctcggaacaacctgggtgact  
 atcaagccagagatgttctgtaactctctcagcctccagtgcttagcctgagccacaactccattgcacaggt  
 20 gtcaatggctctcagttcctgcccgtgactaatctgagcctgagcctgtccataacaactggactgtgtac  
 cactggaaatcggtcagtgagctaccacagttgcaggcctggacctgagctacaacagccagccctttagctg  
 aagggtataggccacaatttctagtttctggcccatctgtccatgctacacagccttagcctggcacacaatgac  
 attcatacccgctgtgtcctcacatctcaacagcaactcagtgaggttctttagcttccagcggaacgggtatgggc  
 cgcatgtgggatgaggggggcttcttctccatttcttccaaggcctgagtgccctgctgaagctggacctgtct  
 25 caaaataacctgcatatcctccggccccagaaccttgacaacctccccagagcctgaagctgctgagcctccga  
 gacaactacctatcttctttaaactggaccagctgtccttctgccccaaacctggaagctctagacctggcaggc  
 aaccagctaaaggcctcctgaccaatggcaccctgccttaattggcaccctcctccagaaactggatgtcagcagcaac  
 agtatcgtctctgtgggtcccagccttcttgcctctggcggtcgagctgaaagaggtcaacctcagccacaacatt  
 ctcaagacggtggatcgctcctgggttggggccattgtgatgaacctgacagttctagacgtgagaagcaacct  
 30 ctgcaactgtgctgtggggcagccttcgtagacttactgttggaggtgcagaccaaggtgcctggcctggctaat  
 ggtgtgaagtgtggcagccccggcagctgcagggcctgtagcatcttgcacaggacctgcggtgtgctgctggat  
 gaggtcctctcttgggactgcttggccttctactcttggctgtggcctgaggtggtgcttactgac  
 catctctgcggtgggacgtctggtactgttttctatctgtgctggcatggctaccttctgctggcccgagccga  
 35 cgcagcggccaaagctctccctatgatgccttctggtgttcgataaggcacagagcgcagttggggactgggtg  
 tataacgagctgcggtgctgggtggagcggcgctgagccctacgcttgtgtctggagaccagat  
 tgggtgctggccagacgtcttccgagaacctctgggcttccatctatgggagccgcaagactctatttctgctg  
 gccacacggaccgctcagtgccctcctgcccagccttctgctggctcagcagcgcctgttgaagaccgc  
 aaggacgtggtggtgtggtgatcctgctccggtgcccaccgctcccgctatgtgagctgcccagcgtctc  
 40 tggccgagagtggtcttcttggccccagcagcccaacgggcaggggggcttctggggccagctgagtagacc  
 ctgactagggaacaaccgcaacttctataaccagaacttctgccccgggacctacagcagaatagctcagagcaaca  
 gctggaaacagctgcatcttcatgctggttcccaggttgcctctgcctgc

## SEQ ID NO:31 (Murine TLR9)

atggttctccgtogaaggactctgcacccttgtccctcctggtacaggtgagctggtgagactctggcc  
 45 ctgggtacctgctgcttctaccctgtgagctgaagcctcatggcctgggtgagctgcaattggctgttctctg  
 aagtctgtaccccggttctctgcggcagcatcctgctccaacatcacccgctctccttgatctccaaccgtatc  
 caccactgcacaactccgacttctgctccactgtccaacctgcccagctgaacctcaagtggaaactgtccacc  
 actggccttagccccctgacttctcttgccacatgaccattgagcccagaaccttcttggtatgctgactg  
 50 gaggagctgaacctgagctataatgggtatcaccaactgtgccccgactgcccagctccctgggtgaatctgagcctg  
 agccacaccaacatcctggttctagatgctaacagcctcgccggcctatacagcctgcgcttctcttcatggac  
 gggaaactgctactacaagaacctgacagggagcgtgaaggtgaccccaggcgccctcctgggctgagcaat  
 ctcacccatctgtctctgaagtataacaacctcacaaggtgccccgcaactgccccccagcctggagtagctc  
 ctggtgtcctataacctcatgtcaagctggggcctgaagacctggccaactctgacctcccttcgagtacttgat  
 55 gtgggtgggaattgcccgtcgctgagaccatgcccccaatcctgtatagaatgtggccaaaagtcctccacctg  
 caccctgagaccttccatcacctgagccatctggaaggcctgggtgctgaaggacagctctctccatacactgaac  
 tcttctggttccaaggtctggtcaacctctcggtgctggacctaaagcagaaacttctctatgaaagcatcaac  
 cacaccaatgccttccagaacctaacccgctcgcaagctcaacctgtccttcaattaccgcaagaaggtatcc



- 26 -

tttgcccgcctccacctggcaagttccttcaagaacctgggtgtcactgcaggagctgaacatgaacggcatcttc  
 ttccgctcgctcaacaagtacagctcagatggctggccgagctgcccacactccacactctgcattctcaaatg  
 aacttcatcaaccaggcacagctcagcatcttgggtaccttccgagcccttcgctttgtggactgtcagacaat  
 5 cgcatcagtggtggccttcaacgctgtcagaagccaccctgaagaggcagatgatgcagagcaggagctgttg  
 tctgcggtatcctcaccagctccactgagcaccctgcttctaagaacttcatggacaggtgtaagaactcaag  
 ttcacatggacctgtctcggaacaacctgggtgactatcaagccagagatgtttgtcaatctctcagcctccag  
 tgtcttagcctgagccacaactccattgcacaggtgtcaatggctctcagttcctgcccgtgactaatctgcag  
 gtgctggacctgtcccataacaaactggactgtaccactggaaatcggtcagtgagctaccacagttgcaggcc  
 10 ctggacctgagctacaacagccagcccttagcatgaagggtataggccacaatttcagttttgtggcccatctg  
 tccatgctacacagccttagcctggcacacaactgcattcaccctgtgtcctcacatctcaacagcaactca  
 gtgaggtttcttgacttcagcggcaacgggtatgggcccagatgtgggatgaggggggcttctccatttcttc  
 caaggcctgagtggtgctgaagctggacctgtctcaaaataacctgcatacctccgccccagacaccttgac  
 aacctccccaaagagcctgaagctgctgagcctccgagacaactacctatcttctttaactggaccagtctgtcc  
 15 ttctgcccacactggaagtcttagacctggcaggcaaccagctaaaggccctgaccaatggcaccctgcctaat  
 ggcacctctccagaaactggatgtcagcagcaacagtatcgtctctgtgtgcccagccttcttcgctctggcg  
 gtcgagctgaaagaggtcaacctcagccacaacattctcaagcgggtggatcgctcctggtttgggcccattgtg  
 atgaacctgacagttcttagacgtgagaagcaacctctgcactgtgctgtggggcagccttcgtagacttactg  
 ttggaggtgcagaccaaggtgctggcctggctaaggtgtgaagtgtggcagccccggcagctgcaggccgt  
 20 agcatcttcgcacaggacctgcggtgtgctggatgaggtcctctcttgggactgctttggc

## SEQ ID NO:33 (Human TLR9)

MGFCRSALHPLSLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWLFLKSVPHFSMAAPRGVNTSLSLSSNRI  
 HHLHDSDFAHLP SLRHLNLKWNCPVGLSPMHFPCHMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 25 SHTNIMLDSASLAGLHALRFLFMDGNCYKPNCRQALEVAPGALLGLGNLTHLSLKYNNLTVPVRLPSSLEYL  
 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRCDHAPNCPMECPRHFPQLHPDTFSLSLRLEGLVLKDSLSLWLN  
 ASWFRGLGNLRVLDLSENFLYKCIITKTKAFQGLTQLRKLNLFSFNYQKRVSAHLSLAPSFGLVALKELDMHGIF  
 FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDLSNRI SGASELTATMGEADGGEKVLQ  
 GDLAPAPVDTPSSEDFRPNCTLNFTLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV  
 30 LDLSRNKLDLYHEHSFTELPRLEALDLSYNSQPFQMGVGHNFSAHLRLTLRHLSLAHNNIHSQVSQQLCSTSL  
 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNRHLTLTPQTLRLNPKSLQVLRRLDNYLAFFKWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRRLRLDVS CNSISFVAPGFFSKAKELRELNLSANALKTVDSWFGPLAS  
 ALQILDVSNPLHCACGA AFMDFLLEVQAAVPGLP SRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFALSLLA  
 VALGLGVPMHLHLCGWDLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVDKTSQSAVADWVYNELRGQLEECRG  
 35 RWALRLCLEERDWPGLKTLFENLWASVYGSRKTLFVLAHTDRVSGLLRASFLLAQQRLLEDKDVVVLVILSPDG  
 RRSRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGMALTRDNHFFYNRNF CQGPTAE

## SEQ ID NO:34 (Human TLR9)

MGFCRSALHPLSLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWLFLKSVPHFSMAAPRGVNTSLSLSSNRI  
 HHLHDSDFAHLP SLRHLNLKWNCPVGLSPMHFPCHMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 40 SHTNIMLDSASLAGLHALRFLFMDGNCYKPNCRQALEVAPGALLGLGNLTHLSLKYNNLTVPVRLPSSLEYL  
 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRCDHAPNCPMECPRHFPQLHPDTFSLSLRLEGLVLKDSLSLWLN  
 ASWFRGLGNLRVLDLSENFLYKCIITKTKAFQGLTQLRKLNLFSFNYQKRVSAHLSLAPSFGLVALKELDMHGIF  
 FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDLSNRI SGASELTATMGEADGGEKVLQ  
 GDLAPAPVDTPSSEDFRPNCTLNFTLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV  
 45 LDLSRNKLDLYHEHSFTELPRLEALDLSYNSQPFQMGVGHNFSAHLRLTLRHLSLAHNNIHSQVSQQLCSTSL  
 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNRHLTLTPQTLRLNPKSLQVLRRLDNYLAFFKWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRRLRLDVS CNSISFVAPGFFSKAKELRELNLSANALKTVDSWFGPLAS  
 ALQILDVSNPLHCACGA AFMDFLLEVQAAVPGLP SRVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFA

## 50 SEQ ID NO:35 (Human TLR9)

aggcgtgtataaaaatcttacttctctattctctgagccgctgctgcccctgtgggaagggacctcgagtgtga  
 agcatccttccctgtagctgctgtccagctctgcccgcagacctctggagaagcccctgccccccagcatgggt  
 ttctgcccgcagcgcctgaccccgctgtctctcctgggtgcaggccatcatgctggccatgacctggccctgggt



- 27 -

accttgccctgccttccctaccctgtgagctccagccccacggcctggatgaactgcaactggctgttccctgaagtct  
 gtgccccacttctccatggcagcaccctgtggcaatgtcaccagccttccctgtcctccaaccgcatccaccac  
 ctccatgattctgactttgcccacctgccagcctgcccgcctctcaacctcaagtggaaactgcccgcgggtggc  
 5 ctgagccccatgcacttccccctgccacatgaccatcgagcccagcaccttcttggtgtgcccacccctggaagag  
 ctaaacctgagctacaacaacatcatgactgtgcctgcgctgcccacacccctcatatccctgttccctcagccat  
 accaacatcctgtagactctgcccagcctgcgcgctgcatgcccctgcgcttccctattccatggacggcaac  
 tgttattacaagaacccctgcagggcagcctggaggtggccccgggtgcccctccttgccctgggcaacctcacc  
 cacctgtcactcaagtaacaacacccctcactgtggtgccccgcaacctgccttccagcctggagtatctgctgttg  
 10 tccataaacgcgcatcgctcaaacggcgctgaggacctggccaatctgaccgcccctgcgtgtgctcgatgtgggc  
 ggaaattgcccgcgctgcgaccacgctcccaacccctgcatggagtgcctcgtcacttccccagctacatccc  
 gataccttcagccacctgagccgtcttgaaggcctgggtgttgaggagacagttctctctcctggctgaatgccagt  
 tgggtccgtgggtgggaaacctccgagtgctggacctgagtgagaacttccctctacaaatgcatcactaaaacc  
 aaggccttccagggcctaacacagctgcgcaagcttaacctgtccttcaattacaaaagaggggtgtcctttgccc  
 15 cactgtcttccggcccttccctcgggagcctggctgcctgaaggagctggacatgcacggcatcttcttccgc  
 tccctcgatgagaccacgctccggccactggcccgcctgcccctgctccagactctgcgtctgcagatgaacttc  
 atcaaccagggcccagctcgccatcttccagggccttccctggcctgcgctacgtggacctgtcggaacaaccgcatc  
 agcggagcttccgagctgacagccacatgggggagggagagtgaggaggagaaggtctggctgcagcctggggac  
 cttgctccggccccagtgagacactcccagctctgaagacttcaggcccaactgcagcaccctcaacttcaccttg  
 20 gatctgtcacggaacaacctgggtgacctgcagccggagatgttggccagctctcgcacctgcagtgccctgcgc  
 ctgagccacaactgcatctcgcagggcagtcagtggctcccagttcctgcgctgaccggtctgcaggtgctagac  
 ctgtcccgcataaagctggacctctaccacgagcactcattcacggagctacccgcgactggagggccttccctc  
 agctacaacagcagcccttggcatgcaggcgctggggccacaacttcagcttctggtgctcactgcgcacctg  
 25 cgccacctcagcctggcccacaacaacatccacagccaagtgtcccagcagctctgcagtaagctgcgtgcgggccc  
 ctggacttcagcggcaatgcactgggccaatgtggggcggagggagacctctatctgcacttcttccaaggcctg  
 agcgggttgatctggctggacttgtcccagaaccgctgcacaccctcctgccccaaacctgcgcaacctcccc  
 aagagcctacaggtgctgcgtctccgtgacaattacctggccttctttaagtgggtggagcctccacttccctgccc  
 aaactggaagtccctgcacctggcaggaacccgctgaaggccctgaccaatggcagcctgcctgctggcaccggg  
 30 ctccggaggctggatgtcagctgcaacagcatcagcttctgctggccccggcttctttccaaggccaaggagctg  
 cgagagctcaaccttagcgccaacgcccctcaagacagctggaccactcctgggttggggccctggcgagtgccctg  
 caaatactagatgtaagcgccaacctctgcactgcgcctgtggggcgcccttctatggacttccctgctggaggtg  
 caggctgcccgtgcccgggtctgcccagccgggtgaagtgtggcagtcggggccagctccagggcctcagcatctt  
 35 gcacaggacctgcgcctctgcctggatgaggccctctcctgggactgttccgcccctctcgtgctggctgtggct  
 ctgggcccgtgggtgtgcccctgctgcatcacctctgtggtgggacctctggtaactgctccacctgtgcccggcc  
 tggcttccctggcgggggcggaagtggcgagatgaggatgcccctgcccctacgatgccttctggttcttcgac  
 40 aaaacgcagagcgcagtgccagactgggtgtacaacagacttccggggcagctggaggagtgcctggggcgctg  
 gcatccgctgtgctcctggagggaacgcgactggtgctggcggcaaacctcttggagaacctgtggggcctcgtg  
 tatggcagccgcaagacgctgttctgtgctggcccacacggaccgggtcagtggtctcttgcgcgcccagcttccctg  
 ctggcccagcagcgcctgctggaggaccgcaaggacgctggtggtgctggtgatcctgagccctgacggccgcccgc  
 tcccgcctacgtgcggctgcgcccagcgcctctgcccagagtgctcctctggtggcccaccagcccagtggtcag  
 45 cgcagcttctggggcccagctgggcatggccctgaccaggggacaaccaccacttctataaccggaaacttctgccag  
 ggacccacggccgaatagccgtgagccggaatcctgcaggtgcccacctccacactcacctcacctctgctgcgc  
 tggctgacccctcccctgctgcctccctcaccacacactgacacagagca

## SEQ ID NO:36 (Human TLR9)

45 atgggtttctgcccagcgcgcctgcaccgctgtctctcctgggtgcaggccatcatgctggccatgacctggcc  
 ctgggtaccttgccctgccttccctaccctgtgagctccagccccacggcctggatgaactgcaactggctgttccctg  
 aagtctgtgccccacttctccatggcagcaccctgtggcaatgtcaccagccttccctgtcctccaaccgcatc  
 caccacctccatgattctgactttgcccacctgccagcctgcccgcctctcaacctcaagtggaaactgcccgcgg  
 50 gttggcctcagccccatgcacttccctgccacatgaccatcgagcccagcaccttcttggtgtgcccacccctg  
 gaagagctaaacctgagctacaacaacatcatgactgtgcctgcgctgcccacacccctcatatccctgtcctc  
 agccataccaacatcctgatgctagactctgccagcctgcgcggcctgcatgcccctgcgcttccctattcatggac  
 ggcaactgttattacaagaacccctgcagggcagcactggaggtggccccgggtgcccctccttgccctgggcaac  
 ctacccacctgtcactcaagtaacaacacccctcactgtggtgccccgcaacctgccttccagcctggagtatctg  
 55 ctggttgcctacaaccgcatcgctcaaacggcgctgaggacctggccaatctgaccgcccctgcgtgtgctcgat  
 gtggggggaaattgcccgcgctgcgaccacgctcccaacccctgcatggagtgcctcgtcacttccccagcta  
 catcccgataccttcagccacctgagccgtcttgaaggcctgggtgttgaggagacagttctctctcctggctgaat  
 gccagttgggtccgtgggctgggaaacctccgagtgctggacctgagtgagaacttccctctacaaatgcatcact

- 28 -

5 aaaccaaggccttcaggggcctaacacagctgcgcaagcttaacctgtccttcaattacaaaaagaggggtgtcc  
 tttgccacctgtctctggcccccttccttcgggagcctggctgcctgaaggagctggacatgcacggcatcttc  
 ttcgctcactcgatgagaccagctccggccactggccgctgcccagctccagactctgcgtctgcagatg  
 aacttcataaccaggccagctcggcatcttcaggggccttcctggcctgcgtacgtggacctgtcggacaac  
 10 cgcacagcggagcttcggagctgacagccacctgggggaggcagatggaggggagaaggtctggctgcagcct  
 ggggacctgtctccggccccagtggaactcctcagctctgaagacttcaggcccaactgcagcactcaacttc  
 accttgatctgtcacggaacaacctgggtgacctgcagccggagatgtttgccagctctcgcacctgcagtgc  
 ctgcgctgagccacaactgcctcgcaggcagtcgaatggctcccagttcctgccgtgaccggctctgcaggtg  
 ctagacctgtcccgaataagctggacctctaccagagcactcattcacggagctaccgcgactggaggccctg  
 15 gacctcagctacaacagccagccctttggcatgcaggggcgtgggccacaacttcagcttcgtgggtcacctgcgc  
 acctgcgccacctcagcctggccacaacaacatccacagccaagtgtccagcagctctgcagtagctcgtg  
 cgggccccgtgacttcagcggcaatgcactgggcatatgtgggcccaggaggacctctatctgcacttcttcaa  
 ggctgagcgggttgatctggctggacttgctccagaaccgctgcacacctcctgccccaaacctgcgcaac  
 ctccccaaagagcctacaggtgtgcgtctcgtgacaattacctggccttctttaagtggaggcctccacttc  
 20 ctgccccaaactggaagtctcgacctggcaggaaaccggtgaaggccctgaccaatggcagcctgcctgctggc  
 acccgctccggaggctggatgtcagctgcaacagcatcagcttcgtggcccccggtctctttccaaggccaag  
 gagctgcgagactcaaccttagcgccaacgcccacagcagctgcgctgtggggcgccctttatggacttcctgctg  
 gccctgcaataactagatgtaagcgccaacctctgcactgcgctgtggggcgccctttatggacttcctgctg  
 gaggtgcaggtgcctgcccggctctgccagccgggtgaagtgtggcagtcggggcagctccagggcctcagc  
 atctttgcacaggacctgcgctctgcctggatgaggccctctcctgggactgtttcgcc

In addition to the foregoing native rat, porcine, bovine, equine, and ovine TLR9  
 polypeptides and nucleic acid molecules encoding them, chimeric TLR9 polypeptides and  
 nucleic acid molecules encoding them are provided by the invention. The chimeric  
 25 polypeptides include at least one amino acid substitution based on a comparison of  
 conserved and non-conserved amino acids among at least two of rat, murine, porcine, bovine,  
 equine, ovine, canine, feline, and human TLR9. The information contained in a multiple  
 sequence alignment of these various TLR9 polypeptide sequences, provided for example in  
 Figure 1, can be used to identify and select individual amino acid positions and even  
 30 individual amino acids to substitute in designing a chimeric TLR9. The substitution or  
 substitutions can be effected using methods known to those of ordinary skill in molecular  
 biology. Nucleic acids encoding the native or chimeric polypeptides of the invention can be  
 inserted into an expression vector and used to express TLR9 polypeptide.

A conservative amino acid substitution shall refer to a substitution of a first amino  
 35 acid for a second amino acid, wherein side chains of the first amino acid and the second  
 amino acid share similar features in terms of hydrophobicity, size, aromaticity, or tendency to  
 alter conformation. For example, conservative amino acid substitutions generally may be  
 made between members within each of the following groups: hydrophobic (A, I, L, M, V),  
 neutral (C, S, T), acidic (D, E), basic (H, K, N, Q, R), and aromatic (F, W, Y). A non-  
 40 conservative amino acid substitution refers to any other amino acid substitution.

- 29 -

An expression vector for TLR9 will include at least a nucleotide sequence coding for a TLR9, or a fragment thereof coding for a functional TLR9 polypeptide, operably linked to a gene expression sequence which can direct the expression of the TLR9 nucleic acid within a eukaryotic or prokaryotic cell. A "gene expression sequence" is any regulatory nucleotide  
5 sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the nucleic acid to which it is operably linked. With respect to TLR9 nucleic acid, the "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the TLR9 nucleic acid to which it is  
10 operably linked. The gene expression sequence may, for example, be a mammalian or viral promoter, such as a constitutive or inducible promoter. Constitutive mammalian promoters include, but are not limited to, the promoters for the following genes: hypoxanthine phosphoribosyl transferase (HPRT), adenosine deaminase, pyruvate kinase,  $\beta$ -actin promoter, and other constitutive promoters. Exemplary viral promoters which function constitutively in  
15 eukaryotic cells include, for example, promoters from the simian virus (e.g., SV40), papillomavirus, adenovirus, human immunodeficiency virus (HIV), Rous sarcoma virus (RSV), cytomegalovirus (CMV), the long terminal repeats (LTR) of Moloney murine leukemia virus and other retroviruses, and the thymidine kinase (TK) promoter of herpes simplex virus. Other constitutive promoters are known to those of ordinary skill in the art.  
20 The promoters useful as gene expression sequences of the invention also include inducible promoters. Inducible promoters are expressed in the presence of an inducing agent. For example, the metallothionein (MT) promoter is induced to promote transcription and translation in the presence of certain metal ions. Other inducible promoters are known to those of ordinary skill in the art.

25 In general, the gene expression sequence shall include, as necessary, 5' non-transcribing and 5' non-translating sequences involved with the initiation of transcription and translation, respectively, such as a TATA box, capping sequence, CAAT sequence, and the like. Especially, such 5' non-transcribing sequences will include a promoter region which includes a promoter sequence for transcriptional control of the operably joined nucleic acid  
30 coding sequence for a TLR9 polypeptide. The gene expression sequences optionally include enhancer sequences or upstream activator sequences as desired.

- 30 -

Generally a nucleic acid coding sequence and a gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the nucleic acid coding sequence under the influence or control of the gene expression sequence. Thus the TLR9 nucleic acid coding sequence and the gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the TLR9 nucleic acid coding sequence under the influence or control of the gene expression sequence. If it is desired that the TLR9 sequence be translated into a functional protein, two DNA sequences are said to be operably linked if induction of a promoter in the 5' gene expression sequence results in the transcription of the TLR9 sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the TLR9 sequence, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a gene expression sequence would be operably linked to a TLR9 nucleic acid sequence if the gene expression sequence were capable of effecting transcription of that TLR9 nucleic acid sequence such that the resulting transcript might be translated into the desired TLR9 protein or polypeptide.

A “TLR9 ligand” as used herein refers to a molecule that specifically binds a TLR9 polypeptide. In one embodiment the TLR9 ligand specifically binds a TLR9 polypeptide corresponding to at least a ligand-binding portion of the extracellular domain of TLR9. In most instances a TLR9 ligand will also induce TLR9 signaling when contacted with TLR9 under suitable conditions. TLR9 signaling refers to TLR/IL-1R signal transduction mediated through the TLR9, as described in further detail elsewhere herein. As mentioned above, CpG nucleic acids have been reported to be TLR9 ligands, but TLR9 ligands may include other entities as well, including, for example, small molecules. As also previously mentioned, there appears to be a species-specific preference for at least certain TLR9s and certain CpG motifs. As used herein, a species-preferred CpG DNA refers to a particular CpG DNA that is optimized for signal induction by a TLR9 of a particular species. A CpG DNA that is optimized for signal induction by a TLR9 of a particular species refers to a CpG DNA having a sequence that preferentially binds to and/or induces signaling by TLR9 of that species. For example, a human-preferred CpG DNA shall refer to a CpG DNA that optimally stimulates human TLR9 to signal through its TIR domain. Likewise, a murine-preferred CpG DNA

- 31 -

shall refer to a CpG DNA that optimally stimulates murine TLR9 to signal through its TIR domain. Examples of human-preferred and murine-preferred CpG DNA are ODN 2006 (SEQ ID NO:58) and 1668 (SEQ ID NO:60), respectively.

5 The binding and species specificity of TLR9s are believed to be influenced by key amino acids present in the extracellular domain of TLR9. Key amino acids in a TLR9 as used herein refer to those amino acids which contribute significantly to ligand binding and ligand specificity of a particular TLR9 polypeptide.

A "CpG nucleic acid" or a "CpG immunostimulatory nucleic acid" as used herein is a nucleic acid containing at least one unmethylated CpG dinucleotide (cytosine-guanine  
10 dinucleotide sequence, i.e., "CpG DNA" or DNA containing a 5' cytosine followed by 3' guanine and linked by a phosphate bond) which activates a component of the immune system. The entire CpG nucleic acid can be unmethylated or portions may be unmethylated but at least the C of the 5' CG 3' must be unmethylated.

In one embodiment a CpG nucleic acid is represented by at least the formula:

15 
$$5'-N_1X_1CGX_2N_2-3'$$

wherein  $X_1$  and  $X_2$  are nucleotides, N is any nucleotide, and  $N_1$  and  $N_2$  are nucleic acid sequences composed of from about 0-25 N's each. In some embodiments  $X_1$  is adenine, guanine, or thymine and/or  $X_2$  is cytosine, adenine, or thymine. In other embodiments  $X_1$  is cytosine and/or  $X_2$  is guanine.

20 Nucleic acids having modified backbones, such as phosphorothioate backbones, also fall within the class of immunostimulatory nucleic acids. U.S. Pat. Nos. 5,723,335 and 5,663,153 issued to Hutcherson, et al. and related PCT publication WO95/26204 describe immune stimulation using phosphorothioate oligonucleotide analogues. These patents describe the ability of the phosphorothioate backbone to stimulate an immune response in a  
25 non-sequence specific manner.

An immunostimulatory nucleic acid molecule, including for example a CpG DNA, may be double-stranded or single-stranded. Generally, double-stranded molecules may be more stable *in vivo*, while single-stranded molecules may have increased activity. The terms "nucleic acid" and "oligonucleotide" refer to multiple nucleotides (i.e., molecules comprising  
30 a sugar (e.g., ribose or deoxyribose) linked to a phosphate group and to an exchangeable organic base, which is either a substituted pyrimidine (e.g., cytosine (C), thymine (T) or uracil (U)) or a substituted purine (e.g., adenine (A) or guanine (G)) or a modified base. As

- 32 -

used herein, the terms "nucleic acid" and "oligonucleotide" refer to oligoribonucleotides as well as oligodeoxyribonucleotides. The terms shall also include polynucleosides (i.e., a polynucleotide minus the phosphate) and any other organic base-containing polymer. The terms "nucleic acid" and "oligonucleotide" also encompass nucleic acids or oligonucleotides  
5 with a covalently modified base and/or sugar. For example, they include nucleic acids having backbone sugars which are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 2' position and other than a phosphate group at the 5' position. Thus modified nucleic acids may include a 2'-O-alkylated ribose group. In addition, modified nucleic acids may include sugars such as arabinose instead of ribose. Thus the  
10 nucleic acids may be heterogeneous in backbone composition thereby containing any possible combination of polymer units linked together such as peptide-nucleic acids (which have amino acid backbone with nucleic acid bases). In some embodiments the nucleic acids are homogeneous in backbone composition.

The substituted purines and pyrimidines of the immunostimulatory nucleic acids  
15 include standard purines and pyrimidines such as cytosine as well as base analogs such as C-5 propyne substituted bases. Wagner RW et al. (1996) *Nat Biotechnol* 14:840-4. Purines and pyrimidines include but are not limited to adenine, cytosine, guanine, thymine, 5-methylcytosine, 2-aminopurine, 2-amino-6-chloropurine, 2,6-diaminopurine, hypoxanthine, and other naturally and non-naturally occurring nucleobases, substituted and unsubstituted  
20 aromatic moieties.

The immunostimulatory nucleic acid is a linked polymer of bases or nucleotides. As used herein with respect to linked units of a nucleic acid, "linked" or "linkage" means two entities are bound to one another by any physicochemical means. Any linkage known to those of ordinary skill in the art, covalent or non-covalent, is embraced. Such linkages are  
25 well known to those of ordinary skill in the art. Natural linkages, which are those ordinarily found in nature connecting the individual units of a nucleic acid, are most common. The individual units of a nucleic acid may be linked, however, by synthetic or modified linkages.

Whenever a nucleic acid is represented by a sequence of letters it will be understood that the nucleotides are in 5' to 3' (or equivalent) order from left to right and that "A" denotes adenine, "C" denotes cytosine, "G" denotes guanine, "T" denotes thymidine, and "U" denotes uracil unless otherwise noted.  
30

- 33 -

Immunostimulatory nucleic acid molecules useful according to the invention can be obtained from natural nucleic acid sources (e.g., genomic nuclear or mitochondrial DNA or cDNA), or are synthetic (e.g., produced by oligonucleotide synthesis). Nucleic acids isolated from existing nucleic acid sources are referred to herein as native, natural, or isolated nucleic acids. The nucleic acids useful according to the invention may be isolated from any source, including eukaryotic sources, prokaryotic sources, nuclear DNA, mitochondrial DNA, etc. Thus, the term nucleic acid encompasses both synthetic and isolated nucleic acids.

The immunostimulatory nucleic acids can be produced on a large scale in plasmids, (see *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989) and separated into smaller pieces or administered whole. After being administered to a subject the plasmid can be degraded into oligonucleotides. One skilled in the art can purify viral, bacterial, eukaryotic, etc. nucleic acids using standard techniques, such as those employing restriction enzymes, exonucleases or endonucleases.

For use in the instant invention, the immunostimulatory nucleic acids can be synthesized *de novo* using any of a number of procedures well known in the art. For example, the  $\beta$ -cyanoethyl phosphoramidite method (Beaucage SL and Caruthers MH, *Tetrahedron Let* 22:1859 (1981)); nucleoside H-phosphonate method (Garegg et al., *Tetrahedron Let* 27:4051-4054 (1986); Froehler et al., *Nucl Acid Res* 14:5399-5407 (1986); Garegg et al., *Tetrahedron Let* 27:4055-4058 (1986); Gaffney et al., *Tetrahedron Let* 29:2619-2622 (1988)). These chemistries can be performed by a variety of automated oligonucleotide synthesizers available in the market.

The immunostimulatory nucleic acid may be any size of at least 6 nucleotides but in some embodiments are in the range of between 6 and 100 or in some embodiments between 8 and 35 nucleotides in size. Immunostimulatory nucleic acids can be produced on a large scale in plasmids. These may be administered in plasmid form or alternatively they can be degraded into oligonucleotides before administration.

A "stabilized immunostimulatory nucleic acid" shall mean a nucleic acid molecule that is relatively resistant to *in vivo* degradation (e.g., via an exo- or endo-nuclease). Stabilization can be a function of length or secondary structure. Nucleic acids that are tens to hundreds of kbs long are relatively resistant to *in vivo* degradation. For shorter nucleic acids, secondary structure can stabilize and increase their effect. For example, if the 3' end of an

- 34 -

oligonucleotide has self-complementarity to an upstream region, so that it can fold back and form a sort of stem loop structure, then the oligonucleotide becomes stabilized and therefore exhibits more activity.

Some stabilized immunostimulatory nucleic acids have a modified backbone. It has  
5 been demonstrated that modification of the oligonucleotide backbone provides enhanced activity of the immunostimulatory nucleic acids when administered *in vivo*. Nucleic acids, including at least two phosphorothioate linkages at the 5' end of the oligonucleotide and multiple phosphorothioate linkages at the 3' end, preferably 5, may provide maximal activity and protect the oligonucleotide from degradation by intracellular exo- and endo-nucleases.  
10 Other modified oligonucleotides include phosphodiester modified oligonucleotide, combinations of phosphodiester and phosphorothioate oligonucleotide, methylphosphonate, methylphosphorothioate, phosphorodithioate, and combinations thereof. Each of these combinations and their particular effects on immune cells is discussed in more detail in U.S. Pat. Nos. 6,194,388 and 6,207,646, the entire contents of which are incorporated herein by  
15 reference. It is believed that these modified oligonucleotides may show more stimulatory activity due to enhanced nuclease resistance, increased cellular uptake, increased protein binding, and/or altered intracellular localization. Both phosphorothioate and phosphodiester nucleic acids are active in immune cells.

Other stabilized immunostimulatory nucleic acids include: nonionic DNA analogs,  
20 such as alkyl- and aryl-phosphates (in which the charged phosphonate oxygen is replaced by an alkyl or aryl group), phosphodiester and alkylphosphotriesters, in which the charged oxygen moiety is alkylated. Oligonucleotides which contain diol, such as tetraethyleneglycol or hexaethyleneglycol, at either or both termini have also been shown to be substantially resistant to nuclease degradation.

25 Phosphorothioate nucleic acid molecules may be synthesized using automated techniques employing either phosphoramidate or H-phosphonate chemistries. Aryl- and alkyl-phosphonates can be made, e.g., as described in U.S. Pat. No. 4,469,863; and alkylphosphotriesters (in which the charged oxygen moiety is alkylated as described in U.S. Pat. No. 5,023,243 and European Patent No. 092,574) can be prepared by automated solid  
30 phase synthesis using commercially available reagents. Methods for making other DNA backbone modifications and substitutions have been described. Uhlmann E and Peyman A (1990) *Chem Rev* 90:544; Goodchild J (1990) *Bioconjugate Chem* 1:165.



- 35 -

Other sources of immunostimulatory nucleic acids useful according to the invention include standard viral and bacterial vectors, many of which are commercially available. In its broadest sense, a "vector" is any nucleic acid material which is ordinarily used to deliver and facilitate the transfer of nucleic acids to cells. The vector as used herein may be an empty  
 5 vector or a vector carrying a gene which can be expressed. In the case when the vector is carrying a gene the vector generally transports the gene to the target cells with reduced degradation relative to the extent of degradation that would result in the absence of the vector. In this case the vector optionally includes gene expression sequences to enhance expression of the gene in target cells such as immune cells, but it is not required that the gene  
 10 be expressed in the cell.

Nucleic acid-binding fragments of TLRs are believed to include the extracytoplasmic (extracellular) domain or subportions thereof, such as those which include at least an MBD motif, a CXXC motif, or both an MBD motif and a CXXC motif.

Both mouse and human TLR9 have an N-terminal extension of approximately 180  
 15 amino acids compared to other TLRs. An insertion also occurs at amino acids 253-268, which is not found in TLRs 1-6 but is present in human TLR7 and human TLR8. This insert has two CXXC motifs which participate in forming a CXXC domain. The CXXC domain resembles a zinc finger motif and is found in DNA-binding proteins and in certain specific CpG binding proteins, e.g., methyl-CpG binding protein-1 (MBD-1). Fujita N et al. (2000)  
 20 *Mol Cell Biol* 20:5107-18. Both human and mouse TLR9 CXXC domains occur at aa 253-268:

CXXC motif:	GNCXXCXXXXXXXXXXCXXC	SEQ ID NO:62
Human TLR9:	GNCRRCDHAPNPCMEC	SEQ ID NO:63
25 Murine TLR9:	GNCRRCDHAPNPCMIC	SEQ ID NO:64

An additional motif believed to be involved in CpG binding is the MBD motif, also found in MBD-1, listed below as SEQ ID NO:53. Fujita, N et al.(2000) *Mol Cell Biol* 20:5107-18; Ohki I et al. (1999) *EMBO J* 18:6653-61. Amino acids 524-554 of hTLR9 and  
 30 aa 525-555 of mTLR9 correspond to the MBD motif of MBD-1 as shown:

MBD motif:

- 36 -

	MBD-1	R-XXXXXXX-R-X-D-X-Y-XXXXXXXXXX-R-S-XXXXXX-Y	SEQ ID NO:65
	hTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXXX-R-L-XXXXXX-Y	SEQ ID NO:66
	mTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXXX-Q-L-XXXXXX-Y	SEQ ID NO:67
5	hTLR9	Q-VLDLSRN-K-L-D-L-Y-HEHSFTSLP-R-L-EALDLS-Y	SEQ ID NO:68
	mTLR9	Q-VLDLSHN-K-L-D-L-Y-HWKSFSLEP-Q-L-QALDLS-Y	SEQ ID NO:69

Although the signaling functions of MBD-1 and TLR9 are quite different, the core D-X-Y is conserved and is believed to be involved in CpG binding.

10 According to another aspect of the invention, a screening method is provided for identifying an immunostimulatory compound. The method according to this aspect of the invention involves contacting a functional TLR9 with a test compound; detecting presence or absence of a response mediated by a TLR9 signal transduction pathway in the presence of the test compound arising as a result of an interaction between the functional TLR9 and the test  
15 compound; and determining the test compound is an immunostimulatory compound when the presence of a response mediated by the TLR9 signal transduction pathway is detected.

An immunostimulatory compound is a natural or synthetic compound that is capable of inducing an immune response when contacted with an immune cell. A TLR9 ligand that is an immunostimulatory compound is a natural or synthetic compound that is capable of  
20 inducing an immune response when contacted with an immune cell that expresses TLR9. A TLR9 ligand that is an immunostimulatory compound is also a natural or synthetic compound that is capable of inducing a TLR/IL-1R signal transduction pathway when contacted with a TLR9. Immunostimulatory compounds include but are not limited to immunostimulatory nucleic acids. The immunostimulatory compound can be, for example, a nucleic acid  
25 molecule, polynucleotide or oligonucleotide, a polypeptide or oligopeptide, a lipid or lipopolysaccharide, a small molecule.

A basis for certain of the screening assays is the presence of a functional TLR9 in a cell. The functional TLR9 in some instances is naturally expressed by a cell. In other instances, expression of the functional TLR9 can involve introduction or reconstitution of a  
30 species-specific TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact with an

- 37 -

immunostimulatory nucleic acid. In yet other instances, expression of the functional TLR9 can involve introduction of a chimeric or modified TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact  
5 with an immunostimulatory nucleic acid. Examples of cell lines lacking TLR9 or immunostimulatory nucleic acid responsiveness include, but are not limited to, 293 fibroblasts (ATCC CRL-1573), MonoMac-6, THP-1, U937, CHO, and any TLR9 knock-out. The introduction of the species-specific, chimeric or modified TLR9 into the cell or cell line is preferably accomplished by transient or stable transfection of the cell or cell line with a  
10 TLR9-encoding nucleic acid sequence operatively linked to a gene expression sequence (as described above). Methods for transient and for stable transfection of a cell are well known in the art.

The screening assays can have any of a number of possible readout systems based upon either TLR/IL-1R signaling pathway or other assays useful for assessing response to  
15 immunostimulatory nucleic acids. It has been reported that immune cell activation by CpG immunostimulatory sequences is dependent in some way on endosomal processing.

In certain embodiments, the readout for the screening assay is based on the use of native genes or, alternatively, cotransfected or otherwise co-introduced reporter gene constructs which are responsive to the TLR/IL-1R signal transduction pathway involving  
20 MyD88, TRAF, p38, and/or ERK. Häcker H et al. (1999) *EMBO J* 18:6973-6982. These pathways activate kinases including  $\kappa$ B kinase complex and c-Jun N-terminal kinases. Thus reporter genes and reporter gene constructs particularly useful for the assays can include a reporter gene operatively linked to a promoter sensitive to NF- $\kappa$ B. Examples of such promoters include, without limitation, those for NF- $\kappa$ B, IL-1 $\beta$ , IL-6, IL-8, IL-12 p40, CD80,  
25 CD86, and TNF- $\alpha$ . The reporter gene operatively linked to the TLR-sensitive promoter can include, without limitation, an enzyme (e.g., luciferase, alkaline phosphatase,  $\beta$ -galactosidase, chloramphenicol acetyltransferase (CAT), etc.), a bioluminescence marker (e.g., green-fluorescent protein (GFP, U.S. Pat. No. 5,491,084), blue fluorescent protein, etc.), a surface-expressed molecule (e.g., CD25), and a secreted molecule (e.g., IL-8, IL-12 p40, TNF- $\alpha$ ). In  
30 certain embodiments the reporter is selected from IL-8, TNF- $\alpha$ , NF- $\kappa$ B-luciferase (NF- $\kappa$ B-luc; Häcker H et al. (1999) *EMBO J* 18:6973-6982), IL-12 p40-luc (Murphy TL et al. (1995)

*Mol Cell Biol* 15:5258-5267), and TNF-luc (Häcker H et al. (1999) *EMBO J* 18:6973-6982). At least one of these reporter constructs (NF- $\kappa$ B-luc) is commercially available (Stratagene, La Jolla, CA). In assays relying on enzyme activity readout, substrate can be supplied as part of the assay, and detection can involve measurement of chemiluminescence, fluorescence, color development, incorporation of radioactive label, drug resistance, or other marker of enzyme activity. For assays relying on surface expression of a molecule, detection can be accomplished using FACS analysis or functional assays. Secreted molecules can be assayed using enzyme-linked immunosorbent assay (ELISA) or bioassays. Many such readout systems are well known in the art and are commercially available.

10 According to one embodiment of this method, comparison can be made to a reference immunostimulatory nucleic acid. The reference immunostimulatory nucleic acid may be any suitably selected immunostimulatory nucleic acid, including a CpG nucleic acid. In certain embodiments the screening method is performed using a plurality of test nucleic acids. In certain embodiments comparison of test and reference responses is based on comparison of  
15 quantitative measurements of responses in each instance.

In another aspect the invention provides a screening method for identifying species specificity of an immunostimulatory nucleic acid. The method involves contacting a TLR9 of a first species with a test immunostimulatory nucleic acid; contacting a TLR9 of a second species with the test immunostimulatory nucleic acid; measuring a response mediated by a  
20 TLR signal transduction pathway associated with the contacting the TLR9 of the first species with the test immunostimulatory nucleic acid; measuring a response mediated by the TLR signal transduction pathway associated with the contacting the TLR9 of the second species with the test immunostimulatory nucleic acid; and comparing the two responses. The TLR9 may be expressed by a cell or it may be part of a cell-free system. The TLR9 may be part of  
25 a complex, with either another TLR or with another protein, e.g., MyD88, IRAK, TRAF, I $\kappa$ B, NF- $\kappa$ B, or functional homologues and derivatives thereof. Thus for example a given ODN can be tested against a panel of human fibroblast 293 fibroblast cells transfected with TLR9 from various species and optionally cotransfected with a reporter construct sensitive to TLR/IL-1R activation pathways. Thus in another aspect, the invention provides a method for  
30 screening species selectivity with respect to a given nucleic acid sequence.

Test compounds can include but are not limited to peptide nucleic acids (PNAs), antibodies, polypeptides, carbohydrates, lipids, hormones, and small molecules. Test

- 39 -

compounds can further include variants of a reference immunostimulatory nucleic acid incorporating any one or combination of the substitutions described above. Test compounds can be generated as members of a combinatorial library of compounds.

In preferred embodiments, the screening methods can be performed on a large scale and with high throughput by incorporating, e.g., an array-based assay system and at least one automated or semi-automated step. For example, the assays can be set up using multiple-well plates in which cells are dispensed in individual wells and reagents are added in a systematic manner using a multiwell delivery device suited to the geometry of the multiwell plate. Manual and robotic multiwell delivery devices suitable for use in a high throughput screening assay are well known by those skilled in the art. Each well or array element can be mapped in a one-to-one manner to a particular test condition, such as the test compound. Readouts can also be performed in this multiwell array, preferably using a multiwell plate reader device or the like. Examples of such devices are well known in the art and are available through commercial sources. Sample and reagent handling can be automated to further enhance the throughput capacity of the screening assay, such that dozens, hundreds, thousands, or even millions of parallel assays can be performed in a day or in a week. Fully robotic systems are known in the art for applications such as generation and analysis of combinatorial libraries of synthetic compounds. See, for example, U.S. Pat. Nos. 5,443,791 and 5,708,158.

The following examples are provided for illustrative purposes and are not meant to be limiting in any way.

### Examples

Example 1. Cloning and Sequencing of Rat, Porcine, Bovine, Equine, Ovine, Canine, and Feline TLR9

*Cells and Tissues.* Lymphoid tissues, primarily spleen or blood mononuclear cells (PBMC) from five mammalian species were collected: mouse, pig, bovine, rat and horse. Spleen samples were collected in RNAlater™ (Ambion®, Austin, TX, USA), stabilized at 4°C overnight and stored at -70°C. Blood samples were centrifuged at 500 x g for 25 min at room temperature and the buffy coat, containing enriched PBMC, was then removed and stored at -70°C. The mouse specimen was used as a comparative positive control.

- 40 -

*First-strand cDNA synthesis.* Total RNA from the spleen and PBMC samples was isolated using a monophasic solution of phenol and guanidine isothiocyanate: TRIzol™ reagent (GIBCO BRL®, Burlington, ON, Canada) according to the manufacturer's instructions. First-strand cDNA was synthesized from the total RNA using  
5 SUPERScript™ II reverse transcriptase (GIBCO BRL®, Burlington, ON, Canada). Approximately 3 µg of total RNA was added to 50 pmoles of oligo(dT) primer [poly T<sub>(18)</sub>]; the mixture was heated to 70°C for 10 min and subsequently chilled on ice. The following was added to the cooled reaction mixture: 1 µl of mixed dNTP stock containing 10 mM each dATP, dCTP, dGTP and dTTP (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) at  
10 neutral pH, 1X first strand buffer (50 mM Tris-HCl pH 8.3/ 75 mM KCl/ 3 mM MgCl<sub>2</sub>) and 2 µl of 0.1 M DTT. The mixture was subsequently heated to 42°C for 2 min, followed by addition of 200 units of SUPERScript™ II reverse transcriptase. The reaction was carried out at 42°C for 50 min, followed by 70°C for 15 min. The first-strand cDNA was used as the template for subsequent polymerase chain reaction (PCR) amplifications.

15 *PCR amplification.* TLR9 gene was PCR amplified from each of the above-mentioned species using primers designed from known mouse and human TLR9 sequence in Genbank: Accession AF314224 and AF259262, respectively. The primers were designed using the primer design software, Clone Manager 5 (Scientific and Educational Software, Durham, NC, USA). TLR9 gene-specific primers used were:

20 forward primer 5'-ACCTTGCCCTGCCTTCCTACCCTGTGA-3' (SEQ ID NO:37) and reverse primer 5'-GTCCGTGTGGGCCAGCACAAA-3' (SEQ ID NO:38).

The 2.7 Kbp fragment was PCR amplified using Advantage® 2 DNA polymerase mix (BD Biosciences Clontech, Palo Alto, CA, USA) according to the manufacturer's instructions. PCR reaction volumes of 25 µl contained 15 pmoles of each primer, 0.2 mM of dNTP mix  
25 and 1 µl of reverse transcription reaction. PCR amplification was conducted by initial denaturation at 94°C for 1 min followed by 30 cycles of 94°C denaturation (15 sec), 65°C annealing (45 sec) and 72°C extensions (2 min), with a final extension at 72°C for 5 min.

*Cloning and sequencing.* The PCR amplified fragment was treated with 500 units of T4 DNA polymerase (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) for 15 min  
30 at room temperature prior to cleaning the reaction with QIAquick PCR purification kit (QIAGEN Inc., Mississauga, ON, Canada). The fragment was then ligated to pZEROTM - 2

- 41 -

vector (Invitrogen™ Life Technologies, Burlington, ON, Canada), treated with *Eco RV* restriction enzyme, using T4 DNA Ligase (GIBCO BRL®, Burlington, ON, Canada). *E. coli* TOP 10 chemically competent cells (Invitrogen™ Life Technologies, Burlington, ON, Canada) were used to transform ligated products. Plasmids containing the 2.7 Kbp fragment  
5 were sequenced using an automated DNA sequencer, CEQ™ 2000XL DNA analysis system (Beckman Coulter Inc., Fullerton, CA, USA).

Sequences of the 2.7 Kbp fragment were derived from three clones of each species selected from independent PCR reactions to account for errors that may have been incurred during the PCR amplifications and to confirm the sequence data.

10 Nucleotide sequences of the rat, porcine, bovine, equine, ovine, canine, and feline TLR9 were extended and completed using standard 5' and 3' RACE PCR and primers designed using the sequences obtained from the 2.7 Kbp fragments.

*Results.* Nucleotide sequences of rat, porcine, bovine, equine, canine, and feline TLR9 cDNA obtained by the methods above are provided as SEQ ID NOs 3, 7, 11, 15, 19,  
15 23, and 27, respectively. Deduced amino acid sequences are provided as SEQ ID NOs 1, 5, 9, 13, 17, 21, and 25, respectively. Deduced amino acid sequences of full-length murine and human TLR9 are provided as SEQ ID NOs 29 and 33, respectively.

#### Example 2. Comparison of Aligned Sequences for TLR9 from Various Mammalian Species.

20 Multiple sequence alignment of deduced amino acid sequences for feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 polypeptides was performed using Clustal W 1.82 (see, for example, [www.cmbi.kun.nl/bioinf/tools/clustalw.shtml](http://www.cmbi.kun.nl/bioinf/tools/clustalw.shtml)). In addition, paired sequence alignment of deduced amino acid sequences for murine and human TLR9 polypeptides was performed using Clustal W 1.82. The results of the multiple  
25 sequence alignment are presented in **Figure 1**. As will be appreciated from Figure 1, certain amino acids are highly conserved across all species examined. Similarly, certain amino acids differ only by conservative amino acid substitutions among the various species. In addition, it is evident that certain amino acids which are conserved between murine and human TLR9 are not conserved in other species. Furthermore, Figure 1 also indicates that certain amino  
30 acids are highly divergent across various species. The information provided by the comparison of multiple species adds significantly to the information available by comparison between only murine and human TLR9 sequences.

- 42 -

The putative transmembrane regions of the TLR9 polypeptides are indicated in boxes in Figure 1. Sequence upstream of each transmembrane region is extracellular domain and is believed to include sequence primarily responsible for binding to TLR9 ligands, including CpG DNA. The extracellular domains of feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 correspond to amino acids numbered 1-820, 1-822, 1-818, 1-821, 1-818, 1-819, 1-820, 1-820, and 1-821, respectively, as shown in Figure 1.

Figure 2 presents an evolutionary relatedness tree for six TLR9 polypeptides examined. The cladogram in Figure 2 was prepared using Clustal W (see above). As can be appreciated from this figure, murine and human TLR9 are nearly the most divergent TLR9s in this group. Surprisingly, human and horse TLR9 appear relatively closely related.

### Example 3. Reconstitution of TLR9 Signaling in 293 Fibroblasts.

Mouse TLR9 cDNA (SEQ ID NO:31) and human TLR9 cDNA (SEQ ID NO:35) in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR9 (hTLR9) and murine TLR9 (mTLR9) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

Since NF- $\kappa$ B activation is central to the IL-1/TLR signal transduction pathway (Medzhitov R et al. (1998) *Mol Cell* 2:253-258; Muzio M et al. (1998) *J Exp Med* 187:2097-101), cells were transfected with hTLR9 or co-transfected with hTLR9 and an NF- $\kappa$ B-driven luciferase reporter construct. Human fibroblast 293 cells were transiently transfected with hTLR9 and a six-times NF- $\kappa$ B-luciferase reporter plasmid (NF- $\kappa$ B-luc) or with hTLR9 alone. After stimulus with CpG-ODN (2006, 2 $\mu$ M, TCGTCGTTTTGTCGTTTTGTCGTT, SEQ ID NO:58), GpC-ODN (2006-GC, 2 $\mu$ M, TGCTGCTTTTGTGCTTTTGTGCTT, SEQ ID NO:59), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results representative of three independent experiments showed that cells expressing hTLR9 responded to CpG-DNA but not to LPS.

Independently, human fibroblast 293 cells were transiently transfected with mTLR9 and the NF- $\kappa$ B-luc construct or with mTLR9 alone. After stimulation with CpG-ODN (1668, 2 $\mu$ M; TCCATGACGTTTCCTGATGCT, SEQ ID NO:60), GpC-ODN (1668-GC, 2 $\mu$ M;



- 43 -

TCCATGAGCTTCCTGATGCT, SEQ ID NO:61), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results showed that expression of TLR9 (human or mouse) in 293 cells results in a gain of function for CpG-DNA stimulation.

5 To generate stable clones expressing human TLR9, murine TLR9, or either TLR9 with the NF- $\kappa$ B-luc reporter plasmid, 293 cells were transfected in 10 cm plates ( $2 \times 10^6$  cells/plate) with 16  $\mu$ g of DNA and selected with 0.7 mg/ml G418 (PAA Laboratories GmbH, Cölbe, Germany). Clones were tested for TLR9 expression by RT-PCR. The clones were also screened for IL-8 production or NF- $\kappa$ B-luciferase activity after stimulation with  
10 ODN. Four different types of clones were generated.

293-hTLR9-luc:	expressing human TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter
293-mTLR9-luc:	expressing murine TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter
293-hTLR9:	expressing human TLR9
15 293-mTLR9:	expressing murine TLR9

Results indicated that stable clones also responded to CpG-ODN.

Example 4. Similar ODN Sequence Specificity of TLR9 of Human and Equine TLR9.

20  $3 \times 10^6$  293T cells were electroporated with 5  $\mu$ g NF- $\kappa$ B-luc plasmid and 5  $\mu$ g of either horse TLR9-pcDNA3.1 plasmid or humanTLR9-pcDNA3.1 plasmid at 200V, 975  $\mu$ F. After the electroporation the cells were plated in 96-well cell culture plates at  $2.5 \times 10^4$  cells per well and grown overnight at 37°C. The cells were stimulated with the indicated concentration of ODN for 16h, after which the supernatant was removed and the cells lysed in lysis buffer and  
25 frozen for at least 2 hours at -80°C. Luciferase activity was measured by adding Luciferase Assay substrate from Promega. Values are given as fold specific induction over non-stimulated control. Results are shown in Figure 3.

As shown in Figure 3, ODN 2006 (TCGTCGTTTTGTCGTTTTGTCGTT; SEQ ID NO:58) has a strong specificity for human TLR9. ODN 1982  
30 (TCCAGGACTTCTCTCAGGTT; SEQ ID NO:70) was the negative control ODN. ODN 5890 (TCCATGACGTTTTTGATGTT; SEQ ID NO:39) has a strong specificity for mouse

- 44 -

TLR9. This experiment demonstrates the similarity of horse TLR9 to human TLR9 in binding specificity, a result predicted by the evolutionary relatedness of horse TLR9 to human TLR9. Mouse TLR9 is more distant from horse TLR9 and human TLR9 in sequence homology, and ODN 5890 was not detected by either human or horse TLR9.

5

Example 5. Non-human, Non-murine Native Mammalian TLR9 Useful in Screening for Human-Preferred CpG DNA.

Native rat, porcine, bovine, equine, and ovine TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Rat, porcine, bovine, equine, or ovine TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

20 Example 6. Chimeric TLR9 Useful in Screening for Human-Preferred CpG DNA.

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

30

Example 7. Chimeric TLR9 Responsive to Both Human-Preferred and Murine-Preferred CpG DNA.

- 45 -

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006) and also screened for binding or TLR9 signaling activity when contacted with murine-preferred CpG DNA (ODN 1668). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in each of these assays are then used as the basis for screening for additional human-preferred CpG DNA and for screening for additional murine-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA or candidate murine-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA. Candidate murine-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as murine-preferred CpG DNA.

### Equivalents

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by examples provided, since the examples are intended as a single illustration of one aspect of the invention and other functionally equivalent embodiments are within the scope of the invention. Various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims. The advantages of the invention are not necessarily encompassed by each embodiment of the invention.

All references, patents and patent publications that are recited in this application are incorporated in their entirety herein by reference.

We claim:

- 46 -

**Claims**

1. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.  
5
2. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.
3. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a  
10 polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.
4. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ  
15 ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.
5. A vector comprising the nucleic acid of any of claims 3-4.
6. A cell comprising the vector of claim 5.  
20
7. An antibody or fragment thereof that binds specifically to the polypeptide of any of claims 1-2.
8. A method for identifying key amino acids in a TLR9 of a first species which  
25 confer specificity for CpG DNA optimized for TLR9 of the first species, comprising:  
aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species;  
30 generating an initial set of candidate amino acids in the TLR9 of the first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the

- 47 -

TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with  
5 the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

10 9. A method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9, comprising:

aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a  
15 CpG DNA optimized for murine TLR9;

generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the  
20 initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids.

25

10. The method according to claim 9, performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight, said weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred  
30 CpG DNA).

- 48 -

11. An isolated polypeptide comprising an amino acid sequence identical to SEQ ID NO:30 except for substitution of at least one key amino acid identified according to the method of any of claims 9 or 10.

5        12. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide according to claim 11.

13. A vector comprising the nucleic acid of claim 12.

10       14. A cell comprising the vector of claim 13.

15. An antibody that binds specifically to the polypeptide of claim 14.

16. A screening method to identify a TLR9 ligand, comprising:  
15       contacting a polypeptide according to any of claims 1, 2, or 11 with a candidate TLR9 ligand;  
          measuring a signal in response to the contacting; and  
          identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling.

20       17. The method of claim 16, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

25       18. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

19. The method of claim 17, wherein the candidate TLR9 ligand is an immunostimulatory nucleic acid.

30       20. The method of claim 19, wherein the immunostimulatory nucleic acid is CpG DNA.

- 49 -

21. A screening method to identify species-specific CpG-motif preference of an isolated polypeptide of claim 2 or claim 11, comprising:

contacting an isolated polypeptide of claim 2 or claim 11 with a CpG DNA comprising a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GCGGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG;

measuring a signal in response to the contacting; and

identifying a species-specific CpG-motif preference when the signal in response to the contacting is consistent with TLR9 signaling.

22. The method of claim 21, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

23. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

24. The method of claim 21, wherein the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

20	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
25	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
30	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
35	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),
	TCCATGACGTCTTTGATGTT	(SEQ ID NO:55),
	TCCATGACGTATTTGATGTT	(SEQ ID NO:56), and
	TCCATGACGTGTTTGATGTT	(SEQ ID NO:57).

Figure 1  
(1/3)

```

feline      MGPCGHGALHPLSLLVQAAALAVALAQGTLPAPFLPCELPQRHGLVNCNWLFLKSVPHFSAAA 60
canine      MGPCRGALHPLSLLVQAAALALALAQGTLPAPFLPCELPQPHGLVNCNWLFLKSVPRFSAAA 60
bovine      MGP-YCAPHPLSLLVQAAALAAALAEGLTPAPFLPCELPQPHGQVDCNWLFLKSVPHFSAGA 59
mouse       MGP-YCAPHPLSLLVQAAALAAALAEGLTPAPFLPCELPQPHGQVDCNWLFLKSVPHFSAGA 59
ovine       MGP-YCAPHPLSLLVQAAALAAALAEGLTPAPFLPCELPQPHGQVDCNWLFLKSVPRFSAGA 59
porcine     MGP-RCTLHPLSLLVQVTLAALAAALQGRPLAPFLPCELPQPHGLVNCNWLFLKSVPHFSAAA 59
human       MGPCGHGALQPLSLLVQAAMLAVALAAGTLPAPFLPCELPQPHGLVNCNWLFLKSVPHFSAAA 60
human       MGFCRSALHPLSLLVQAAMLAVALAAGTLPAPFLPCELPQPHGLVNCNWLFLKSVPHFSMAA 60
rat         MVLCRRTLHPLSLLVQAAMLAVALAAGTLPAPFLPCELPQPHGLVDCNWLFLKSVPHFSAAE 60
*           : :*****. ** : * * *.*****: * *:*****:***.

feline      PRGNVTSLSLYSNRIHHLHDSDFVHLSLRLNLKWNCPASLSPMHFPCMTIEPHTFL 120
canine      PRGNVTSLSLYSNRIHHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCMTIEPNTFL 120
bovine      PRANVTSLSLISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 119
mouse       PRANVTSLSLISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 119
ovine       PRANVTSLSLISNRIHHLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCMTIEPNTFL 119
porcine     PRANVTSLSLISNRIHHLHDSDFVHLSLRLNLKWNCPAGLSPMHFPCMTIEPNTFL 119
horse       PRDNVTSLSLISNRIHHLHDSDFVHLSLRLNLKWNCPAGLSPMHFPCMTIEPNTFL 120
human       PRGNVTSLSLISNRIHHLHDSDFVHLSLRLNLKWNCPAGLSPMHFPCMTIEPNTFL 120
rat         PRSNTSLSLIANRIHHLHDLDFVHLNVRQLNLKWNCPAGLSPMHFPCMTIEPKTFL 120
** :***** :*****: **.: : ***** .***:*.***** **

feline      AVPTLEELNLSYNSITTVPALPSSLVLSLSRTNIVLDPANLAGLSLRLFLDGNICY 180
canine      AVPTLEELNLSYNSITTVPALPSSLVLSLSRTNIVLDPATLAGLYALRFLDGNICY 180
bovine      AVPTLEELNLSYNGITTVPALPSSLVLSLSHTSILVLGPTHFTGLHALRFLYMDGNICY 179
mouse       AVPTLEELNLSYNGITTVPALPSSLVLSLSHTSILVLGPTHFTGLHALRFLYMDGNICY 179
ovine       AVPTLEELNLSYNGITTVPALPSSLVLSLSRTSILVLGPTHFTGLHALRFLYMDGNICY 179
porcine     AVPTLEELNLSYNSITTVPALPSSLVLSLSRTNIVLDPHTLGLHALRFLYMDGNICY 179
horse       AVPTLEELNLSYNGITTVPALPSSLVLSLSRTNIVLQDPTSLTGLHALRFLYMDGNICY 180
human       AVPTLEELNLSYNNIMTVPALPSSLVLSLSHTNIMLDSASLAGLHALRFLYMDGNICY 180
rat         AMRMEELNLSYNGITTVPRLPSSLTNLSLHTNIVLDASSLAGLSLRLVFLMDGNICY 180
*: ** :*****. * ** * *. * *: * *. * .: :*:*:** *:*****

feline      KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPSSLEYLLLSYNHIITLAPEDI 240
canine      KNPCQALQVAPGALLGLGNLTHLSLKYNNTVPRGLPSSLEYLLLSYNHIITLAPEDI 240
bovine      MNPCPRALEVAPGALLGLGNLTHLSLKYNNTVEPRRLPSSLDTLLLSYNHIITLAPEDI 239
mouse       MNPCPRALEVAPGALLGLGNLTHLSLKYNNTVEPRRLPSSLDTLLLSYNHIITLAPEDI 239
ovine       KNPCQALEVAPGALLGLGNLTHLSLKYNNTVEPRRLPSSLDTLLLSYNHIITLAPEDI 239
porcine     KNPCQALEVAPGALLGLGNLTHLSLKYNNTVEPRSLPSSLETLLLSYNHIITLAPEDI 239
horse       KNPCQALEVAPGALLGLGNLTHLSLKYNNTVPRSLPSSLEYLLLSYNHIITLAPEDI 240
human       KNPCQALEVAPGALLGLGNLTHLSLKYNNTVPRSLPSSLEYLLLSYNRIKVLAPEDI 240
rat         KNPCNGAVNTPDAFLGLSNLTHLSLKYNNTVEPRQLPSSLEYLLLSYNLIKVLGAEDI 240
*** *:*. * .:***.***** ***** ** *:*. ***** *:*.***

feline      ANLTALRVLDVGGNCRCDHARNPCMECPKGFPHLHPDTFSLHNLHLEGLVLKDSSLYNLN 300
canine      ANLTALRVLDVGGNCRCDHARNPCRECPKGFQQLHPNTFGLSHLEGLVLKDSSLYSLD 300
bovine      ANLTALRVLDVGGNCRCDHARNPCRECPKNFPKLHPDTFSLSRLEGLVLKDSSLYKLE 299
mouse       ANLTALRVLDVGGNCRCDHARNPCRECPKNFPKLHPDTFSLSRLEGLVLKDSSLYKLE 299
ovine       ANLTALRVLDVGGNCRCDHARNPCRECPKNFPKLHPDTFSLSRLEGLVLKDSSLYKLE 299
porcine     ANLTALRVLDVGGNCRCDHARNPCRECPKDHFKLHSDTFSLSRLEGLVLKDSSLYQLN 299
horse       ANLTALRVLDVGGNCRCDHARNPCRECPKDHFKLHSDTFSLSRLEGLVLKDSSLYQLN 300
human       ANLTALRVLDVGGNCRCDHARNPCMECPRHFFQQLHPDTFSLSRLEGLVLKDSSLYSWIN 300
rat         ANLTSLRMLDVGGNCRCDHAPDLCTECRQKSLDLHPQTFHLSHLEGLVLKDSSLSHLN 300
*****:*****: * * *: .**:* ***:*****:**** *:

feline      PRWFHALGNLMVLDLSENFLYDCITKTAFQGLARLRNLNLSFNHYHKKVSFAHLHLAPSF 360
canine      PRWFHGLGNLMVLDLSENFLYDCITKTAFYGLARLRNLNLSFNHYHKKVSFAHLHLASSF 360
bovine      KDWFRLGLRLQVLDLSENFLYDYITKTITFNDLTQLRRLNLSFNHYHKKVSFAHLHLASSF 359
mouse       KDWFRLGLRLQVLDLSENFLYDYITKTITFNDLTQLRRLNLSFNHYHKKVSFAHLHLASSF 359
ovine       KDWFRLGLRLQVLDLSENFLYDYITKTITFNRNLQLRRLNLSFNHYHKKVSFAHLQLAPSF 359
porcine     TRWFRGLDRLQVLDLSENFLYDCITKTAFQGLARLRNLNLSFNHYHKKVSFAHLHLAPSF 359
horse       PRWFRLGNLTVLDLSENFLYDCITKTAFQGLARLRNLNLSFNHYHKKVSFAHLTLAPSF 360
human       ASWFRGLGNLTVLDLSENFLYKICITKTAFQGLTQLRKLNLNLSFNHYHKKVSFAHLSLAPSF 360
rat         SKWFQGLANLTVLDLSENFLYESINKTSAFQNLTRKLKLDLSENHYCKKVSFAHLHLASSF 360
*:*. * *****. * ** * .:*. * *:***** *:*****:***.

```



**Figure 1**  
**(2/3)**

feline	GSLLSLQQLDMHGIFFRSLSETTLRLSLVHPLMLQSLHLQMNFINQAQLSIFGAFPGRLRV	420
canine	GSLLSLQELDIHGIFFRSLSKTTLQSLAHLPLQRLHLQNLFSQAQLSIFGAFPGRLRV	420
bovine	GSLVLSLEKLDMHGIFFRSLTNTITLQSLTRLPKLQSLHLQNLFINQAQLSIFGAFPSLLEF	419
mouse	GSLVLSLEKLDMHGIFFRSLTNTITLQSLTRLPKLQSLHLQNLFINQAQLSIFGAFPSLLEF	419
ovine	GGLVLSLEKLDMHGIFFRSLTNTITLRLPLTLQPKLQSLSLQNLFINQAELSLIFGAFPSLLEF	419
porcine	GHLRLSKELDMHGIFFRSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFPGRLRV	419
horse	GSLLSLQELDMHGIFFRSLSQKTLQPLARLPLQRLYLQMNFINQAQLGIFKDFPGRLRYI	420
human	GSLVALKELDMHGIFFRSLSDTTLRLPLARLPLQTLRLQMNFINQAQLGIFRAFPGLRV	420
rat	KSLVLSLQELNMNGIIFRLLNKNLTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFV	420
	* : * : * : * : * : * : * : * : * : * : * : * : * : * : * : * : * : * : * : *	
feline	DLSDNRI SGAMELAAATGEVDG--GERVRLPSGDIALGPPGTPSSEGFMPGCKTLNFTLD	478
canine	DLSDNRI SGAAEPAAATGEVEADCGERVWPQSRDLALGPLGTPGSEAFMPSCRTLNFTLD	480
bovine	DLSDNRI SGAATPAAALGEVDS--RVEVWRLPRGLAPGFLDAVSSKDFMPSCN-LNFTLD	476
mouse	DLSDNRI SGAATPAAALGEVDS--RVEVWRLPRGLAPGFLDAVSSKDFMPSCN-LNFTLD	476
ovine	DLSDNRI SGAARPAALGEVDS--GVEVWRWPRGLAPGFLAAVSAKDFMPSCN-LNFTLD	476
porcine	DLSDNRI SGAARPAATREVDG--RERVWLPSRNLAPRLDTRASEDFMPNCKAFSFTLD	477
horse	DLSDNRI SGAVEPVATTGEVDG--GKKVWLTSLRDLTPGPLDTPSSEDFMPSCNLSFTLD	478
human	DLSDNRI SGASELTATMGADG--GEKVWLQPGDLAPAPVDTPSSEDFPNCSTLNFTLD	478
rat	DLSDNRI SGPPTLSRVAPEKAD-EAEKGVWPASLTALPSTPVSKNFMVRCKNLRFMTD	479
	***:***** * : * : * : * : * : * : * : * : * : * : * : * : * : * : *	
feline	LSRNNLVITQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQVLDLSHNKLDLYHG	538
canine	LSRNNLVITQPEMFVRLARLQCLLSHNSISQAVNGSQFVPLSNLRLVLDLSHNKLDLYHG	540
bovine	LSRNNLVITQPEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLDLSHNKLDLYHG	536
mouse	LSRNNLVITQPEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLDLSHNKLDLYHG	536
ovine	LSRNNLVITQPEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLDLSYNKLDLYHG	536
porcine	LSRNNLVITQPEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVLDLSHNKLDLYHG	537
horse	LSRNNLVITQPEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQVLDLSHNKLDLYHG	538
human	LSRNNLVITQPEMFAQLSRLQCLRLSHNCISQAVNGSQFVPLTGLQVLDLSHNKLDLYHE	538
rat	LSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFPLTLNLKVLDLSYNKLDLYHS	539
	***** *: * : * : * : * : * : * : * : * : * : * : * : * : * : * : * : *	
feline	RSFTLEPRLALDLSYNSQPFMSQGVGHNLSFVAQLPALRYLSLAHNDIHSRVSQQLCSA	598
canine	RSFTLEPRLALDLSYNSQPFMSRGVGHNLSFVAQLPALRYLSLAHNGIHSRVSQQLRSA	600
bovine	RSFTLEPQLALDLSYNSQPFMSQGVGHNLSFVAQLPSLRYLSLAHNGIHSRVSQQLSSA	596
mouse	RSFTLEPQLALDLSYNSQPFMSQGVGHNLSFVAQLPSLRYLSLAHNGIHSRVSQQLSSA	596
ovine	RSFTLEPQLALDLSYNSQPFMSQGVGHNLSFVAQLPSLRYLSLAHNGIHSRVSQQLSSA	596
porcine	RSFTLEPRLALDLSYNSQPFMTMGVGHNLSFVAQLPALRYLSLAHNDIHSRVSQQLCSA	597
horse	RSFTLEPRLALDLSYNSQPFMSRGVGHNLSFVAQLPTLRYLSLAHNGIHSRVSQQLCST	598
human	HSFTLEPRLALDLSYNSQPFMGQGVGHNFSFVAHLRTLRLHLSLAHNNIHSQVSOQLCST	598
rat	KSFSELPQLQALDLSYNSQPFMSQGIHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYST	599
	:*:***** *:***** *:***** *:***** *:***** *:***** *:***** *:***** *	
feline	SLRALDFSGNALSRLMWAEGDLYLHFFRGLRLSLVRLDLSQNLRLHTLLPRTLNLPKSLRL	658
canine	SLRALDFSGNTLSQMWAEGLDYLREFFQGLRLSLVQLDLSQNLRLHTLLPRLNLNLPKSLRL	660
bovine	SLRALDFSGNLSLQMWAEGLDYLCEFFKGLRLNLVQLDLSENHLHTLLPRLNLNLPKSLRL	656
mouse	SLRALDFSGNLSQMWAEGLDYLCEFFKGLRLNLVQLDLSENHLHTLLPRLNLNLPKSLRL	656
ovine	SLRALDFSGNLSLQMWAEGLDYLCEFFKGLRLNLVQLDLSKNHLHTLLPRLNLNLPKSLRL	656
porcine	SLCALDFSGNDLSRLMWAEGDLYLREFFQGLRLSLVWL DLSQNLHTLLPRLNLNLPKSLRL	657
horse	SLWALDFSGNLSQMWAEGLDYLREFFQGLRLSLIRLDLSQNLRLHTLLPCTGLNLPKSLQL	658
human	SLRALDFSGNALSQMWAEGLDYLHFFQGLSLIWL DLSQNLRLHTLLPQTLRLNLPKSLQL	658
rat	SVEYLD FSGNGVGRMWDEEDLYLYFFQDLRLSLIHL DLSQNLHLIRPQNLNLYLPKSLTKL	659
	*: ***** :*: * * * * * * * : * : * : * : * : * : * : * : * : * : *	
feline	RLRDNYLAFFNWSSLVLLPRLALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVAS	718
canine	RLRDNYLAFFNWSSLALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVP	720
bovine	RLRDNNLAFFNWSSLTVLPRLALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVIP	716
mouse	RLRDNNLAFFNWSSLTVLPRLALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVIP	716
ovine	RLRDNNLAFFNWSSLTVLPRLALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVTP	716
porcine	HLRDNNLAFFNWSSLTLLPKLETLDLAGNQLKALSNGSLPSGTQLRRDLGNSIGFVNP	717
horse	RLRNNYLAFFNWSSLTLLPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSSNSIIFVVP	718
human	RLRDNYLAFFKWSLHFLPKLEVLDLAGNQLKALTNGSLPAGTRLRRLDVSCNSISFVAP	718
rat	SFRDNHLSFFNWSSLAFPLNLRDLDLAGNLLKALTNGTLNGTLLQKLDVSSNSIVFVVP	719
	..* : ***** * : * * * * * * * : * : * : * : * : * : * : * : * : *	

Figure 1  
(3/3)

feline	SFFALATRLRELNLSANALKTVEPSWFGSLAGTLKVLDVTGNPLHCACGAAFVDFLLEVQ	778
canine	SFFALAVRLRELNLSANALKTVEPSWFGSLAGALKVLDVTANPLHCACGATFVDFLLEVQ	780
bovine	GFFVRATRLIELNLSANALKTVDPSWFGSLAGTLKILDVSANPLHCACGAAFVDFLLEQ	776
mouse	GFFVRATRLIELNLSANALKTVDPSWFGSLAGTLKILDVSANPLHCACGAAFVDFLLEQ	776
ovine	GFFVLANRLKELNLSANALKTVDPSWFGSMVGNLKVLDVSANPLHCACGATFVDFLLEQ	776
porcine	GFFALAKQLEELNLSANALKTVEPSWFGSMVGNLKVLDVSANPLHCACGATFVDFLLEQ	777
horse	GFFALATRLRELNLSANALRTEEPSWFGFLAGSLEVLDVSANPLHCACGAAFVDFLLQVQ	778
human	GFFSKAKELRELNLSANALKTVDHSWFGPLASALQILDVSANPLHCACGAAFMDFLLEVQ	778
rat	AFFALAVELKEVNLSHNLKTVDRSWFGPIVMNLTVLDVSSNPLHCACGAPFVDLLLEVQ	779
	..** * . * :*** * :* : *** :. * :***:*****.*.:***: *	
feline	AAVPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFG	838
canine	AAVPGLPSPRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCF	840
bovine	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFG	836
mouse	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFG	836
ovine	AAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFG	836
porcine	AAVPGLPSPRVKCGSPGQLQGRSIFAQDLRLCLDETSLWNCFG	837
horse	AAVPGLPSPRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFG	838
human	AAVPGLPSPRVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFA	838
rat	TKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFG	839
	****. * .**** ***** :***:*****. ** ** :*** :*. :*** :*. :***: *	
feline	CGWDLWYCFHLCIAWLPRRGRR--RGADALPYDAFVVDKAQSAVADWVYNELRVLEER	896
canine	CGWDLWYCFHLCIAWLPRRGRR--RGVDALAYDAFVVDKAQSSVADWVYNELRVQLEER	898
bovine	CGWDLWYCFHLCIAHLPRRRRQ--RGEDTLLYDAVVVDKQSAVADWVYNELRVQLEER	894
mouse	CGWDLWYCFHLCIAHLPRRRRQ--RGEDTLLYDAVVVDKQSAVADWVYNELRVQLEER	894
ovine	CGWDLWYCFHLCIAHLPRRRRQ--RGEDTLLYDAFVVDKAQSAVADWVYNELRVQLEER	894
porcine	CGWDLWYCFHLCIAWLPHRGQR--RGADALFYDAFVVDKAQSAVADWVYNELRVLEER	895
horse	CGWDLWYCFHLCIAWLPRRGWQ--RGADALSYPDAFVVDKAQSAVADWVYNELRVQLEER	896
human	CGWDLWYCFHLCIAWLPRRGQRSGRDEALPYDAFVVDKQSAVADWVYNELRGQLEEC	898
rat	CGWDVWYCFHLCIAWLPLTRGR-RSAQALPYDAFVVDKAQSAVADWVYNELRVLEER	898
	*****:***** ** ** * . :.* ***.*****.*:*****. :***	
feline	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQORL	956
canine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQORL	958
bovine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQORL	954
mouse	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQORL	954
ovine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQORL	954
porcine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQORL	955
horse	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQORL	956
human	RGRWALRLCLEERDWLPGKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQORL	958
rat	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKTLFVLAHTDKVSGLLRTSFLLAQORL	958
	*** *****:***:***:*****:*.*** :*** :*.***:*****:*****	
feline	LEDKDVVVLVILRPDAHRSRYVRLRQRLCRQSVLLWPHQPSGQSFWAQLGTALTRDNQ	1016
canine	LEDKDVVVLVILCPDAHRSRYVRLRQRLCRQSVLLWPHQPSGQSFWAQLGTALTRDNR	1018
bovine	LEDKDVVVLVILRPAAYSRYVRLRQRLCRQSVLLWPHQPSGQSFWANLGIALTRDNR	1014
mouse	LEDKDVVVLVILRPAAYSRYVRLRQRLCRQSVLLWPHQPSGQSFWANLGIALTRDNR	1014
ovine	LEDKDVVVLVILRPAAYSRYVRLRQRLCRQSVLLWPHQPSGQSFWANLGIALTRDNR	1014
porcine	LEDKDVVVLVILRPDAYRSRYVRLRQRLCRQSVLLWPHQPSGQSFWAQLGTALTRDNH	1015
horse	LEDKDVVVLVILSPDARRSRYVRLRQRLCRQSVLFWPHQPSGQSFWAQLGMALTRDNR	1016
human	LEDKDVVVLVILSPDARRSRYVRLRQRLCRQSVLFWPHQPSGQSFWAQLGMALTRDNH	1018
rat	LEDKDVVVLVILRPDAHRSRYVRLRQRLCRQSVLFWPHQPSGQSFWAQLSTALTRDNH	1018
	*****:***** * . *****:*****:***** ** *****.*. *****:	
feline	HFYNQNFRCGPTTAE-----	1031
canine	HFYNQNFRCGPTTA-----	1032
bovine	HFYNRNFCRGPTTAE-----	1029
mouse	HFYNRNFCRGPTTAE-----	1032
ovine	HFYNRNFCRGPTTAE-----	1029
porcine	HFYNRNFCRGPTTAE-----	1030
horse	HFYNQNFRCGPTMAE-----	1031
human	HFYNRNFCQGPTAE-----	1032
rat	HFYNRNFCRGPTAE-----	1032
	****:***:***	

Figure 2





Figure 3



## SEQUENCE LISTING

<110> Coley Pharmaceutical GmbH  
University of Saskatchewan  
Qiagen GmbH

<120> TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

<130> C1041.70040WO00

<150> US 60/412,479

<151> 2002-09-19

<160> 70

<170> PatentIn version 3.1

<210> 1

<211> 1032

<212> PRT

<213> Rattus norvegicus

<400> 1

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
130 135 140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
 515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
 565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
 580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe

610	615	620
Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys		
625	630	635 640
Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu		
	645	650 655
Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser		
	660	665 670
Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn		
	675	680 685
Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu		
	690	695 700
Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala		
705	710	715 720
Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn		
	725	730 735
Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn		
	740	745 750
Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly		
	755	760 765
Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly		
	770	775 780
Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg		
785	790	795 800
Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser		
	805	810 815
Arg Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Thr Val		
	820	825 830
Leu Pro Leu Leu Gln His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe		
	835	840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Thr Arg Gly Arg Arg Ser  
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Lys Val Ser  
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Phe Trp Pro His Gln Pro Asn Gly Gln Gly Ser Phe Trp Ala Gln  
995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
1025 1030

<210> 2

<211> 821

<212> PRT

<213> Rattus norvegicus

<400> 2

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15



Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
130 135 140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
 515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
 565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
 580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe  
 610 615 620

Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu  
 645 650 655

Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser  
 660 665 670

Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn  
 675 680 685

Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala  
 705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn

<400>	3
atgggttctct gtcgcaggac cctgcacccc ttgtctctcc tggtaacagc cgcagtgctg	60
gctgaggctc tggccctggg tacacctgcc gccttcctac cctgtgaact gaagcctcat	120
ggcctggtag actgcaactg gctcttcctg aagtctgtgc ctcaacttct tgccgcagaa	180
ccccgtcca acatcacacc cctttccttg atcgccaacc gcatccacca cctgcacaac	240
ctcgactttg tcacacctgc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc	300
cctggcctca gcccttgca cttctcctgc cgcatgacca ttgagcccaa aaccttcctg	360
gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc	420
ctgcccagct ccctgacgaa tctgagccta agccacacca acatcctggg actcgatgcc	480
agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac	540
aagaaccctt gcaacggggc ggtgaacgtg accccggacg ccttcctggg cttgagcaac	600
ctcaccctact tgtcccttaa gtataaac ctcacagagg tgccccgcca actgcccccc	660
agcctggagt acctcctgct gtcctataac ctcatcgtca agctgggggc cgaagacct	720
gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac	780

gcccccgacc tctgtacaga atgccggcag aagtccttg atctgcaccc tcagactttc 840  
 catcacctga gccaccttga aggctggtg ctgaaggaca gttctctcca ctgctgaac 900  
 tccaagtggg tccaggggtc ggcgaaacctc tcggtgctgg acctaacga gaactttctc 960  
 tacgagagca tcaacaaaac cagcgccttt cagaacctga cccgtctgcg caagctcgac 1020  
 ctgtccttca attactgcaa gaaggtatcg ttcgcccgc tccacctggc aagttccttc 1080  
 aagagcctgg tgtcgtgca ggagctgaac atgaacggca tcttcttccg cttactcaac 1140  
 aagaacacgc tcaggtgggt ggctggtctg cccaagctcc acacgctgca ccttcaaagt 1200  
 aatttcatca accaggcgca gctcagcgtc tttagtacct tccgagccct tcgctttgtg 1260  
 gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320  
 gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcaccccagc tctcccagc 1380  
 actcccgtct caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg 1440  
 tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500  
 tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccc 1560  
 ctgaccaacc tgaaggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620  
 tcgttcagtg agctcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680  
 agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740  
 cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca 1800  
 gtggagtatc tggacttcag cggcaacggt gtgggccgca tgtgggacga ggaggacctt 1860  
 tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920  
 ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980  
 ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttctt gcccaatctg 2040  
 cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100  
 ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160  
 ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220  
 gtggatcgct cctggtttgg gccatttgat atgaacctga cggttctaga cgtgagcagc 2280  
 aacctctgct attgtgcctg cgggtgcaccc tttgtagact tactgctgga agtgcagacc 2340  
 aaggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400  
 agcatctttg cgcaagacct gcggctgtgc ctggatgacg tctttctctg ggactgcttt 2460  
 ggcctttcac tctggctgtg ggccgtgggc acgggtgttc ctttactgca gcatctctgc 2520  
 ggctgggacg tctggtactg tttccatctg tgccctggcat ggctaccttt gctgaccgct 2580

ggccggcgca gcgccaagc tctcccttat gatgccttcg tgggtgttca taaggcgag 2640  
 agcgcggttg ctgactgggt gtataacgag cttcgagtgc ggctagagga gcggcgcggt 2700  
 cgccgagccc tacgcttggt tctggaggac cgagattggc tgcctggcca gacactcttc 2760  
 gagaacctct gggcctccat ctatggcagc cgcaagactc tgtttgtgct ggccacacg 2820  
 gacaagggtca gtggcctcct gcgcaccagc ttcctgctgg ctcagcagcg cctgctggag 2880  
 gaccgcaagg acgtgggtgt gttggtgatc ctgcgccttg atgcccaccg ctcccgctac 2940  
 gtgcgactgc gccagcgctt ctgccgccag agtgtgctct tctggcccca tcagcccaac 3000  
 gggcagggca gcttctgggc ccagctgagt acagccctga ctagggacaa ccaccacttc 3060  
 tataaccgga acttctgccc gggacctaca gcagaatag 3099

<210> 4  
 <211> 2463  
 <212> DNA  
 <213> Rattus norvegicus

<400> 4  
 atggttctct gtgcaggac cctgcacccc ttgtctctcc tggtagaggc cgagtgctg 60  
 gctgaggctc tggccctggg taccctgcct gccttcctac cctgtgaact gaagcctcat 120  
 ggcctggtag actgcaactg gctcttcctg aagtctgtgc ctcaactctc tgccgcagaa 180  
 ccccggtcca acatcaccag cctttccttg atcgccaacc gcatccacca cctgcacaac 240  
 ctgcactttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc 300  
 cctggcctca gcccttgca cttctcctgc cgcctgacca ttgagccaa aaccttcctg 360  
 gctatgcgca tgcctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420  
 ctgccagct ccctgacgaa tctgagccta agccacacca acatcctggg actcgatgcc 480  
 agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac 540  
 aagaaccctt gcaacggggc ggtgaacgtg acccgggagc ccttcctggg cttgagcaac 600  
 ctacccact tgtcccttaa gtataacaac ctacagagg tgcgccgcca actgcccccc 660  
 agcctggagt acctcctgct gtcctataac ctcatcgta agctgggggc cgaagaccta 720  
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgcgctcg ctgtgatcac 780  
 gccccgacc tctgtacaga atgccggcag aagtcccttg atctgcacc tcagactttc 840  
 catcacctga gccacctga aggcctgggt ctgaaggaca gttctctcca ctgctgaac 900  
 tccaagtggg tccaggtctt ggcgaaacct tcggtgctgg acctaaagca gaactttctc 960  
 tacgagagca tcaacaaaac cagcgccctt cagaacctga cccgtctgcg caagctcgac 1020

```

ctgtccttca attactgcaa gaaggtatcg ttcgcccgcc tccacctggc aagttccttc 1080
aagagcctgg tgcgctgca ggagctgaac atgaacggca tcttcttccg cttactcaac 1140
aagaacacgc tcaggtggct ggctggtctg cccaagctcc acacgctgca ctttcaaagt 1200
aatttcatca accaggcgca gctcagcgtc tttagtagct tccgagccct tcgctttgtg 1260
gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320
gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcaccccagc tctcccagc 1380
actcccgctc caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg 1440
tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500
tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccg 1560
ctgaccaacc tgaaggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620
tcgttcagtg agtcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680
agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740
cttagcctgg cacacaatga cattcacagc cgcgtgtcct cacgcctcta cagcacctca 1800
gtggagtatc tggacttcag cggcaacggt gtgggccgca tgtgggacga ggaggacctt 1860
tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920
ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980
ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttcct gcccaatctg 2040
cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100
ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160
ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220
gtggatcgct cctggtttgg gccatttgat atgaacctga cggttctaga cgtgagcagc 2280
aaccctctgc attgtgcctg cgggtgcaccc tttgtagact tactgctgga agtgcagacc 2340
aagggtcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400
agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460
ggc 2463

```

```

<210> 5
<211> 1030
<212> PRT
<213> Sus scrofa

<400> 5

```

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
225 230 235 240



Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe

705	710	715	720
Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu	725	730	735
Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys	740	745	750
Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr	755	760	765
Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro	770	775	780
Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile	785	790	795
Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn	805	810	815
Cys Phe Gly Ile Ser Leu Leu Ala Met Ala Leu Gly Leu Val Val Pro	820	825	830
Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu	835	840	845
Cys Leu Ala Trp Leu Pro His Arg Gly Gln Arg Arg Gly Ala Asp Ala	850	855	860
Leu Phe Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val	865	870	875
Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg	885	890	895
Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro	900	905	910
Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg	915	920	925
Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu Leu	930	935	940

Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys  
 945 950 955 960

Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala Tyr Arg Ser Arg  
 965 970 975

Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp  
 980 985 990

Pro His Gln Pro Arg Gly Gln Gly Ser Phe Trp Ala Gln Leu Gly Thr  
 995 1000 1005

Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg Asn Phe Cys  
 1010 1015 1020

Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 6  
 <211> 819  
 <212> PRT  
 <213> Sus scrofa

<400> 6

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe  
 705 710 715 720

Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu  
 725 730 735

Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys  
 740 745 750

Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr  
 755 760 765

Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro  
 770 775 780

Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile  
 785 790 795 800

Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn  
 805 810 815

Cys Phe Gly

<210> 7  
 <211> 3352  
 <212> DNA  
 <213> *Sus scrofa*

<400> 7  
 gagcacgaac atccttcact gtagctgctg ccggtctgc cagccagacc ctttgagaa 60  
 gacccactc cctgtcatgg gccccgctg caccctgcac cccctttctc tcctgggtgca 120  
 ggtgacagcg ctggctgcgg ctctggccca gggcaggctg cctgccttcc tgccctgtga 180  
 gctccagccc cacggcctgg tgaactgcaa ctggctcttc ctgaagtccg tgccccactt 240  
 ctgggggca ggcgccggg ccaacgtcac cagcctctcc ttactctcca accgcatcca 300  
 ccacctgcac gactccgact tcgtccacct gtccagccta cgaactctca acctcaagtg 360  
 gaactgcccg ccggtctggc tcagcccat gcaactcccc tgccacatga ccatcgagcc 420  
 caacaccttc ctggcgtgc ccacctgga ggagctgaac ctgagctaca acagcatcac 480  
 gaccgtgcct gccctgcccg actccctcgt gtccctgtcg ctgagccgca ccaacatcct 540  
 ggtgctagac cccaccacc tcactggcct acatgccctg cgctacctgt acatggatgg 600  
 caactgctac tacaagaacc cctgccaggg ggcgctggag gtggtgccgg gtgccctcct 660  
 cggcctgggc aacctcacac atctctcact caagtacaac aatctcacgg aggtgccccg 720  
 cagcctgccc ccagcctgg agacctgct gttgtcctac aaccacattg tcacctgac 780  
 gcctgaggac ctggccaatc tgactgcctt gcgctgtctt gatgtggggg ggaactgccg 840  
 ccgctgtgac catgcccga accctgcag ggagtgccca aaggaccacc ccaagctgca 900  
 ctctgacacc ttcagccacc tgagccgctt cgaaggcctg gtgttgaaag acagttctct 960  
 ctacaacctg gacaccaggt ggttcgagg cctggacagg ctccaagtgc tggacctgag 1020  
 tgagaacttc ctctacgact gcatcaccaa gaccacggcc ttccagggcc tggcccgact 1080  
 gcgcagcctc aacctgtcct tcaattacca caagaagggt tcctttgccc acctgcacct 1140  
 ggcacctcc tttgggcacc tccggtccct gaaggagctg gacatgcatg gcatcttctt 1200  
 ccgctcgctc agtgagacca cgctccaacc tctggtccaa ctgcctatgc tccagacctt 1260  
 gcgcctgcag atgaacttca ttaaccaggc ccagctcagc atctttgggg ccttccctgg 1320  
 cctgctgtac gtggacctat cggacaaccg catcagcga gctgcaaggc cagtggccat 1380  
 tactagggag gtggatggta gggagagggt ctggctgcct tccaggaacc tcgctccacg 1440  
 tccactggac actctccgct cagaggactt catgccaaac tgcaaggcct tcagcttcac 1500



cttggacctg tctcggaaca acctggtgac aatccagtcg gagatgtttg ctgcctctc 1560  
 acgcctcgag tgcctgcgcc tgagccacaa cagcatctcc caggcgggtca atggctctca 1620  
 gtttgtgccg ctgaccagcc tgcgggtgct ggacctgtcc cacaacaagc tggacctgta 1680  
 tcacggggcg tgcgtcacgg agctgccgcg cctggaagca ctggacctca gctacaatag 1740  
 ccagcccttt accatgcagg gtgtgggcca caacctcagc ttcgtggccc agctgcccgc 1800  
 cctgcgtac ctgagcctgg cgcacaatga catccatagc cgagtgtccc agcagctctg 1860  
 tagcgctca ctgtgcgccc tggacttttag cggcaacgat ctgagccgga tgtgggctga 1920  
 gggagacctc tatctccgct tcttccaagg cctaagaagc ctagtctggc tggacctgtc 1980  
 ccagaaccac ctgcacaccc tcctgccacg tgccctggac aacctcccca aaagcctgaa 2040  
 gcatctgcat ctccgtgaca ataacctggc cttcttcaac tggagcagcc tgacctcct 2100  
 gccaagctg gaaacctgg acttggtgg aaaccagctg aaggccctaa gcaatggcag 2160  
 cctgccatct ggcaccagc tgcggaggct ggacctcagt ggcaacagca tcggctttgt 2220  
 gaacctggc ttctttgccc tggccaagca gttagaagag ctcaacctca gcgccaatgc 2280  
 cctcaagaca gtggagccct cctggtttg ctgatggtg ggcaacctga aagtcctaga 2340  
 cgtgagcgcc aacctctgc actgtgcctg tggggcgacc ttcgtgggct tcctgctgga 2400  
 ggtacaggct gccgtgcctg ggctgcccag ccgcgtcaag tgtggcagtc cggggcagct 2460  
 ccagggccat agcatctttg cgcaagacct gcgcctctgc ctggatgaga ccctctcgtg 2520  
 gaactgtttt ggcattctgc tgcctggccat ggccctgggc ctggttgtgc ccatgctgca 2580  
 ccacctctgc ggctgggacc tctggtactg cttccacctg tgccctggcct ggctgcccc 2640  
 ccgagggcag cggcgggggc cagacgcctt gttctatgat gccttcgtgg tctttgacaa 2700  
 agctcagagt gctgtggccg actgggtgta caacgagctg cgggtgcagc tggaggagcg 2760  
 ccgtgggcgc cgcgcactgc gcctgtgcct ggaggagcga gactggttac ctggcaagac 2820  
 gctcttcgag aacctgtggg cctcagtcta cagcagccgc aagacctgt ttgtgctggc 2880  
 ccacacggac cgtgtcagcg gcctcttgcg tgccagttc ctgctggccc agcagcgct 2940  
 gctggaggac cgcaaggacg ttgtagtgt ggtgatcctg cgcgccgatg cctaccgctc 3000  
 ccgtacgtg cggctgcgcc agcgcctctg ccgccagagt gtcctcctct ggccccacca 3060  
 gccccgtggg cagggcagct tctgggcccc gctgggcaca gccctgacca gggacaacca 3120  
 ccacttctat aaccggaact tctgccgggg cccacgaca gccgaatagc actgagtgc 3180  
 agccagttg cccagcccc cctggatttg cctctctgcc tgggggtgcc caacctgctt 3240  
 tgctcagcca caccactgct ctgctccctg tccccaccc cccccccag cctggcatgt 3300

aacatgtgcc caataaatgc taccggaggg ccaagaaaa aaaaaaaaa aa 3352

<210> 8  
 <211> 2457  
 <212> DNA  
 <213> Sus scrofa

<400> 8  
 atgggcccc gctgcaccct gcacccctt tctctcctgg tgcaggtgac agcgctggct 60  
 gcggctctgg ccagggcag gctgcctgcc ttctgccct gtgagctcca gcccacggc 120  
 ctggtgaact gcaactggct ctctctgaag tccgtgcccc acttctcggc ggcagcggc 180  
 cgggccaacg tcaccagcct ctcttactc tccaaccgca tccaccacct gcacgactcc 240  
 gacttcgtcc acctgtccag cctacgaact ctcaacctca agtggaaactg ccgcccggct 300  
 ggcctcagcc ccatgcactt cccctgccac atgaccatcg agcccaacac ctctctggcc 360  
 gtgcccaccc tggaggagct gaacctgagc tacaacagca tcacgaccgt gcctgccctg 420  
 cccgactccc tcgtgtccct gtcgtgagc cgcaccaaca tcctgggtgct agaccccacc 480  
 cacctcactg gcctacatgc cctgcgtac ctgtacatgg atggcaactg ctactacaag 540  
 aacctctgcc agggggcgct ggaggtgggt cgggtgccc tcctcggcct gggcaacctc 600  
 acacatctct cactcaagta caacaatctc acggaggtgc ccgcgagcct gccccccagc 660  
 ctggagaccc tgctgttgtc ctacaaccac attgtcacc tgacgcctga ggacctggcc 720  
 aatctgactg ccctgcgcgt gcttgatgtg ggggggaact gccgcgctg tgaccatgcc 780  
 cgcaaccct gcagggagtg ccaaaggac caccacaagc tgcactctga caccttcagc 840  
 cacctgagcc gcctcgaagg cctggtgttg aaagacagtt ctctctacaa cctggacacc 900  
 aggtggttcc gaggcctgga caggctcaa gtgctggacc tgagtgagaa ctctctctac 960  
 gactgcatca ccaagaccac ggccttccag ggcctggccc gactgcgcag cctcaacctg 1020  
 tccttcaatt accacaagaa ggtgtccttt gccacctgc acctggcacc ctcttttggg 1080  
 cacctccggt ccctgaagga gctggacatg catggcatct tcttcgctc gctcagttag 1140  
 accacgctcc aacctctggt ccaactgcct atgctccaga ccctgcgcct gcagatgaac 1200  
 ttcattaacc aggccagct cagcatcttt ggggccttcc ctggcctgct gtacgtggac 1260  
 ctatcggaca accgcatcag cggagctgca aggccagtgg ccattactag ggaggtggat 1320  
 ggtagggaga gggctctggct gccttccagg aacctcgtc cacgtccact ggacactctc 1380  
 cgctcagagg acttcatgcc aaactgcaag gccttcagct tcaccttga cctgtctcgg 1440  
 aacaacctgg tgacaatcca gtcggagatg tttgctcgcc tctcacgcct cgagtgcctg 1500

cgctgagcc acaacagcat ctcccaggcg gtcaatggct ctcaagtttgt gccgctgacc 1560  
 agcctgcggg tgctggacct gtcccacaac aagctggacc tgtatcacgg gcgctcgttc 1620  
 acggagctgc cgcgcctgga agcactggac ctcaactaca atagccagcc ctttaccatg 1680  
 caggggtgtgg gccacaacct cagcttcgtg gccagctgc ccgccctgcg ctacctcagc 1740  
 ctggcgcaca atgacatcca tagccgagtg tcccagcagc tctgtagcgc ctcaactgtgc 1800  
 gccctggact ttagcggcaa cgatctgagc cggatgtggg ctgagggaga cctctatctc 1860  
 cgcttcttcc aaggcctaag aagcctagtc tggctggacc tgtcccagaa ccacctgcac 1920  
 accctcctgc cacgtgccct ggacaacctc cccaaaagcc tgaagcatct gcatctccgt 1980  
 gacaataacc tggccttctt caactggagc agcctgacct tcctgcccaa gctggaaacc 2040  
 ctggacttgg ctggaaacca gctgaaggcc ctaagcaatg gcagcctgcc atctggcacc 2100  
 cagctgcgga ggctggacct cagtggcaac agcatcggct ttgtgaacct tggcttcttt 2160  
 gccctggcca agcagttaga agagctcaac ctcaagcgcca atgccctcaa gacagtggag 2220  
 ccctcctggt ttggctcgat ggtgggcaac ctgaaagtcc tagacgtgag cgccaacct 2280  
 ctgcactgtg cctgtggggc gaccttcgtg ggcttcctgc tggaggtaca ggctgccgtg 2340  
 cctgggctgc ccagccgcgt caagtgtggc agtccggggc agctccaggg ccatagcatc 2400  
 tttgcgcaag acctgcgcct ctgcctggat gagaccctct cgtggaactg ttttggc 2457

<210> 9  
 <211> 1029  
 <212> PRT  
 <213> Bos taurus

<400> 9

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
                                   85                                  90                                  95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
                                   100                                  105                                  110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
                                   115                                  120                                  125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
                                   130                                  135                                  140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
                                   145                                  150                                  155                                  160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
                                   165                                  170                                  175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
                                   180                                  185                                  190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
                                   195                                  200                                  205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
                                   210                                  215                                  220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
                                   225                                  230                                  235                                  240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
                                   245                                  250                                  255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
                                   260                                  265                                  270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
                                   275                                  280                                  285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
                                   290                                  295                                  300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr

305                                      310                                      315                                      320  
 Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg  
    325                                      330                                      335  
 Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
    340                                      345                                      350  
 Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu  
    355                                      360                                      365  
 Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln  
    370                                      375                                      380  
 Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn  
    385                                      390                                      395                                      400  
 Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
    405                                      410                                      415  
 Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro  
    420                                      425                                      430  
 Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu  
    435                                      440                                      445  
 Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp  
    450                                      455                                      460  
 Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
    465                                      470                                      475                                      480  
 Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
    485                                      490                                      495  
 Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
    500                                      505                                      510  
 Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His  
    515                                      520                                      525  
 Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
    530                                      535                                      540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly Leu Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
 820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
 835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
 850 855 860

Leu Tyr Asp Ala Val Val Val Phe Asp Lys Val Gln Ser Ala Val Ala  
 865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
 885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
 900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
 915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg  
 930 935 940

Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945 950 955 960

Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
 965 970 975

Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
 980 985 990

His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Ile Ala  
 995 1000 1005

Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
 1010 1015 1020

Gly Pro Thr Thr Ala Glu  
1025

<210> 10  
<211> 818  
<212> PRT  
<213> Bos taurus  
  
<400> 10

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
180 185 190



Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg  
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln  
 370 375 380

Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro

420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu		
435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp		
450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn		
465	470	475
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu		
485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly		
500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His		
515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln		
530	535	540
Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln		
545	550	555
Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg		
565	570	575
Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys		
580	585	590
Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu		
595	600	605
Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly		
610	615	620
Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr		
625	630	635
Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu		
645	650	655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly

<210> 11

<211> 3191

<212> DNA

<213> Bos taurus

<400> 11

gggaagtggg cgccaagcat ccttcctgc agctgcctcc caacctgccc gccagacct	60
ctggagaagc cgcattccct gtcattgggccc cctactgtgc cccgcacccc cttctctctcc	120
tggtgcaggc ggcggcactg gcagcggccc tggccgaggg caccctgcct gccttctctgc	180
cctgtgagct ccagcccat ggtcaggtgg actgcaactg gctgttctctg aagtctgtgc	240
cgcacttttc ggctggagcc ccccgggcca atgtcaccag cctctcttta atctccaacc	300

gcatccacca	cttgcacgac	tctgacttcg	tccacctgtc	caacctgcgg	gtcctcaacc	360
tcaagtggaa	ctgcccgcg	gccggcctca	gcccacatgca	cttcccctgc	cgtatgacca	420
tcgagcccaa	caccttcctg	gctgtgcca	ccctggagga	gctgaacctg	agctacaacg	480
gcatcacgac	cgtgcctgcc	ctgcccagtt	ccctcggtgc	cctgtcgctg	agccacacca	540
gcatcctggg	gctaggcccc	accacttca	cgggcctgca	cgcctgcgc	tttctgtaca	600
tggacggcaa	ctgctactac	atgaaccct	gcccgcgggc	cctggaggtg	gcccaggcg	660
ccctcctcgg	cctgggcaac	ctcacgcacc	tgtcgctcaa	gtacaacaac	ctcacggagg	720
tgccccgcg	cctgcccccc	agcctggaca	ccctgctgct	gtcctacaac	cacattgtca	780
ccctggcacc	cgaggacctg	gccaacctga	ctgcctgcg	cgtgcttgac	gtgggtggga	840
actgccgcg	ctgcgacct	gcccgaacc	cctgcaggga	gtgcccagg	aacttcccc	900
agctgcaccc	tgacaccttc	agtcacctga	gccgcctcga	aggcctggtg	ttgaaggaca	960
gttctctcta	caaactagag	aaagattggg	tccgcggcct	gggcaggctc	caagtgtctg	1020
acctgagtga	gaacttcctc	tatgactaca	tcaccaagac	cacctcttc	aacgacctga	1080
cccagctgcg	cagactcaac	ctgtccttca	attaccacaa	gaaggtgtcc	ttcgcccacc	1140
tgcacctagc	gtcctccttt	gggagtcctg	tgtccctgga	gaagctggac	atgcacggca	1200
tcttcttcg	ctccctcacc	aacatcacgc	tccagtcgct	gaccggctg	cccaagctcc	1260
agagtctgca	tctgcagctg	aacttcacga	accaggccca	gctcagcatc	tttggggcct	1320
tcccagacct	gctcttcgtg	gacctgtcgg	acaaccgcat	cagcggagcc	gcgacgccag	1380
cggccgcct	gggggaggtg	gacagcaggg	tggaagtctg	gcgattgcc	aggggcctcg	1440
ctccaggccc	gctggacgcc	gtcagctcaa	aggacttcac	gccaagctgc	aacctcaact	1500
tcaccttgga	cctgtcacgg	aacaacctgg	tgacaatcca	gcaagagatg	tttaccgcc	1560
tctccgcct	ccagtgcctg	cgcctgagcc	acaacagcat	ctcgcaggcg	gttaatggct	1620
cccagttcgt	gccgctgacc	agcctgcgag	tgctcgacct	gtcccacaac	aagctggacc	1680
tgtaccatgg	gcgctcatc	acggagctgc	cgcagctgga	ggcactggac	ctcagctaca	1740
acagccagcc	cttcagcatg	cagggcgtgg	gccacaacct	cagcttcgtg	gcccagctgc	1800
cctccctgcg	ctacctcagc	cttgccgaca	atggcatcca	cagccgcgtg	tcacagaagc	1860
tcagcagcgc	ctcgttgccg	gccctggact	tcagcggcaa	ctccctgagc	cagatgtggg	1920
cggagggaga	cctctatctc	tgttttttca	aaggcttgag	gaacctggtc	cagctggacc	1980
tgtccgagaa	ccatctgcac	accctcctgc	ctcgtcacct	ggacaacctg	cccaagagcc	2040

tgcggcagct gcgtctccgg gacaataacc tggccttctt caactggagc agcctgaccg 2100  
 tcctgccccg gctggaagcc ctggatctgg caggaaacca gctgaaggcc ctgagcaacg 2160  
 gcagcctgcc gcctggcacc cggctccaga agctggacgt gagcagcaac agcatcggct 2220  
 tcgtgatccc cggcttcttc gtccgcgcga ctccggctgat agagcttaac ctgagcgcca 2280  
 atgccctgaa gacagtggat cctcctcggg tccgttcctt agcagggacc ctgaaaatcc 2340  
 tagacgtgag cgccaacccg ctccactgcg cctgcggggc ggcctttgtg gacttcctgc 2400  
 tggagagaca ggaggccgtg cccgggctgt ccaggcgcgt cacatgtggc agtccggggc 2460  
 agctccaggc ccgcagcacc ttacacagg acctgcgcct ctgcctggat gagaccctct 2520  
 ccttggactg ctttggcctc tccactgctaa tgggtggcgt gggcctggca gtgcccatgc 2580  
 tgcaccacct ctgtggctgg gacctctggg actgcttcca cctgtgtctg gccatttgc 2640  
 cccgacggcg gcggcagcgg ggcgaggaca cctgctcta tgatgccgtc gtggtcttcg 2700  
 acaagggtgca gagtgacgtg gctgattggg tgtacaacga gctccgcgtg cagctggagg 2760  
 agcgcggggg gcgcggggcg ctccgcctct gcctggagga gcgagactgg ctccctggta 2820  
 agacgtctct cgagaacctg tgggcctcgg tctacagcag ccgaagacc atgttcgtgc 2880  
 tggaccacac ggaccgggtc agcggcctcc tgcgcgccag ctctctgctg gccagcagc 2940  
 gcctgttggg ggaccgcaag gacgtcgtag tgetggtgat cctgcgcccc gccgcctatc 3000  
 ggtcccgtca cgtgcggctg cgcagcgc tctgcgccca gagcgtctc ctctggcccc 3060  
 accagcccag tggccagggt agtttctggg ccaacctggg catagccctg accagggaca 3120  
 accgtcactt ctataaccgg aacttctgcc ggggccccac gacagccgaa tagcacagag 3180  
 tgactgcccc g 3191

&lt;210&gt; 12

&lt;211&gt; 2454

&lt;212&gt; DNA

&lt;213&gt; Bos taurus

&lt;400&gt; 12

atgggcccct actgtgcccc gaacccctt tctctcctgg tgcaggcggc ggcaactggca 60  
 gcggccctgg ccgagggcac cctgcctgcc ttctgcct gtgagctcca gcccctggg 120  
 cagggtggact gcaactggct gttcctgaag tctgtgccgc acttttcggc tggagcccc 180  
 cgggccaatg tcaccagcct ctcttaata tccaaccgca tccaccactt gcatgactct 240  
 gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtggaaactg cccgccggcc 300  
 ggctcagcc ccatgcactt cccctgccgt atgaccatcg agcccaacac ctctctggct 360

gtgcccaccc tggaggagct gaacctgagc tacaacggca tcacgaccgt gcctgccctg	420
cccagttccc tcgtgtccct gtcgctgagc cacaccagca tcctggtgct agggcccacc	480
cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactacatg	540
aacccctgcc cgcggggcct ggagggtggc ccaggcgccc tcctcggcct gggcaacctc	600
acgcacctgt cgctcaagta caacaacctc acggagggtgc ccgcgcgcct gccccccagc	660
ctggacaccc tgctgctgtc ctacaaccac attgtcacc tcggcaccga ggacctggcc	720
aacctgactg ccctgcgcgt gcttgacgtg ggtgggaact gccgcgcgtg cgaccatgcc	780
cgcaaccctt gcagggagtg cccaaagaac ttccccaagc tgcaccctga caccttcagt	840
cacctgagcc gcctcgaagg cctggtgttg aaggacagtt ctctctacaa actagagaaa	900
gattggttcc gcggcctggg caggctccaa gtgctcgacc tgagtgagaa cttcctctat	960
gactacatca ccaagaccac catcttcaac gacctgacc agctgcgcag actcaacctg	1020
tccttcaatt accacaagaa ggtgtccttc gccacctgc acctagcgtc ctcctttggg	1080
agtctggtgt ccctggagaa gctggacatg cacggcatct tcttcgcgtc cctcaccaac	1140
atcacgctcc agtcgctgac cgggctgccc aagctccaga gtctgcatct gcagctgaac	1200
ttcatcaacc agggccagct cagcatcttt ggggccttcc cgagcctgct cttcgtggac	1260
ctgtcggaca accgcatcag cggagccgcg acgccagcgg ccgcctggg ggagggtggac	1320
agcaggggtg aagtctggcg attgccagg ggcctcgctc caggcccgct ggacgccgtc	1380
agctcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggacct gtcacggaac	1440
aacctggtga caatccagca agagatgttt accgcctct ccgcctcca gtgcctgcgc	1500
ctgagccaca acagcatctc gcaggcggtt aatggctccc agttcgtgcc gctgaccagc	1560
ctgcgagtgc tcgacctgtc ccacaacaag ctggacctgt accatgggcg ctcattcacg	1620
gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag	1680
ggcgtgggccc acaacctcag cttcgtggcc cagctgccct ccctgcgcta cctcagcctt	1740
gcgcacaatg gcatccacag ccgcgtgtca cagaagctca gcagcgctc gttgcgcgcc	1800
ctggacttca gcggcaactc cctgagccag atgtgggccc agggagacct ctatctctgc	1860
tttttcaaag gcttgaggaa cctggtccag ctggacctgt ccgagaacca tctgcacacc	1920
ctcctgcctc gtcacctgga caacctgccc aagagcctgc ggcagctgcg tctccgggac	1980
aataacctgg cttcttcaa ctggagcagc ctgacctcc tgcgccggct ggaagccctg	2040
gatctggcag gaaaccagct gaaggccctg agcaacggca gcctgccgcc tggcatccgg	2100
ctccagaagc tggacgtgag cagcaacagc atcggttcg tgatccccgg cttcttcgtc	2160

cgcgcgactc ggctgataga gcttaacctc agcgccaatg ccctgaagac agtggatccc 2220  
 tcctgggttcg gttccttagc agggaccctg aaaatcctag acgtgagcgc caaccgctc 2280  
 cactgcgcct gcggggcggc ctttgtggac ttcctgctgg agagacagga ggccgtgccc 2340  
 gggctgtcca ggcgcgtcac atgtggcagt ccggggccagc tccagggccg cagcatcttc 2400  
 acacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 13  
 <211> 1031  
 <212> PRT  
 <213> Equus caballus

<400> 13

Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro  
 145 150 155 160

Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe  
 260 265 270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400



Asn	Phe	Ile	Asn	Gln	Ala	Gln	Leu	Gly	Ile	Phe	Lys	Asp	Phe	Pro	Gly	
				405					410						415	
Leu	Arg	Tyr	Ile	Asp	Leu	Ser	Asp	Asn	Arg	Ile	Ser	Gly	Ala	Val	Glu	
			420					425					430			
Pro	Val	Ala	Thr	Thr	Gly	Glu	Val	Asp	Gly	Gly	Lys	Lys	Val	Trp	Leu	
		435					440					445				
Thr	Ser	Arg	Asp	Leu	Thr	Pro	Gly	Pro	Leu	Asp	Thr	Pro	Ser	Ser	Glu	
	450					455					460					
Asp	Phe	Met	Pro	Ser	Cys	Lys	Asn	Leu	Ser	Phe	Thr	Leu	Asp	Leu	Ser	
465					470					475					480	
Arg	Asn	Asn	Leu	Val	Thr	Val	Gln	Pro	Glu	Met	Phe	Ala	Gln	Leu	Ser	
				485					490						495	
Arg	Leu	Gln	Cys	Leu	Arg	Leu	Ser	His	Asn	Ser	Ile	Ser	Gln	Ala	Val	
			500					505					510			
Asn	Gly	Ser	Gln	Phe	Val	Pro	Leu	Thr	Ser	Leu	Gln	Val	Leu	Asp	Leu	
		515					520					525				
Ser	His	Asn	Lys	Leu	Asp	Leu	Tyr	His	Gly	Arg	Ser	Phe	Thr	Glu	Leu	
	530					535					540					
Pro	Arg	Leu	Glu	Ala	Leu	Asp	Leu	Ser	Tyr	Asn	Ser	Gln	Pro	Phe	Ser	
545					550					555					560	
Met	Arg	Gly	Val	Gly	His	Asn	Leu	Ser	Phe	Val	Ala	Gln	Leu	Pro	Thr	
				565					570					575		
Leu	Arg	Tyr	Leu	Ser	Leu	Ala	His	Asn	Gly	Ile	His	Ser	Arg	Val	Ser	
			580					585					590			
Gln	Gln	Leu	Cys	Ser	Thr	Ser	Leu	Trp	Ala	Leu	Asp	Phe	Ser	Gly	Asn	
		595					600					605				
Ser	Leu	Ser	Gln	Met	Trp	Ala	Glu	Gly	Asp	Leu	Tyr	Leu	Arg	Phe	Phe	
	610					615					620					
Gln	Gly	Leu	Arg	Ser	Leu	Ile	Arg	Leu	Asp	Leu	Ser	Gln	Asn	Arg	Leu	
625					630					635					640	

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
                                 645                                650                                655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
                                 660                                665                                670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
                                 675                                680                                685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
                                 690                                695                                700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
 705                                710                                715                                720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
                                 725                                730                                735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
                                 740                                745                                750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
                                 755                                760                                765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
                                 770                                775                                780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
 785                                790                                795                                800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
                                 805                                810                                815

Asp Cys Phe Gly Leu Ser Leu Leu Val Val Ala Leu Gly Leu Ala Met  
                                 820                                825                                830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
                                 835                                840                                845

Leu Gly Leu Ala Trp Leu Pro Arg Arg Gly Trp Gln Arg Gly Ala Asp  
                                 850                                855                                860

Ala Leu Ser Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala

865                                      870                                      875                                      880  
 Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
    885                                      890                                      895  
 Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
    900                                      905                                      910  
 Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
    915                                      920                                      925  
 Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Gln Val Ser Gly Leu  
    930                                      935                                      940  
 Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
    945                                      950                                      955                                      960  
 Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Ala Arg Arg Ser  
    965                                      970                                      975  
 Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Phe  
    980                                      985                                      990  
 Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
    995                                      1000                                      1005  
 Met Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln Asn Phe  
    1010                                      1015                                      1020  
 Cys Arg Gly Pro Thr Met Ala Glu  
    1025                                      1030  
  
 <210> 14  
 <211> 820  
 <212> PRT  
 <213> Equus caballus  
  
 <400> 14  
 Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1                                      5                                      10                                      15  
 Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
    20                                      25                                      30  
 Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu

35                                      40                                      45  
 Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn  
     50                                      55                                      60  
 Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp  
     65                                      70                                      75                                      80  
 Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp  
                                     85                                      90                                      95  
 Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met  
                                     100                                      105                                      110  
 Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
                                     115                                      120                                      125  
 Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
     130                                      135                                      140  
 Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro  
     145                                      150                                      155                                      160  
 Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly  
                                     165                                      170                                      175  
 Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro  
                                     180                                      185                                      190  
 Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
                                     195                                      200                                      205  
 Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr  
     210                                      215                                      220  
 Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu  
     225                                      230                                      235                                      240  
 Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
                                     245                                      250                                      255  
 Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe  
                                     260                                      265                                      270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
 805 810 815

Asp Cys Phe Gly  
 820

<210> 15  
 <211> 3391  
 <212> DNA  
 <213> Equus caballus

<400> 15  
 ctctgttctc tgagctgttg ccgcgtgaag ggactgcgag caciaagcat cctcctctgc 60  
 agctgctgcc cagtgtgccca gctggaccct ctggatcatc tccactccc tgtcatgggc 120  
 ccttgccatg gtgccctgca gcccctgtct ctccctggcg aggcggccat gctggccgtg 180  
 gctctggccc aaggcaccct gcctcccttc ctgccctgtg agctccagcc ccacggcctg 240  
 gtgaactgca actggctgtt cctgaagtcc gtgcccact tctcagcagc agcaccccg 300  
 gacaatgtca ccagcctttc cttgctctcc aaccgcatcc accacctcca cgactccgac 360  
 tttgcccac tgtccaacct gcagaaactc aacctcaa ggaactgccc gccagccggc 420  
 ctgagcccca tgcacttccc ctgccacatg accatcgagc ccaacacttt cctggctgta 480  
 cccaccctgg aggagctgaa cctgagctac aacggcatca cgactgtgcc tgccctgccc 540  
 agctccctcg tgtccctgat cctgagccgc accaacatcc tgcagctaga cccaccagc 600  
 ctcacggggc tgcattgccc gcgcttccta tacatggatg gcaactgcta ctacaagaac 660  
 ccctgcgggc gggccctgga ggtggcccca ggcgcctcc ttggcctggg caacctcacc 720  
 cacctgtcac tcaagtacaa caacctcaca acggtgcccc gcagcctgcc ccctagcctg 780  
 gagtacctgc tgttgtccta caaccacatt gtcaccctgg cacctgagga cctggccaat 840  
 ctgactgccc tgcgtgtgct cgatgtgggt ggaaactgcc gccgctgtga ccatgcacgc 900  
 aaccctgcg tggagtgccc acataaatc cccagctgc actccgacac cttcagccac 960

ctaagccgcc tagaaggcct cgtgttgaag gatagttctc tctaccagct gaaccccaga 1020  
 tggttccgtg gcctgggcaa cctcacagtg ctcgacctga gtgagaactt cctctacgac 1080  
 tgcataacca aaaccaaggc attccagggc ctggcccagc tgcgaagact caacttgtcc 1140  
 ttcaattacc ataagaaggt gtccttcgcc cacctgacgc tggcaccctc cttcggggagc 1200  
 ctgctctccc tgcaggaact ggacatgcat ggcattctct tccgctcact cagccagaag 1260  
 acgctccagc cactggcccg cctgcccatt ctccagcgtc tgtatctgca gatgaacttc 1320  
 atcaaccagg ccagctcgg catcttcaag gacttccttg gtctgcgcta catagacctg 1380  
 tcagacaacc gcatcagtgg agctgtggag ccggtggcca ccacagggga ggtggatggg 1440  
 gggagaagg tctggctgac atccaggagc ctcaactccag gccactgga cccccccagc 1500  
 tctgaggact tcatgccaag ctgcaagaac ctcaacttca ccttggacct gtcacggaac 1560  
 aacctggtaa cagtccagcc agagatgttt gccagctct cgcgcctcca gtgcctgcgc 1620  
 ctgagccaca acagcatctc gcaggcggc aatggctcac agttcgtgcc actgaccagc 1680  
 ctgcaggtgc tggacctgtc ccataacaaa ctggacctgt accatgggag ctcgtttacg 1740  
 gagctgccgc gactggaggc cctggacctc agctacaaca gccagccctt cagcatgagg 1800  
 ggtgtggggc acaacctcag ctttgtggcc cagctgcca ccttgcgcta cctcagcctg 1860  
 gcacacaatg gcatccacag ccgtgtgtcc cagcagctct gcagcacctc gctgtggggc 1920  
 ctggacttca gcggcaattc cctgagccag atgtgggctg agggagacct ctatctccgc 1980  
 ttcttccaag gcctgagaag cctaattcgg ctagacctgt ccagaatcg tctgcatacc 2040  
 ctctgccat gcacctggg caacctcccc aagagcttgc agctgctgcg tctccgtaac 2100  
 aattacctgg ccttcttcaa ttggagcagc ctgacctcc tgcaccaact ggaaacctg 2160  
 gacctggctg gaaaccagct gaaggctctg agcaatggca gcctgccttc tggcaccag 2220  
 ctccagaggc tggacgtcag caggaacagc atcatcttcg tggctccctg cttctttgct 2280  
 ctggccacga ggctgcgaga gctcaacctc agtgccaacg ccctcaggac agaggagccc 2340  
 tcctggtttg gtttcctagc aggtccctt gaagtcctag atgtgagcgc caacctctg 2400  
 cactgcgcct gtggggcagc ctttgtggac ttctgtctgc aggttcaggc tgccgtgcct 2460  
 ggtctgcca gccgcgtcaa gtgtggcagt ccgggccagc tccagggccg cagcatcttc 2520  
 gcacaagacc tgcgcctctg cctggacaag tccctctcct gggactgttt tggctctctca 2580  
 ttgtgggttg tggccctggg cctggccatg cctatgttgc accacctctg cggctgggac 2640  
 ctctggtact gcttccacct gggcctggcc tggctgcccc ggcgggggtg gcagcggggc 2700



gcggatgccc tgagctatga tgcctttgtg gtcttcgaca aggcacagag cgcagtggcc 2760  
 gactgggtgt acaatgaact gcgggtgcgg ctagaggagc gccgtgggag ccggggcgctc 2820  
 cgcctgtgtc tggaggagcg tgactggcta cctggcaaga cgtgttctga aaacctgtgg 2880  
 gcctcagtct acagcagccg caagatgctg tttgtgctgg ccacacgga ccaggtcagt 2940  
 ggcctcttgc gtgccagctt cctgctggcc cagcagcgtc tgctggagga ccgcaaggac 3000  
 gttgtggtgc tggtaatcct gagccctgac gcccgccgtt cccgttacgt gcggctgcgc 3060  
 cagcgcctct gccgccagag tgcctctctc tggccccacc agcctagtgg ccagcgcagc 3120  
 ttctggggcc agctaggcat ggccctgacc agggacaacc gccacttcta taaccagaac 3180  
 ttctgccggg gcccgacgat ggctgagtag cacagagtga cagcctggca tgtacaaccc 3240  
 ccagccctga ccttgccctc ctgcctatga tgcccagtct gcctcactct gtgacgcccc 3300  
 tgctctgcct ccgccaccct caccctggc atacagcagg cactcaataa atgccactgg 3360  
 caggccaaac agccaaaaaa aaaaaaaaaa a 3391

<210> 16  
 <211> 2460  
 <212> DNA  
 <213> Equus caballus

<400> 16  
 atggggcctt gccatggtgc cctgcagccc ctgtctctcc tggcgcaggc ggccatgctg 60  
 gccgtggctc tggcccaagg caccctgcct cccttcctgc cctgtgagct ccagcccccac 120  
 ggctggtga actgcaactg gctgttcctg aagtccgtgc ccacttctc agcagcagca 180  
 ccccgggaca atgtcaccag cctttccttg ctctccaacc gcatccacca cctccacgac 240  
 tccgactttg cccaactgtc caacctgcag aaactcaacc tcaaatggaa ctgcccgcga 300  
 gccggcctca gcccctatgca cttcccctgc cacatgacca tcgagcccaa cactttcctg 360  
 gctgtaccca cctggagga gctgaacctg agctacaacg gcatcacgac tgtgcctgcc 420  
 ctgcccagct ccctcgctgc cctgatcctg agccgcacca acatcctgca gctagacccc 480  
 accagcctca cgggcctgca tgccctgcgc ttcctataca tggatggcaa ctgctactac 540  
 aagaaccctt gcgggcgggc cctggagggtg gcccagggc ccctccttgg cctgggcaac 600  
 ctcaccacc tgctactcaa gtacaacaac ctcaaacgg tgccccgcag cctgccccct 660  
 agcctggagt acctgctgtt gtcctacaac cacattgtca ccctggcacc tgaggacctg 720  
 gccaatctga ctgccctgcg tgtgctcgat gtgggtggaa actgccgccg ctgtgacctat 780  
 gcacgcaacc cctgcgtgga gtgccacat aaattcccc agctgcactc cgacaccttc 840

agccacctaa gccgcctaga aggcctcgtg ttgaaggata gttctctcta ccagctgaac 900  
 cccagatggt tccgtggcct gggcaacctc acagtgctcg acctgagtga gaacttcctc 960  
 tacgactgca tcacaaaaac caaggcatte cagggcctgg cccagctgcg aagactcaac 1020  
 ttgtccttca attaccataa gaagggtgcc ttgccccacc tgacgctggc accctccttc 1080  
 gggagcctgc tctccctgca ggaactggac atgcatggca tcttcttccg ctcactcagc 1140  
 cagaagacgc tccagccact ggccccgctg cccatgctcc agcgtctgta tctgcagatg 1200  
 aacttcatca accaggccca gctcggcatc ttcaaggact tccctggtct gcgctacata 1260  
 gacctgtcag acaaccgcat cagtggagct gtggagccgg tggccaccac aggggaggtg 1320  
 gatggtggga agaaggtctg gctgacatcc agggacctca ctccaggccc actggacacc 1380  
 cccagctctg aggacttcat gccaaagtgc aagaacctca gcttcacctt ggacctgtca 1440  
 cggaacaacc tggtaacagt ccagccagag atgtttgccc agctctcgcg cctccagtgc 1500  
 ctgcgctga gccacaacag catctcgcag gcggtcaatg gctcacagtt cgtgccactg 1560  
 accagcctgc aggtgctgga cctgtcccat acaaaactgg acctgtacca tgggcgctcg 1620  
 tttagcgagc tgccgcgact ggaggccctg gacctcagct acaacagcca gcccttcagc 1680  
 atgcgggggtg tgggccacaa cctcagcttt gtggcccagc tgcccaccct gcgctacctc 1740  
 agcctggcac acaatggcat ccacagccgt gtgtcccagc agctctgcag cacctcgtcg 1800  
 tgggccctgg acttcagcgg caattccctg agccagatgt gggctgaggg agacctctat 1860  
 ctccgcttct tccaaggcct gagaagccta atccggctag acctgtccca gaatcgctcg 1920  
 cataccctcc tgccatgcac cctgggcaac ctcccaga gcttgcagct gctgcgtctc 1980  
 cgtaacaatt acctggcctt cttcaattgg agcagcctga ccctcctgcc caacctggaa 2040  
 accctggacc tggttggaac ccagctgaag gctctgagca atggcagcct gccttctggc 2100  
 acccagctcc agaggctgga cgtcagcagg aacagcatca tcttcgtggt ccctggcttc 2160  
 tttgctctgg ccacgaggct gcgagagctc aacctcagt ccaacgccct caggacagag 2220  
 gagccctcct ggtttggttt cctagcaggc tcccttgaag tcctagatgt gagcgccaac 2280  
 cctctgcact gcgcctgtgg ggcagccttt gtggacttcc tgctgcaggt tcaggctgcc 2340  
 gtgcctggtc tgcccagccg cgtcaagtgt ggcagtccgg gccagctcca gggccgcagc 2400  
 atcttcgcac aagacctgcg cctctgcctg gacaagtccc tctcctggga ctgttttggt 2460

&lt;210&gt; 17

&lt;211&gt; 1029

&lt;212&gt; PRT

&lt;213&gt; Ovis aries

&lt;400&gt; 17

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr  
 145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala  
 225 230 235 240  
 Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255  
 Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
 260 265 270  
 Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285  
 Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
 290 295 300  
 Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320  
 Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg  
 325 330 335  
 Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350  
 Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
 355 360 365  
 Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
 370 375 380  
 Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
 385 390 395 400  
 Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415  
 Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430  
 Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
 435 440 445  
 Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
 465 . 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
 705 710 715 720  
 Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735  
 Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
 740 745 750  
 Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765  
 Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
 770 775 780  
 Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800  
 Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815  
 Phe Gly Phe Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
 820 825 830  
 Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
 835 840 845  
 Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
 850 855 860  
 Leu Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val Ala  
 865 870 875 880  
 Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
 885 890 895  
 Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
 900 905 910  
 Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
 915 920 925  
 Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg

930                      935                      940  
 Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945                      950                      955                      960  
 Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
                     965                      970                      975  
 Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
                     980                      985                      990  
 His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Met Ala  
                     995                      1000                      1005  
 Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
                     1010                      1015                      1020  
 Gly Pro Thr Thr Ala Glu  
                     1025  
  
 <210> 18  
 <211> 818  
 <212> PRT  
 <213> Ovis aries  
  
 <400> 18  
 Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1                      5                      10                      15  
  
 Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
                     20                      25                      30  
  
 Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
                     35                      40                      45  
  
 Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
                     50                      55                      60  
  
 Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65                      70                      75                      80  
  
 Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
                     85                      90                      95  
  
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr

- 53 -



Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
 465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
                   580                                  585                                  590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
                   595                                  600                                  605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
                   610                                  615                                  620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
                   625                                  630                                  635                                  640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
                                   645                                  650                                  655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
                                   660                                  665                                  670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
                   675                                  680                                  685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
                   690                                  695                                  700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
                   705                                  710                                  715                                  720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
                                   725                                  730                                  735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
                                   740                                  745                                  750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
                   755                                  760                                  765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
                   770                                  775                                  780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
                   785                                  790                                  795                                  800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
                                   805                                  810                                  815

Phe Gly

<210> 19  
 <211> 3199  
 <212> DNA  
 <213> Ovis aries

<400> 19  
 gtcggcacgg gaagtgagcg ccaagcatcc ttccctgcag ctgccgcca acttgeccgc 60  
 cagaccctct ggagaagccg cattccctgc catgggcccc tactgtgccc cgcaccccct 120  
 ttctctcctg gtgcaggcgg cggcgctggc agcagccctg gcccagggca ccctgcctgc 180  
 cttcctgccc tgtgagctcc agccccgggg taagggtgaac tgcaactggc tgttcctgaa 240  
 gtctgtgccc cgcttttcgg ccggagcccc cggggccaat gtcaccagcc tctccttaat 300  
 ctccaaccgc atccaccact tgcacgactc tgacttcgtc cacctgtcca acctgcgggt 360  
 cctcaacctc aagtggaact gcccgccggc cggcctcagc cccatgcact tcccctgccc 420  
 catgaccatc gagcccaaca ccttcctggc tgtgcccacc ctggaggagc tgaacctgag 480  
 ctacaatggc atcacgaccg tgccctgccct gcccagttct ctcgatatcc tgtcgctgag 540  
 ccgcaccagc atcctgggtgc taggccccac ccacttcacc ggccctgcacg ccctgcgctt 600  
 tctgtacatg gacggcaact gctactataa gaacccctgc cagcaggccg tggagggtggc 660  
 cccaggcgcc ctccctggcc tgggcaacct cacgcacctg tcgctcaagt acaacaacct 720  
 cacggagggtg ccccgccgcc tgccccccag cctggacacc ctgctgctgt cctacaacca 780  
 catcatcacc ctggcaccgg aggacctggc caatctgact gccctgcgtg tgcttgatgt 840  
 gggcggggaac tgccgcgct gcgaccacgc ccgcaacccc tgcagggagt gcccaaagaa 900  
 cttccccaag ctgcacctg acaccttcag ccacctgagc cgcctcgaag gcctggtggt 960  
 gaaggacagt tctctctaca aactagagaa agactgggtc cgcggcctgg gcaggctcca 1020  
 agtgctcgac ctgagtgaga acttcctcta tgactacatc accaagacca ccatcttcag 1080  
 gaacctgacc cagctgcgca gactcaacct gtcccttcaat taccacaaga aggtgtcctt 1140  
 cgcccacctg caactggcac cctcctttgg gggcctggtg tccctggaga agctggacat 1200  
 gcacggcatc ttcttcgct ccctcaccaa caccacgctc cggccgctga ccagctgcc 1260  
 caagctccag agtctgagtc tgcagctgaa cttcatcaac caggccgagc tcagcatctt 1320  
 tggggccttc ccgagcctgc tcttcgtgga cctgtcggac aaccgcatca gcggagctgc 1380  
 gaggccggtg gcgcacctc gggagggtgga cagcggggtg gaagtctggc ggtggcccag 1440

```

gggcctcgct ccaggccccgc tggccgccgt cagcgcaaag gacttcatgc caagctgcaa 1500
cctcaacttc accttggacc tgtcacggaa caacctggtg acgatccagc aggagatggt 1560
taccgccttc tcccgccctcc agtgccctgc cctgagccac aacagcatct cgcaggcggt 1620
taatggctcg cagtctgtgc cgctgacccg cctgcgagtg ctcgacctgt cctacaacaa 1680
gctggacctg taccatgggc gctcgttcac ggagctgccg cagctggagg cactggacct 1740
cagctacaac agccagccct tcagcatgca gggcgtgggc cacaacctca gcttcgtggc 1800
ccagctgccg tccctgcgct acctcagcct tgcgcacaac ggcatccaca gccgcgtgtc 1860
acagaagctc agcagcgccct cgctgcgcgc cctggacttc agcggcaact ccctgagcca 1920
gatgtgggccc gagggagacc tctatctctg cttcttcaaa ggcttgagga acctggtcca 1980
gctggacctg tccaagaacc acctgcacac cctcctgcct cgtcacctgg ataacctgcc 2040
caagagcctg cggcagctgc gtctccggga caataacctg gccttcttca actggagcag 2100
cctgactgtt ctgccccagc tggaagccct ggatctggcg ggaaaccagc tgaaggccct 2160
gagcaacggc agcctgccac ctggcaccgc gctccagaag ctggacgtga gcagcaacag 2220
catcggtctt gtgacctctg gcttctttgt ccttgccaac cggtgaaag agcttaacct 2280
cagcgccaac gccctgaaga cagtggatcc cttctggttc ggtcgcttaa cagagacct 2340
gaatatccta gacgtgagcg ccaaccgcct ccactgtgcc tgcggggcgg cctttgtgga 2400
cttctgctg gagatgcagg cgcccggtgc tgggctgtcc aggcgcgtca cgtgtggcag 2460
tccgggccag ctccagggcc gcagcatctt cgcacaggac ctgcgcctct gcctggatga 2520
gacctctctc ttggactgct ttggcttctc gctgctaata gtggcgctgg gcctggcggt 2580
gcccagctg caccacctct gtggctggga cctgtggtac tgcttccacc tgtgtctggc 2640
ccatttgccc cgacggcggc ggcagcgggg cgaggacacc ctgctctacg atgccttcgt 2700
ggtcttcgac aaggcgcaga gtgcagtggc cgactgggtg tacaacgagc tccgcgtgca 2760
gctggaggag cgccgcgggc gccgggcgct ccgcctctgc ctggaggagc gagactggct 2820
ccctggcaag acgctcttcg agaacctgtg ggctcggtc tacagcagcc gtaagaccat 2880
gttcgtgctg gaccacacgg accgggtcag tggcctcctg cgcgccagct tcctgctggc 2940
ccagcagcgc ctgttggagg accgcaagga tgtcgtggtg ctggtgatcc tgcgccccgc 3000
cgctaccgg tcccgctacg tgcggctgcg ccagcgccctc tgccgccaga gcgtcctcct 3060
ctggccccac cagcccagtg gccagggtag cttctgggcc aacctgggca tggccctgac 3120
cagggacaac cgccacttct ataaccggaa cttctgccgg ggccccacga cagccgaata 3180

```

gcacagagtg actgcccag

3199

&lt;210&gt; 20

&lt;211&gt; 2454

&lt;212&gt; DNA

&lt;213&gt; Ovis aries

&lt;400&gt; 20

atggggccct actgtgcccc gcacccccctt tctctcctgg tgcaggcggc ggcgctggca 60  
 gcagccctgg cccagggcac cctgcctgcc ttcctgccct gtgagctcca gccccggggt 120  
 aaggtgaact gcaactggct gttcctgaag tctgtgccgc gcttttcggc cggagccccc 180  
 cgggccaatg tcaccagcct ctccctaata tccaaccgca tccaccactt gcacgactct 240  
 gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtggaactg cccgcgggcc 300  
 ggcctcagcc ccattgcactt cccctgccgc atgaccatcg agcccaacac ctctcctggct 360  
 gtgcccaccc tggaggagct gaacctgagc tacaatggca tcacgaccgt gcctgccttg 420  
 cccagttctc tcgtatccct gtgcgtgagc cgcaccagca tcctgggtgct agggcccacc 480  
 cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactataag 540  
 aaccctgcc agcaggccgt ggagggtggc ccaggcgccc tccttggcct gggcaacctc 600  
 acgcacctgt cgctcaagta caacaacctc acggagggtg cccgcgcgct gccccccagc 660  
 ctggacaccc tgctgctgtc ctacaaccac atcatcacc tggcacccga ggacctggcc 720  
 aatctgactg ccctgcgtgt gcttgatgtg ggcggaact gccgcgctg cgaccacgcc 780  
 cgcaaccctt gcagggagtg cccaaagaac tcccccaagc tgcacctga caccttcagc 840  
 cacctgagcc gcctcgaagg cctgggtgtt aaggacagtt ctctctacaa actagagaaa 900  
 gactggttcc ggggcctggg caggctccaa gtgctcgacc tgagtgagaa ctctctctat 960  
 gactacatca ccaagaccac catcttcagg aacctgacct agctgcgcag actcaacctg 1020  
 tccttcaatt accacaagaa ggtgtccttc gccacctgc aactggcacc ctcttttggg 1080  
 ggcctgggtg ccctggagaa gctggacatg cacggcatct tcttccgctc cctcaccaac 1140  
 accacgctcc ggccgctgac ccagctgccc aagctccaga gtctgagtct gcagctgaac 1200  
 ttcatacaac aggcgagct cagcatcttt ggggccttcc cgagcctgct ctctgtggac 1260  
 ctgtcggaca accgcatcag cggagctgcg aggcgggtgg ccgcccctcg ggaggtggac 1320  
 agcgggggtg aagtctggcg gtggcccagg ggctcgcctc caggcccgtt ggccgcgctc 1380  
 agcgcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggacct gtcacggaac 1440  
 aacctggtga cgatccagca ggagatgttt acccgccctc cccgcctcca gtgcctgcgc 1500

```

ctgagccaca acagcatctc gcaggcgggtt aatggctcgc agttcgtgcc gctgacccgc 1560
ctgcgagtgc tcgacctgtc ctacaacaag ctggacctgt accatgggcg ctcgttcacg 1620
gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag 1680
ggcgtggggc acaacctcag cttcgtggcc cagctgccgt ccctgcgcta cctcagcctt 1740
gcgcacaacg gcatccacag ccgcgtgtca cagaagctca gcagcgctc gctgcgcgcc 1800
ctggacttca gcggcaactc cctgagccag atgtggggcg agggagacct ctatctctgc 1860
ttcttcaaag gcttgaggaa cctgggtccag ctggacctgt ccaagaacca cctgcacacc 1920
ctcctgcctc gtcacctgga taacctgccc aagagcctgc ggcagctgcg tctccgggac 1980
aataacctgg ctttcttcaa ctggagcagc ctgactgttc tgccccagct ggaagccctg 2040
gatctggcgg gaaaccagct gaaggccctg agcaacggca gcctgccacc tggcaccgcg 2100
ctccagaagc tggacgtgag cagcaacagc atcggttttg tgacccttg cttctttgtc 2160
cttgccaacc ggctgaaaga gcttaacctc agcgccaacg ccctgaagac agtggatccc 2220
ttctggttcg gtcgcttaac agagaccctg aatatactag acgtgagcgc caaccgctc 2280
cactgtgcct gcggggcggc ctttgtggac ttctgtctgg agatgcaggc ggccgtgcct 2340
gggctgtcca ggcgcgtcac gtgtggcagt cggggccagc tccagggccg cagcatcttc 2400
gcacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

```

<210> 21  
 <211> 1032  
 <212> PRT  
 <213> Canis familiaris

<400> 21

```

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
1           5           10           15

```

```

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
20           25           30

```

```

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
35           40           45

```

```

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Pro Arg Gly Asn
50           55           60

```

```

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
65           70           75           80

```

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
 290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
 325 330 335  
 Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350  
 His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365  
 Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
 370 375 380  
 Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
 385 390 395 400  
 Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415  
 Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
 420 425 430  
 Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
 435 440 445  
 Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
 450 455 460  
 Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
 465 470 475 480  
 Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
 485 490 495  
 Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
 500 505 510  
 Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
 515 520 525  
 Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
 530 535 540  
 Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro



545                      550                      555                      560  
 Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu  
                                  565                                   570                                   575  
 Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg  
                                  580                                   585                                   590  
 Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser  
                                  595                                   600                                   605  
 Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg  
                                  610                                   615                                   620  
 Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn  
                                  625                                   630                                   635                                   640  
 Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser  
                                  645                                   650                                   655  
 Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp  
                                  660                                   665                                   670  
 Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly  
                                  675                                   680                                   685  
 Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln  
                                  690                                   695                                   700  
 Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro  
                                  705                                   710                                   715                                   720  
 Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala  
                                  725                                   730                                   735  
 Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly  
                                  740                                   745                                   750  
 Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys  
                                  755                                   760                                   765  
 Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro  
                                  770                                   775                                   780

Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
 785 790 795 800

Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
 805 810 815

Ser Trp Val Cys Phe Ser Leu Ser Leu Leu Ala Val Ala Leu Ser Leu  
 820 825 830

Ala Val Pro Met Leu His Gln Leu Cys Gly Trp Asp Leu Trp Tyr Cys  
 835 840 845

Phe His Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly  
 850 855 860

Val Asp Ala Leu Ala Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
 865 870 875 880

Ser Ser Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu  
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
 900 905 910

Trp Val Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
 915 920 925

Ser Ser Arg Lys Thr Leu Phe Val Leu Ala Arg Thr Asp Arg Val Ser  
 930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Cys Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
 995 1000 1005

Leu Gly Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Thr Ala  
1025 1030

<210> 22  
<211> 822  
<212> PRT  
<213> Canis familiaris

<400> 22

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205  
 Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220  
 Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240  
 Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255  
 Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
 260 265 270  
 Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
 275 280 285  
 Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
 290 295 300  
 His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320  
 Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
 325 330 335  
 Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350  
 His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365  
 Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
 370 375 380  
 Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
 385 390 395 400  
 Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415  
 Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
 420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro  
 545 550 555 560

Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu  
 565 570 575

Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg  
 580 585 590

Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser  
 595 600 605

Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg  
 610 615 620

Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn  
 625 630 635 640

Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser  
 645 650 655

Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp

```
<400>   23  
aggaagggg c tgtgagctcc aagcatcctt tcctgcagct gctgcccagg ctgccaggcca      60  
gaccctctgg agaagcccc gctccctgtc atggggcccct gccgtggcg cctgcacccc      120  
ctgtctctcc tggtgcaggc tgccgcgcta gccctggccc tggcccaggg caccctgcct      180  
gccttcctgc cctgtgagct ccagccccat ggaccttggtga actgcaactg gctgttcctc      240  
aagtccgtgc cccgctttct gcagctgca ccccgcggtg acgtcaccag cctttccttg      300
```

tactccaacc gcatccacca cctccatgac tatgactttg tccacttcgt ccacctgcgg	360
cgtotcaatc tcaagtggaa ctgcccggcc gccagcctca gcccacatgca ctttccctgt	420
cacatgacca ttgagcccaa caccttcctg gctgtgcca ccctagagga cctgaatctg	480
agctataaca gcatcacgac tgtgcccggc ctgcccagtt cgcttggtgc cctgtccctg	540
agccgcacca acatcctggt gctggaccct gccaccctgg caggccttta tgccctgcgc	600
ttcctgttcc tggatggcaa ctgctactac aagaaccctt gccagcaggc cctgcagggtg	660
gccccagggtg ccctcctggg cctgggcaac ctcacacacc tgctactcaa gtacaacaac	720
ctcacctggg tgccgcgggg cctgcccccc agcctggagt acctgctctt gtctacaac	780
cacatcatca ccctggcacc tgaggacctg gccaatctga ctgccctgcg tgcctcgat	840
gtgggtggga actgtcgccg ctgtgacct gcccgtaacc cctgcaggga gtgcccgaag	900
ggcttcccc agctgcaccc caacaccttc ggccacctga gccacctga aggcctggtg	960
ttgagggaca gctctctcta cagcctggac ccaggtggt tccatggcct gggcaacctc	1020
atggtgctgg acctgagtga gaacttcctg tatgactgca tcaccaaacc caaagccttc	1080
tacggcctgg ccggtgcg cagactcaac ctgtccttca attatcataa gaagggtgtc	1140
tttgcccacc tgcactggc atcctccttc gggagcctac tgccctgca ggagctggac	1200
atacatggca tcttcttccg ctgctcagc aagaccacgc tcagtcgct ggcccacctg	1260
cccatgctcc agcgtctgca tctgcagttg aactttatca gccaggccca gctcagcatc	1320
ttcggcgctt tccctggact gcggtacgtg gacttgtcag acaaccgcat cagtggagct	1380
gcagagcccg cggctgccac aggggaggtg gaggcagact gtggggagag agtctggcca	1440
cagtcccggg accttgcctt gggcccactg ggcacccccg gctcagaggc cttcatgccc	1500
agctgcagga ccctcaactt caccttggac ctgtctcgga acaacctagt gactgttcag	1560
ccggagatgt ttgtccggtt ggcgcgcctc cagtgcctgg gcctgagcca caacagcatc	1620
tcgcaggcgg tcaatggctc gcagttcgtg cctctgagca acctgcgggt gctggacctg	1680
tcccataaca agctggacct gtaccacggg cgctcggtca cggagctgcc gcggctggag	1740
gccttggacc tcagctacaa cagccagccc ttcagcatgc ggggcgtggg ccacaatctc	1800
agctttgtgg cacagctgcc agcctgcgc tacctcagcc tggcgcacaa tggcatccac	1860
agccgcgtgt ccagcagct ccgcagcgc tcgctccggg ccctggactt cagtggcaat	1920
accctgagcc agatgtgggc cgaggagac ctctatctcc gcttcttcca aggcctgaga	1980
agcctggttc agctggacct gtcccagaat cgcctgcata ccctcctgcc acgcaacctg	2040
gacaacctcc ccaagagcct gcggctcctg cggctccgtg acaattacct ggctttcttc	2100

aactggagca gcctggccct cctaccaag ctggaagccc tggacctggc gggaaaccag 2160  
ctgaaggccc tgagcaatgg cagcttgccc aacggcacc agctccagag gctggacctc 2220  
agcggcaaca gcatcggtt cgtgggtccc agcttttttg cctggccgt gaggcttcga 2280  
gagctcaacc tcagcgccaa cgccctcaag acggtggagc cctcctggtt tggttccctg 2340  
gcggtgccc tgaaagtct agacgtgacc gccaacccct tgcattgcgc ttgcggcgca 2400  
accttcgtgg acttcttgct ggaggtgcag gctgcggtgc ccggcctgcc tagccgtgtc 2460  
aagtgcggca gcccgggcca gctccagggc cgcagcatct tcgcacagga cctgcgcctc 2520  
tgcctggacg aagcgtctc ctgggtctgt ttacgctct cgtgctggc tgtggccctg 2580  
agcctggctg tgcccatgct gcaccagctc tgtggctggg acctctggtt ctgcttcac 2640  
ctgtgcctgg cctggctgcc ccggcgggg cgggcgggg gtgtggatgc cctggcctat 2700  
gacgccttcg tggctctcga caaggcgag agctcgggtg cggactgggt gtacaatgag 2760  
ctgcgggtac agctagagga gcgcgtggg cgccgggagc tacgcctgtg tctggaggaa 2820  
cgtgactggg taccggcaa aacctcttc gagaacctct gggcctcagt ttacagcagc 2880  
cgcaagacgc tgtttgtgct ggccgcagc gacagagtca gggcctcct gcgtgccagc 2940  
ttcctgctgg cccaacagc cctgctggg gaccgcaagg acgtcgtggt gctggtgatc 3000  
ctgtgccccg acgcccaccg ctcccgctat gtgaggctgc gccagcgct ctgccgccag 3060  
agtgtcctcc tctggcccca ccagcccagt ggccagcgca gcttctgggc ccagctgggc 3120  
acggccctga ccagggacaa ccggcacttc tacaaccaga acttctgccc gggccccacg 3180  
acagcctgat aggcagacag cccagcacct tcgcgcccct acacctgcc tgtctgtctg 3240  
ggatgcccga cctgctggct ctacaccgcc gctctgtctc ccctacacc agcctggca 3300  
taaagcgacc gctcaataaa tgctgctggg agac 3334

<210> 24  
<211> 2466  
<212> DNA  
<213> Canis familiaris

<400> 24  
atgggcccct gcgtggcgc cctgcacccc ctgtctctcc tggtcaggc tgccgcgcta 60  
gccctggccc tggcccagg caccctgcct gccttcctgc cctgtgagct ccagcccat 120  
ggcctggtga actgcaactg gctgttctc aagtccgtgc ccgcttctc ggcagctgca 180  
ccccgggta acgtcaccag cctttccttg tactccaacc gcatccacca cctccatgac 240  
tatgactttg tccacttctt ccacctgcgg cgtctcaatc tcaagtggaa ctgcccgc 300



gccagcctca gcccacatgca ctttccctgt cacatgacca ttgagcccaa caccttcctg 360  
 gctgtgceca ccctagagga cctgaatctg agctataaca gcatcacgac tgtgcccgcc 420  
 ctgcccagtt cgcttgtgtc cctgtccctg agccgcacca acatcctggg gctggaccct 480  
 gccaccctgg caggccttta tgccctgccc ttctgttcc tggatggcaa ctgctactac 540  
 aagaaccctt gccagcaggg cctgcaggtg gcccaggtg ccctcctggg cctgggcaac 600  
 ctcacacacc tgtcactcaa gtacaacaac ctccacgtgg tgccgcgggg cctgcccccc 660  
 agcctggagt acctgtcttt gtccataaac cacatcatca ccctggcacc tgaggacctg 720  
 gccaatctga ctgccctgcg tgtcctcgat gtgggtggga actgtcgccg ctgtgaccat 780  
 gcccgttaacc cctgcagggg gtgccccaa ggcttcccc agctgcaccc caacaccttc 840  
 ggccacctga gccacctcga aggcctgggt ttgagggaca gctctctcta cagcctggac 900  
 cccaggtggg tccatggcct gggcaacctc atgggtgctg acctgagtga gaacttcctg 960  
 tatgactgca tcacaaaaac caaagccttc tacggcctgg cccggctgcg cagactcaac 1020  
 ctgtccttca attatcataa gaagggtgtc ttgcccacc tgcactggc atctccttc 1080  
 gggagcctac tgtccctgca ggagctggac atacatggca tcttcttcg ctgctcagc 1140  
 aagaccacgc tccagtcgct ggcccacctg cccatgtctc agcgtctgca tctgcagttg 1200  
 aactttatca gccaggccca gctcagcatc ttccggcctc tccctggact gcggtacgtg 1260  
 gacttgtcag acaaccgcat cagtggagct gcagagcccg cggctgccac aggggaggta 1320  
 gaggcagact gtggggagag agtctggcca cagtcccggt accttgtctt gggccactg 1380  
 ggcacccccg gctcagaggg cttcatgccc agctgcagga ccctcaactt caccttgagc 1440  
 ctgtctcgga acaacctagt gactgttcag ccggagatgt ttgtccgggt ggcgcgctc 1500  
 cagtgcctgg gcctgagcca caacagcatc tcgcaggcgg tcaatggctc gcagttcgtg 1560  
 cctctgagca acctgcccgt gctggacctg tcccataaca agctggacct gtaccaaggg 1620  
 cgctcgttca cggagctgcc gcggctggag gccttgagc tcagctacaa cagccagccc 1680  
 ttcagcatgc ggggcgtggg ccacaatctc agctttgtgg cacagctgcc agccctgccc 1740  
 tacctcagcc tggcgacaaa tggcatccac agccgcgtgt cccagcagct ccgcagcgcc 1800  
 tcgctccggg ccctggactt cagtggcaat accctgagcc agatgtgggc cgagggagac 1860  
 ctctatctcc gcttcttcca aggcctgaga agcctgggtc agctggacct gtcccagaat 1920  
 cgctgcata ccctcctgcc acgcaacctg gacaacctc ccaagagcct gcggctcctg 1980  
 cggtccgtg acaattacct ggctttcttc aactggagca gcctggccct cctacccaag 2040

ctggaagccc tggacctggc gggaaaccag ctgaaggccc tgagcaatgg cagcttgccc 2100  
 aacggcaccc agctccagag gctggacctc agcggcaaca gcatcggtt cgtggtcccc 2160  
 agcttttttg ccctggccgt gaggttcga gagtcaacc tcagcgccaa cgccctcaag 2220  
 acggtggagc cctcctgggt tggttccctg gcgggtgccc tgaaagtcct agacgtgacc 2280  
 gccaacccct tgcattgcgc ttgcggcgca accttcgtgg acttcttgct ggaggtgcag 2340  
 gctgcggtgc ccggcctgcc tagccgtgtc aagtgcggca gcccgggcca gctccagggc 2400  
 cgcagcatct tcgcacagga cctgcgcctc tgcctggacg aagcgctctc ctgggtctgt 2460  
 ttcagc 2466

<210> 25  
 <211> 1031  
 <212> PRT  
 <213> Felis catus

<400> 25

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
 385 390 395 400  
 Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415  
 Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
 420 425 430  
 Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
 435 440 445  
 Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
 450 455 460  
 Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
 465 470 475 480  
 Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
 485 490 495  
 Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
 500 505 510  
 Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525  
 Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540  
 Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560  
 Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
 565 570 575  
 Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
 580 585 590  
 Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605  
 Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe

610	615	620
Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu		
625	630	635 640
His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg		
	645	650 655
Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser		
	660	665 670
Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln		
	675	680 685
Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln		
	690	695 700
Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe		
	705	710 715 720
Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala		
	725	730 735
Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu		
	740	745 750
Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala		
	755	760 765
Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu		
	770	775 780
Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser		
	785	790 795 800
Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp		
	805	810 815
Asp Cys Phe Gly Leu Ser Leu Leu Thr Val Ala Leu Gly Leu Ala Val		
	820	825 830
Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His		
	835	840 845

Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly Ala Asp  
 850 855 860

Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala  
 865 870 875 880

Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
 885 890 895

Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
 900 905 910

Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
 915 920 925

Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu  
 930 935 940

Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
 945 950 955 960

Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His Arg Ser  
 965 970 975

Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu  
 980 985 990

Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
 995 1000 1005

Thr Ala Leu Thr Arg Asp Asn Gln His Phe Tyr Asn Gln Asn Phe  
 1010 1015 1020

Cys Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 26  
 <211> 820  
 <212> PRT  
 <213> Felis catus

<400> 26

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
 420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
 435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
 450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
 485 490 495



Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
 610 615 620

Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg  
 645 650 655

Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala

<400>	27						
aggggtctgcg	agctccaggc	attcttctct	gccatcgctg	cccagtcctgc	catccagacc		60
ctctggagaa	gccccactc	cctgtcatgg	gcccctgcc	tggcgccctg	caccccctgt		120
ctctcctggt	gcaggctgcc	gcgctggccg	tggccctggc	ccagggcacc	ctgcctgcct		180
ttctgcccctg	tgagctccag	cgccacggcc	tggatgaattg	cgactggctg	ttcctcaagt		240
ccgtgcccc	cttctcgccg	gcagcgcccc	gtggtaacgt	caccagcctt	tccctgtact		300
ccaaccgcat	ccaccacctc	cacgactccg	actttgtcca	cctgtccagc	ctgcggcgtc		360
tcaacctcaa	atggaactgc	ccaccgcgca	gcctcagccc	catgcacttc	ccctgtcaca		420
tgaccattga	gccccacacc	ttcctggccg	tgccaccctt	ggaggagctg	aacctgagct		480
acaacagcat	cacgacagta	cccgccctgc	ccagttccct	cgtgtccctg	tccttgagcc		540
gtaccaacat	cctggtgctg	gaccctgcc	acctcgagg	gctgcactcc	ctgcgctttc		600
tgttcttgga	tggcaactgc	tactacaaga	accctgccc	gcaggccctg	caggtggccc		660
cggcgccct	ccttggcctg	ggcaacctta	cgcacctgtc	actcaagtac	aacaacctca		720
ctgcggtgcc	ccgcggcctg	ccccccagcc	tggagtacct	gctattgtcc	tacaaccaca		780

tcatcacctt	ggcacctgag	gacctggcca	acctgaccgc	cctgcgtgtg	ctcgatgtgg	840
gtgggaactg	ccgtcgctgt	gaccacgccc	gcaaccocctg	tatggagtgc	cccaagggct	900
tcccgcacct	gcaccctgac	accttcagcc	acctgaacca	cctcgaaggc	ctgggtgtga	960
aggacagctc	tctctacaac	ctgaacccca	gatggttcca	tgccctgggc	aacctcatgg	1020
tgctggacct	gagtgagaac	ttcctatatg	actgcatcac	caaaaccaca	gccttccagg	1080
gcctggccca	gctgcgcaga	ctcaacttgt	ctttcaatta	ccacaagaag	gtgtcctttg	1140
cccacctgca	tctggcgccc	tccttcggga	gcctgctctc	cctgcagcag	ctggacatgc	1200
atggcatctt	cttcgctcg	ctcagcgaga	ccacgctccg	gtcgctggtc	cacctgcccc	1260
tgctccagag	tctgcacctg	cagatgaact	tcatcaatca	ggcccagctc	agcatcttcg	1320
gggccttccc	tggcctgcga	tacgtggacc	tgctagacaa	ccgcataagt	ggagccatgg	1380
agctggcggc	tgccacgggg	gaggtggatg	gtggggagag	agtccggctg	ccatctgggg	1440
acctagctct	gggcccaccg	ggcaccocct	gtcccgaggg	cttcatgcca	ggctgcaaga	1500
ccctcaactt	caccttggac	ctgtcacgga	acaacctagt	gacaatccag	ccagagatgt	1560
ttgccgggct	ctcgcgctc	cagtgcctgc	tcctgagccg	caacagcatc	tcgcaggcag	1620
tcaacggctc	acaatttatg	ccgtgacca	gcctgcaggc	gctggacctg	tcccataaca	1680
agctggacct	gtaccatggg	cgctctttca	cggagctgcc	gcggctggag	gccttggacc	1740
tcagctacaa	cagccagccc	ttcagcatgc	agggcgctgg	tcacaacctc	agctttgtgg	1800
cacagctgcc	ggccctgcgc	tatctcagcc	tggcgcacaa	cgacatccac	agccgtgtgt	1860
cccagcagct	ctgcagcgcc	tcgtgcggg	ccttggactt	cagcggcaat	gccttgagcc	1920
ggatgtgggc	cgagggagac	ctgtatctcc	acttcttcgg	aggcctgagg	agcctggtcc	1980
ggttggatct	gtcccagaat	cgctgcata	ccctcttgcc	acgcaccctg	gacaacctcc	2040
ccaagagcct	gcggctgctg	cgtctccgtg	acaattatct	ggctttcttc	aactggagca	2100
gcctggtcct	cctccccagg	ctggaagccc	tggaacctgg	gggaaaccag	ctgaaggccc	2160
tgagcaacgg	cagcttgccct	aatggaaccc	agctccagag	gctggacctc	agcagcaaca	2220
gtatcagctt	cgtggcctcc	agcttttttg	ctctggccac	caggctgcga	gagctcaacc	2280
tcagtgccaa	cgccctcaag	acggtggagc	cctcctgggt	cggttctcta	gcgggcaccc	2340
tgaaagtcct	agatgtgact	ggcaaccccc	tgactgcgc	ctgtggggcg	gccttcgtgg	2400
acttcttgct	ggaggtgcag	gctgcagtgc	ccggcctgcc	aggccacgtc	aagtgtggca	2460
gtccaggcca	gctccagggc	cgcagcatct	ttgcgcagga	tctgcgcctc	tgctggatg	2520
agggccctct	ctgggactgt	tttggcctct	cgctgctgac	cgtggccctg	ggcctggccg	2580

tgcccatgct gcaccacctc tgtggtggg acctctggta ctgcttccac ctgtgcctgg 2640  
 cctggctgcc ccggcggggg cggcggcggg gcgcggatgc cctgccctac gatgcctttg 2700  
 tggctcttga caaggcacag agcgcggtgg ccgactgggt gtacaacgag ctgcgggtac 2760  
 ggctagagga gcgcctgga cgcgagcgc tccgcctgtg cctggaggaa cgtgactggc 2820  
 tacccggtaa aacgctcttt gagaacctgt gggcctcagt ttacagcagc cgcaagatgc 2880  
 tgtttgtgct ggccacaca gacaggggtca gcggcctctt gcgcgccagc tttctgctgg 2940  
 ccagcagcg cctgctggag gaccgcaagg acgttggtgtg gctggtgatc ctgcgccccg 3000  
 acgcccaccg ctcccgtat gtgcggctgc gccagcgcct ctgccgccag agcgtcctcc 3060  
 tctggcccca ccagcccagt ggccagcgca gcttctgggc ccagctgggc acggccctga 3120  
 ccagggacaa ccagcacttc tataaccaga acttctgccg gggccccacg acggcagagt 3180  
 gaccgcccag caccccaagc ctctacacc ttgcctgtct gcctgggatg ccggg 3235

<210> 28  
 <211> 2460  
 <212> DNA  
 <213> *Felis catus*

<400> 28  
 atggggccct gccatggcgc cctgcacccc ctgtctctcc tgggtgcaggc tgccgcgctg 60  
 gccgtggccc tggcccaggg caccctgcct gcctttctgc cctgtgagct ccagcgccac 120  
 ggcctgggtga attgcgactg gctgttcctc aagtccgtgc ccacttctc ggcggcagcg 180  
 ccccgtagta acgtcaccag cctttccctg tactccaacc gcatccacca cctccacgac 240  
 tccgactttg tccacctgtc cagcctgcgg cgtctcaacc tcaaatggaa ctgcccaccc 300  
 gccagcctca gcccctatgca cttcccctgt cacatgacca ttgagcccca caccttctg 360  
 gccgtgcccc ccctggagga gctgaacctg agctacaaca gcatcacgac agtaccgcgc 420  
 ctgcccagtt ccctcgtgtc cctgtccttg agccgtacca acatcctggt gctggacctt 480  
 gccaacctcg cagggtgca ctccctgcgc tttctgttcc tggatggcaa ctgctactac 540  
 aagaaccctt gccgcgaggc cctgcagggt gccccggggc ccctccttgg cctgggcaac 600  
 cttacgcacc tgtcactcaa gtacaacaac ctcaactgcg tgccccgcgg cctgcccccc 660  
 agcctggagt acctgctatt gtcctacaac cacatcatca ccctggcacc tgaggacctg 720  
 gccaacctga ccgccctgcg tgtgctcgat gtgggtggga actgccgtcg ctgtgaccac 780  
 gcccgcaacc cctgtatgga gtgcccgaag ggcttccgc acctgcaccc tgacaccttc 840  
 agccacctga accacctga aggcctggtg ttgaaggaca gctctctcta caacctgaac 900

```

cccagatggt tccatgcctt gggcaacctc atggtgctgg acctgagtga gaacttccta 960
tatgactgca tcaccaaacc cacagccttc cagggcctgg cccagctgcg cagactcaac 1020
ttgtctttca attaccacaa gaaggtgtcc ttgcccacc tgcctctggc gccctccttc 1080
gggagcctgc tctccctgca gcagctggac atgcatggca tcttcttcgg ctgctcagc 1140
gagaccacgc tccggctcgt ggtccacctg cccatgctcc agagtctgca cctgcagatg 1200
aacttcatca atcaggccca gctcagcatc ttggggcct tccctggcct gcgatacgtg 1260
gacctgtcag acaaccgcat aagtggagcc atggagctgg cggctgccac gggggaggtg 1320
gatggtgggg agagagtccg gctgccatct ggggacctag ctctggggcc accgggcacc 1380
cctagctccg agggcttcat gccaggctgc aagaccctca acttcacctt ggacctgtca 1440
cggaacaacc tagtgacaat ccagccagag atgtttgcc ggctctcggc cctccagtgc 1500
ctgctcctga gccgcaacag catctcgcag gcagtcaacg gctcacaatt tatgccgctg 1560
accagcctgc aggtgctgga cctgtcccat aacaagctgg acctgtacca tgggcgctct 1620
ttcacggagc tgccgaggct ggaggccctg gacctcagct acaacagcca gcccttcagc 1680
atgcagggcg tgggtcacaa cctcagcttt gtggcacagc tgccggccct gcgctatctc 1740
agcctggcgc acaacgacat ccacagcctg gtgtcccagc agctctgcag cgcctcgtg 1800
cgggccttgg acttcagcgg caatgccttg agccgatgt gggccgaggg agacctgtat 1860
ctccacttct tccgaggcct gaggagcctg gtccggttgg atctgtccca gaatcgctg 1920
catacctct tgccacgcac cctggacaac ctcccaaga gcctgcggct gctgcgtctc 1980
cgtgacaatt atctggcttt cttcaactgg agcagcctgg tcctcctccc caggctggaa 2040
gccctggacc tggcgggaaa ccagctgaag gccctgagca acggcagctt gcctaattga 2100
accagctcc agaggctgga cctcagcagc aacagtatca gcttcgtggc ctccagcttt 2160
tttgctctgg ccaccaggct gcgagagctc aacctcagtg ccaacgccct caagacggtg 2220
gagccctcct ggttcggttc tctagcgggc accctgaaag tcctagatgt gactggcaac 2280
cccctgcact gcgcctgtgg ggcggccttc gtggacttct tgctggaggt gcaggctgca 2340
gtgcccggcc tgccaggcca cgtcaagtgt ggcagtccag gtcagctcca gggccgcagc 2400
atctttgctc aggatctgct cctctgcctg gatgaggccc tctcctggga ctgttttggc 2460

```

```

<210> 29
<211> 1032
<212> PRT
<213> Mus musculus

```

&lt;400&gt; 29

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu

225		230		235		240
Ala Asn Leu Thr	Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg					
	245			250		255
Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser						
	260			265		270
Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly						
	275			280		285
Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe						
	290			295		300
Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu						
305		310		315		320
Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu						
	325			330		335
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala						
	340			345		350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu						
	355			360		365
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu						
	370			375		380
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met						
385		390		395		400
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala						
	405			410		415
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr						
	420			425		430
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu						
	435			440		445
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser						
	450			455		460

Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp  
 515 520 525

Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser  
 565 570 575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
 580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
 610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
 645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
 660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
 675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700



Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
805 810 815

Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val  
820 825 830

Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe  
835 840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser  
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln  
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
 1025 1030

<210> 30  
 <211> 821  
 <212> PRT  
 <213> Mus musculus

<400> 30

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser  
 260 265 270

Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe  
 290 295 300

Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala

340	345	350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu		
355	360	365
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu		
370	375	380
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met		
385	390	395 400
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala		
	405	410 415
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr		
	420	425 430
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu		
	435	440 445
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser		
	450	455 460
Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu		
465	470	475 480
Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu		
	485	490 495
Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala		
	500	505 510
Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp		
	515	520 525
Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu		
	530	535 540
Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe		
	545	550 555 560
Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser		
	565	570 575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
805 810 815

Trp Asp Cys Phe Gly  
820

<210> 31

<211> 3200

<212> DNA

<213> Mus musculus

<400> 31

tgtcagaggg agcctcggga gaatcctcca tctccaaca tggttctccg tcgaaggact	60
ctgcacccct tgtccctcct ggtacaggct gcagtgtggt ctgagactct ggccctgggt	120
accctgcctg ccttcctacc ctgtgagctg aagcctcatg gcctggtgga ctgcaattgg	180
ctgttcctga agtctgtacc ccgtttctct gcggcagcat cctgctccaa catcaccgcg	240
ctctccttga tctccaaccg tatccaccac ctgcacaact ccgacttcgt ccacctgtcc	300
aacctgcggc agctgaacct caagtggaa tgtccacca ctggccttag cccctgcac	360
ttctcttgcc acatgacct tgagcccaga accttcctgg ctatgcgtac actggaggag	420
ctgaacctga gctataatgg tatcaccact gtgccccgac tgcccagctc cctggtgaat	480
ctgagcctga gccacaccaa catcctgggt ctagatgcta acagcctcgc cggcctatac	540
agcctgcgcg ttctcttcat ggacgggaac tgctactaca agaaccctg cacaggagcg	600
gtgaagggtga cccagggcg cctcctgggc ctgagcaatc tcacccatct gtctctgaag	660
tataacaacc tcacaaagggt gccccgcaa ctgccccca gcctggagta cctcctggtg	720
tcctataacc tcattgtcaa gctggggcct gaagacctgg ccaatctgac ctcccttga	780
gtacttgatg tgggtgggaa ttgccgtcgc tgcgacctg ccccaatcc ctgtatagaa	840
tgtggccaaa agtccctcca cctgcacct gagaccttcc atcacctgag ccctctggaa	900
ggcctggtgc tgaaggacag ctctctccat aactgaact cttcctgggt ccaaggctctg	960
gtcaacctct cgggtgctgga cctaagcgag aactttctct atgaaagcat caaccacacc	1020
aatgcctttc agaacctaac ccgcctgcgc aagctcaacc tgtccttcaa ttaccgcaag	1080
aaggatcctt ttgcccgcct ccacctggca agttccttca agaacctggt gtcactgcag	1140
gagctgaaca tgaacggcat cttcttccgc tcgctcaaca agtacacgct cagatggctg	1200
gccgatctgc ccaaactcca cactctgcat cttcaaata acttcatcaa ccaggcacag	1260
ctcagcatct ttggtacctt ccgagccctt cgctttgtgg acttgtcaga caatcgcac	1320
agtgggcctt caacgctgtc agaagccacc cctgaagagg cagatgatgc agagcaggag	1380
gagctgttgt ctgcggatcc tcaccagct ccaactgagca cccctgcttc taagaacttc	1440

atggacaggt gtaagaactt caagttcacc atggacctgt ctcggaacaa cctggtgact	1500
atcaagccag agatgtttgt caatctctca cgcctccagt gtcttagcct gagccacaac	1560
tccattgcac aggtgtgcaa tggctctcag ttcttgccgc tgactaatct gcaggtgctg	1620
gacctgtccc ataacaaact ggacttgtag cactggaaat cgttcagtga gctaccacag	1680
ttgcaggccc tggacctgag ctacaacagc cagcccttta gcatgaaggg tataggccac	1740
aatttcagtt ttgtggccca tctgtccatg ctacacagcc ttagcctggc acacaatgac	1800
attcataccc gtgtgtcttc acatctcaac agcaactcag tgaggtttct tgacttcagc	1860
ggcaacggta tgggccgcat gtgggatgag gggggccttt atctccattt cttccaaggc	1920
ctgagtggcc tgctgaagct ggacctgtct caaaataacc tgcatatcct ccggccccag	1980
aaccttgaca acctcccaa gagcctgaag ctgctgagcc tccgagacaa ctacctatct	2040
ttctttaact ggaccagtct gtccttctg cccaacctgg aagtccatga cctggcaggc	2100
aaccagctaa aggccctgac caatggcacc ctgcctaata gcacctcct ccagaaactg	2160
gatgtcagca gcaacagtat cgtctctgtg gtcccagcct tcttcgctct ggcggtcgag	2220
ctgaaagagg tcaacctcag ccacaacatt ctcaagacgg tggatcgctc ctggtttggg	2280
cccattgtga tgaacctgac agttctagac gtgagaagca accctctgca ctgtgcctgt	2340
ggggcagcct tcgtagactt actgttggag gtgcagacca aggtgcctgg cctggctaata	2400
ggtgtgaagt gtggcagccc cggccagctg cagggccgta gcatcttcgc acaggacctg	2460
cggctgtgcc tggatgaggt cctctcttgg gactgctttg gcctttcact cttggtgtg	2520
gccgtgggca tgggtgggccc tatactgcac catctctgcg gctgggacgt ctggtactgt	2580
tttcatctgt gcctggcatg gctacctttg ctggcccgca gccgacgcag cgcccaagct	2640
ctcccctatg atgccttcgt ggtgttcgat aaggcacaga gcgcagttgc ggactgggtg	2700
tataacgagc tcggggtgcg gctggaggag cggcgcggtc gccgagccct acgcttgtgt	2760
ctggaggacc gagattggct gcctggccag acgctcttcg agaacctctg ggcttccatc	2820
tatgggagcc gcaagactct atttgtgctg gccacacgg accgcgtcag tggcctcctg	2880
cgcaccagct tcctgctggc tcagcagcgc ctggtggaag accgcaagga cgtggtggtg	2940
ttggtgatcc tgcgccgga tgcccaccgc tcccgtatg tgcgactgcg ccagcgtctc	3000
tgccgccaga gtgtgctctt ctggccccag cagcccaacg ggagggggg cttctgggcc	3060
cagctgagta cagccctgac tagggacaac cgccacttct ataaccagaa cttctgccgg	3120
ggacctacag cagaatagct cagagcaaca gctggaaaca gctgcatctt catgcctggt	3180
tcccagttg ctctgcctgc	3200

<210> 32  
 <211> 2463  
 <212> DNA  
 <213> Mus musculus

<400> 32  
 atggttctcc gtcgaaggac tctgcacccc ttgtccctcc tggtagaggc tgcagtgtctg 60  
 gctgagactc tggccctggg taccctgcct gccttcctac cctgtgagct gaagcctcat 120  
 ggcctgggtg actgcaattg gctgttcctg aagtctgtac cccgtttctc tgcggcagca 180  
 tctgtctcca acatcacccg cctctccttg atctccaacc gtatccacca cctgcacaac 240  
 tccgacttcg tccacctgtc caacctggcg cagctgaacc tcaagtggaa ctgtccaccc 300  
 actggcctta gccccctgca cttctcttgc cacatgacca ttgagcccag aaccttctctg 360  
 gctatgcgta cactggagga gctgaacctg agctataatg gtatcaccac tgtgccccga 420  
 ctgcccagct ccctggtgaa tctgagcctg agccacacca acatcctggg tctagatgct 480  
 aacagcctcg ccggcctata cagcctgcgc gttctcttca tggacgggaa ctgctactac 540  
 aagaaccctt gcacaggagc ggtgaagggtg accccaggcg ccctcctggg cctgagcaat 600  
 ctcacccatc tgtctctgaa gtataacaac ctcacaaagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctggg gtcctataac ctcatgttca agctggggcc tgaagacctg 720  
 gccaatctga cctcccttcg agtacttgat gtgggtggga attgccgtcg ctgcgaccat 780  
 gcccccaatc cctgtataga atgtggccaa aagtccctcc acctgcaccc tgagaccttc 840  
 catcacctga gccatctgga aggcttggtg ctgaaggaca gctctctcca tacactgaac 900  
 tcttcctggg tccaagggtc ggtcaacctc tcggtgctgg acctaaagca gaactttctc 960  
 tatgaaagca tcaaccacac caatgccttt cagaacctaa cccgcctgcg caagctcaac 1020  
 ctgtccttca attaccgcaa gaaggatatc ttgcccgc tccacctggc aagttccttc 1080  
 aagaacctgg tgtcactgca ggagctgaac atgaacggca tcttcttccg ctgctcaac 1140  
 aagtacacgc tcagatggct ggccgatctg cccaaactcc aactctgca tcttcaaattg 1200  
 aacttcacat accaggcaca gctcagcatc ttgtgtacct tccgagccct tcgctttgtg 1260  
 gacttgtcag acaatcgcat cagtgggcct tcaacgctgt cagaagccac ccctgaagag 1320  
 gcagatgatg cagagcagga ggagctgttg tctgcggatc ctcacccagc tccactgagc 1380  
 accctgctt ctaagaactt catggacagg tgtaagaact tcaagttcac catggacctg 1440  
 tctcggaaac acctggtgac tatcaagcca gagatgtttg tcaatctctc acgcctccag 1500  
 tgtcttagcc tgagccacaa ctccattgca caggctgtca atggctctca gttcctgccc 1560



```

ctgactaatc tgcaggtgct ggacctgtcc cataacaaac tggacttgta ccaactggaaa 1620
tcgttcagtg agctaccaca gttgcaggcc ctggacctga gctacaacag ccagcccttt 1680
agcatgaagg gtataggcca caatttcagt tttgtggccc atctgtccat gctacacagc 1740
cttagcctgg cacacaatga cattcatacc cgtgtgtcct cacatctcaa cagcaactca 1800
gtgagggtttc ttgacttcag cggcaacggg atgggcccga tgtgggatga ggggggcctt 1860
tatctccatt tcttccaagg cctgagtggc ctgctgaagc tggacctgtc tcaaaataac 1920
ctgcatatcc tccggcccca gaaccttgac aacctcccca agagcctgaa gctgctgagc 1980
ctccgagaca actacctatc tttctttaac tggaccagtc tgccttcct gcccaacctg 2040
gaagtccatg acctggcagg caaccagcta aaggccctga ccaatggcac cctgcctaata 2100
ggcacccctcc tccagaaact ggatgtcagc agcaacagta tcgtctctgt ggtcccagcc 2160
ttcttcgctc tggcggtcga gctgaaagag gtcaacctca gccacaacat tctcaagacg 2220
gtggatcgct cctgggtttgg gccatttgat atgaacctga cagttctaga cgtgagaagc 2280
aaccctctgc actgtgcctg tggggcagcc ttcgtagact tactgttgga ggtgcagacc 2340
aagggtgcctg gcctggctaa tgggtgtgaag tgtggcagcc ccggccagct gcagggccgt 2400
agcatcttcg cacaggacct gcggctgtgc ctggatgagg tcctctcttg ggactgcttt 2460
ggc 2463

```

<210> 33  
 <211> 1032  
 <212> PRT  
 <213> Homo sapiens

<400> 33

```

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
1           5           10           15

```

```

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
20           25           30

```

```

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
35           40           45

```

```

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
50           55           60

```

```

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
65           70           75           80

```

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
                                     85                                    90                                    95  
 Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
                                     100                                    105                                    110  
 Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
                                     115                                    120                                    125  
 Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
                                     130                                    135                                    140  
 Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
                                     145                                    150                                    155                                    160  
 Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
                                     165                                    170                                    175  
 Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
                                     180                                    185                                    190  
 Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
                                     195                                    200                                    205  
 Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
                                     210                                    215                                    220  
 Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
                                     225                                    230                                    235                                    240  
 Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
                                     245                                    250                                    255  
 Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
                                     260                                    265                                    270  
 Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
                                     275                                    280                                    285  
 Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
                                     290                                    295                                    300  
 Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu

305		310		315		320
Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu						
	325			330		335
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala						
	340			345		350
His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu						
	355			360		365
Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu						
	370			375		380
Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met						
	385			390		395
						400
Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly						
	405			410		415
Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu						
	420			425		430
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu						
	435			440		445
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu						
	450			455		460
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser						
	465			470		475
						480
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser						
	485			490		495
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val						
	500			505		510
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu						
	515			520		525
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu						
	530			535		540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly  
 545 550 555 560

Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr  
 565 570 575

Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
 610 615 620

Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
 660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
 675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
 690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
 705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
 740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
 805 810 815

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val  
 820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
 835 840 845

Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp  
 850 855 860

Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln  
 865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu  
 885 890 895

Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
 900 905 910

Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
 915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
 930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
 995 1000 1005

Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
 1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu  
1025 1030

<210> 34  
<211> 820  
<212> PRT  
<213> Homo sapiens

<400> 34

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn  
50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp  
65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205  
 Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
 210 215 220  
 Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
 225 230 235 240  
 Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255  
 Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
 260 265 270  
 Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285  
 Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
 290 295 300  
 Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320  
 Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu  
 325 330 335  
 Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala  
 340 345 350  
 His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu  
 355 360 365  
 Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu  
 370 375 380  
 Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met  
 385 390 395 400  
 Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly  
 405 410 415  
 Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu

420	425	430
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu		
435	440	445
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu		
450	455	460
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser		
465	470	475
		480
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser		
	485	490
		495
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val		
	500	505
		510
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu		
515	520	525
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu		
530	535	540
Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly		
545	550	555
		560
Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr		
	565	570
		575
Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser		
	580	585
		590
Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn		
595	600	605
Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe		
610	615	620
Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu		
625	630	635
		640
His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln		
	645	650
		655



Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
805 810 815

Asp Cys Phe Ala  
820

<210> 35

<211> 3352

<212> DNA

<213> Homo sapiens

<400> 35

aggctggtat aaaaatctta cttcctctat tctctgagcc gctgctgccc ctgtgggaag 60

ggacctcgag tgtgaagcat cttccctgt agctgctgtc cagtctgccc gccagacct 120

ctggagaagc ccctgcccc cagcatgggt ttctgccgca gcgccctgca cccgctgtct 180

ctcctggtgc aggccatcat gctggccatg accctggccc tgggtacctt gcctgccttc 240

ctaccctgtg agctccagcc ccacggcctg gtgaactgca actggctgtt cctgaagtct 300

gtgccccact tctccatggc agcaccctgt ggcaatgtca ccagcctttc cttgtcctcc 360  
 aaccgcatcc accacctcca tgattctgac tttgcccacc tgcccagcct gcggcatctc 420  
 aacctcaagt ggaactgccc gccggttggc ctcagcccca tgcacttccc ctgccacatg 480  
 accatcgagc ccagcacctt cttggctgtg cccaccctgg aagagctaaa cctgagctac 540  
 aacaacatca tgactgtgcc tgcgctgccc aaatccctca tatccctgtc cctcagccat 600  
 accaacatcc tgatgctaga ctctgccagc ctgcgcggcc tgcattgccct gcgcttccta 660  
 ttcattggacg gcaactgtta ttacaagaac ccctgcaggc aggcactgga ggtggccccg 720  
 ggtgcccctc ttggcctggg caacctcacc cacctgtcac tcaagtacaa caacctcact 780  
 gtggtgcccc gcaacctgcc ttccagcctg gagtatctgc tgttgtccta caaccgcatc 840  
 gtcaaaactgg cgcctgagga cctggccaat ctgaccgccc tgcgtgtgct cgatgtgggc 900  
 ggaaattgcc gccgctgcca ccacgtccc aaccctgca tggagtgcc togtcacttc 960  
 ccccagctac atcccgatac cttcagccac ctgagccgtc ttgaaggcct ggtgttgaag 1020  
 gacagttctc tctcctggct gaatgccagt tgggtccgtg ggctgggaaa cctccgagtg 1080  
 ctggacctga gtgagaactt cctctacaaa tgcattacta aaaccaaggc cttccagggc 1140  
 ctaacacagc tgcgcaagct taacctgtcc ttcaattacc aaaagagggt gtcctttgcc 1200  
 cacctgtctc tggccccttc cttcgggagc ctggtcgccc tgaaggagct ggacatgcac 1260  
 ggcatcttct tccgctcact cgatgagacc acgctccggc cactggcccg cctgcccattg 1320  
 ctccagactc tgcgtctgca gatgaacttc atcaaccagg ccagctcgg catcttcagg 1380  
 gccttccctg gcctgcgcta cgtggacctg tcggacaacc gcatcagcgg agcttcggag 1440  
 ctgacagcca ccatggggga ggcagatgga ggggagaagg tctggctgca gcctggggac 1500  
 cttgctccgg cccagtgga cactcccagc tctgaagact tcaggcccaa ctgcagcacc 1560  
 ctcaacttca ccttggtatc gtcacggaac aacctgggtg ccgtgcagcc ggagatgttt 1620  
 gccagctct cgcacctgca gtgcctgccc ctgagccaca actgcatctc gcaggcagtc 1680  
 aatggctccc agttcctgcc gctgaccggt ctgcagggtc tagacctgtc ccgcaataag 1740  
 ctggacctct accacgagca ctcatcacc gagctaccgc gactggaggc cctggacctc 1800  
 agctacaaca gccagccctt tggcatgcag ggcgtggggc acaacttcag cttcgtggct 1860  
 cacctgcgca ccctgcgcca cctcagcctg gccacaaca acatccacag ccaagtgtcc 1920  
 cagcagctct gcagtacgtc gctgcggggc ctggacttca gcggcaatgc actgggccat 1980  
 atgtggggcg agggagacct ctatctgcac ttcttccaag gcctgagcgg ttgatctgg 2040

ctggacttgt cccagaaccg cctgcacacc ctctgcccc aaaccctgcg caacctcccc 2100  
 aagagcctac aggtgctgcg tctccgtgac aattacctgg ccttctttaa gtggtggagc 2160  
 ctccacttcc tgcccaaact ggaagtcctc gacctggcag gaaaccggct gaaggccctg 2220  
 accaatggca gcctgcctgc tggcaccggt ctccggaggc tggatgtcag ctgcaacagc 2280  
 atcagcttcg tggcccccg cttcttttcc aaggccaagg agctgcgaga gctcaacctt 2340  
 agcgccaacg ccctcaagac agtggaccac tctgtgtttg ggccctggc gtagtgcctg 2400  
 caaatactag atgtaagcgc caacctctg cactgcgcct gtggggcggc ctttatggac 2460  
 ttctgtctgg aggtgcaggc tgcctgccc ggtctgcca gccgggtgaa gtgtggcagt 2520  
 ccggggccagc tccagggcct cagcatcttt gcacaggacc tgcgcctctg cctggatgag 2580  
 gccctctcct gggactgttt cgcctctctg ctgctggctg tggctctggg cctgggtgtg 2640  
 cccatgctgc atcacctctg tggctgggac ctctggtact gcttccacct gtgcctggcc 2700  
 tggcttccct ggccggggcg gcaaagtggg cgagatgagg atgccctgcc ctacgatgcc 2760  
 ttctgtgtct tcgacaaaac gcagagcgca gtggcagact ggggtgtaca cgagcttcgg 2820  
 gggcagctgg aggagtgcg tgggcgctgg gcaactccgc tgtgcctgga ggaacgcgac 2880  
 tggctgcctg gcaaaaccct ctttgagaac ctgtgggcct cggctctatg cagccgcaag 2940  
 acgctgtttg tgctggccca cacggaccgg gtcaagtgtc tcttgcgcg cagcttctctg 3000  
 ctggcccgagc agcgctgct ggaggaccgc aaggacgtcg tgggtctggt gatcctgagc 3060  
 cctgacggcc gccgctcccg ctacgtgcgg ctgcgccagc gcctctgcg ccagagtgtc 3120  
 ctctcttggc cccaccagcc cagtggtcag cgcagcttct gggcccgct gggcatggcc 3180  
 ctgaccaggg acaaccacca cttctataac cggaacttct gccagggacc cacggccgaa 3240  
 tagccgtgag ccggaatcct gcacggtgcc acctccacac tcacctcacc tctgcctgcc 3300  
 tggctctgacc ctccctgct cgcctccctc accccacacc tgacacagag ca 3352

&lt;210&gt; 36

&lt;211&gt; 2460

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 36

atgggtttct gccgcagcgc cctgcacccg ctgtctctcc tgggtgcaggc catcatgctg 60  
 gccatgacct tggccctggg taccttgctt gccttcttac cctgtgagct ccagccccac 120  
 ggctgggtga actgcaactg gctgttctct aagtctgtgc cccacttctc catggcagca 180  
 ccccggtggc atgtcaccag ctttctcttg tctccaacc gcatccacca cctccatgat 240

tctgactttg cccacctgcc cagcctgcgg catctcaacc tcaagtggaa ctgcccgcgg 300  
gttggcctca gcccacatgca cttcccctgc cacatgacca tcgagcccag caccttcttg 360  
gctgtgccc aacctggaaga gctaaacctg agctacaaca acatcatgac tgtgctgcg 420  
ctgccc aaat cctcatatc cctgtccctc agccatacca acatcctgat gctagactct 480  
gccagcctcg ccggcctgca tgcctgcgc ttcctattca tggacggcaa ctgttattac 540  
aagaaccct gcaggcaggc actggaggtg gcccgggtg ccctccttg cctgggcaac 600  
ctcaccacc tgtcactcaa gtacaacaac ctactgttg tgcgcgcaa cctgccttc 660  
agcctggagt atctgctgtt gtctacaac cgcctgtca aactggcgcc tgaggacctg 720  
gccaatctga ccgcctgcg tgtgctcgat gtggcgga attgccgcg ctgcgaccac 780  
gctccaacc cctgcatgga gtgcctcgt cacttcccc agctacatcc cgataccttc 840  
agccacctga gccgtcttga aggcctggtg ttgaaggaca gttctctctc ctggctgaat 900  
gccagttggt tccgtgggct gggaaacctc cgagtgttg acctgagtga gaacttcctc 960  
tacaaatgca tcactaaaac caaggccttc cagggcctaa cacagctgcg caagctaac 1020  
ctgtccttca attacaaaa gaggggtgtc tttgccacc tgtctctggc cccttccttc 1080  
gggagcctgg tcgcctgaa ggagctggac atgcacggca tcttcttcg ctactcgat 1140  
gagaccacgc tccggccact ggccgcctg cccatgctcc agactctgcg tctgcagatg 1200  
aacttcacat accaggcca gctcgcatc ttcaggcct tccctggcct gcgtacgtg 1260  
gacctgtcgg acaaccgcat cagcggagct tcggagctga cagccaccat gggggaggca 1320  
gatggagggg agaaggctc gctgcagcct ggggacctg ctccggcccc agtggacact 1380  
cccagctctg aagacttcag gcccaactgc agcaccctca acttcacctt ggatctgtca 1440  
cggaacaacc tggtagcgt gcagccggag atgtttgcc agctctcgca cctgcagtgc 1500  
ctgcgcctga gccacaactg catctcgag gcagtcaatg gctcccagtt cctgccctg 1560  
accggctctg aggtgctaga cctgtccgc aataagctgg acctctacca cgagcactca 1620  
ttcacggagc taccgcgact ggaggccctg gacctagct acaacagcca gccctttggc 1680  
atgcagggcg tggccacaa cttcagcttc gtggctcacc tgcgcacct gcgccacctc 1740  
agcctggccc acaacaacat ccacagccaa gtgtccagc agctctgcag tacgtcgctg 1800  
cgggccctgg acttcagcgg caatgcactg ggccatatgt gggccgagg agaccttat 1860  
ctgcacttct tccaaggcct gagcggttt atctggctgg acttgtcca gaaccgcctg 1920  
cacaccctcc tgcacaaac cctgcgcaac ctcccaaga gcctacagg gctgcgtctc 1980  
cgtgacaatt acctggcctt ctttaagtgg tggagcctcc acttcctgcc caaactggaa 2040

gtcctcgacc tggcaggaaa ccggtgaag gccctgacca atggcagcct gcctgctggc 2100  
 acccggtccc ggaggctgga tgtcagctgc aacagcatca gcttcgtggc ccccggttc 2160  
 ttttccaagg ccaaggagct gcgagagctc aaccttagcg ccaacgccct caagacagtg 2220  
 gaccactcct ggtttggggc cctggcgagt gccctgcaaa tactagatgt aagcgccaac 2280  
 cctctgcact gcgcctgtgg ggcggccttt atggacttcc tgctggaggt gcaggctgcc 2340  
 gtgcccggtc tgcccagccg ggtgaagtgt ggcagtccgg gccagctcca gggcctcagc 2400  
 atctttgcac aggacctgcg cctctgcctg gatgaggccc tctcctggga ctgtttcgcc 2460

<210> 37  
 <211> 26  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Synthetic oligonucleotide

<400> 37  
 accttgctg ccttcctacc ctgtga 26

<210> 38  
 <211> 21  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Synthetic oligonucleotide

<400> 38  
 gtccgtgtgg gccagcacia a 21

<210> 39  
 <211> 20  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Synthetic oligonucleotide

<400> 39  
 tccatgacgt ttttgatgtt 20

<210> 40  
 <211> 20  
 <212> DNA  
 <213> Artificial sequence

<220>  
 <223> Synthetic oligonucleotide

<400> 40  
tccataacgt ttttgatggt 20

<210> 41  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 41  
tccatcacgt ttttgatggt 20

<210> 42  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 42  
tccattacgt ttttgatggt 20

<210> 43  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 43  
tccatggcgt ttttgatggt 20

<210> 44  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 44  
tccatgccgt ttttgatggt 20

<210> 45  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 45

tccatgtcgt ttttgatggt

20

<210> 46

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 46

tccatgatgt ttttgatggt

20

<210> 47

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 47

tccatgaagt ttttgatggt

20

<210> 48

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 48

tccatgaggt ttttgatggt

20

<210> 49

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 49

tccatgacat ttttgatggt

20

<210> 50

<211> 20

<212> DNA

<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 50  
tccatgacct ttttgatggt 20

<210> 51  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 51  
tccatgactt ttttgatggt 20

<210> 52  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 52  
tccatgacgc ttttgatggt 20

<210> 53  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 53  
tccatgacga ttttgatggt 20

<210> 54  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 54  
tccatgacgg ttttgatggt 20

<210> 55  
<211> 20  
<212> DNA  
<213> Artificial sequence



<220>  
<223> Synthetic oligonucleotide

<400> 55  
tccatgacgt ctttgatggt 20

<210> 56  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 56  
tccatgacgt atttgatggt 20

<210> 57  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 57  
tccatgacgt gtttgatggt 20

<210> 58  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 58  
tcgtcgtttt gtcgttttgt cggt 24

<210> 59  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 59  
tgctgctttt gtgcttttgt gctt 24

<210> 60  
<211> 20  
<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 60

tccatgacgt tcctgatgct

20

<210> 61

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 61

tccatgagct tcctgatgct

20

<210> 62

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus oligopeptide

<220>

<221> MISC\_FEATURE

<222> (4)..(5)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (7)..(12)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (14)..(15)

<223> Any amino acid

<400> 62

Gly Asn Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Cys  
1 5 10 15

<210> 63

<211> 16

<212> PRT

<213> Homo sapiens

<400> 63

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys  
 1 5 10 15

<210> 64  
 <211> 16  
 <212> PRT  
 <213> Mus musculus

<400> 64

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Ile Cys  
 1 5 10 15

<210> 65  
 <211> 31  
 <212> PRT  
 <213> Artificial sequence  
 <220>  
 <223> Consensus oligopeptide

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 65

Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Ser Xaa Xaa Xaa Xaa Xaa Xaa Tyr  
                   20                                  25                                  30

<210> 66  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 66

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1                                  5                                  10                                  15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Leu Xaa Xaa Xaa Xaa Xaa Xaa Tyr  
                   20                                  25                                  30

<210> 67  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 67

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Gln Leu Xaa Xaa Xaa Xaa Xaa Tyr  
 20 25 30

<210> 68  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<400> 68

Gln Val Leu Asp Leu Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His  
 1 5 10 15

Ser Phe Thr Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr  
 20 25 30

<210> 69  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<400> 69

Gln Val Leu Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys

15

30

<213> Artificial sequence

<223> Synthetic oligonucleotide

20